Hydration monitor 1440

Monitor 38fd007e-2d1a-4f1c-b53b-685308d2771b / revision 1

Generated Nov 14, 2026, 5:00:48 AM UTC / UTC

Period: Nov 13, 2026, 5:00:48 AM UTC inclusive to Nov 14, 2026, 5:00:48 AM UTC exclusive

Availability and coverage

Healthy time as a share of observed scheduled time (healthy + not passing). Unknown, paused and maintenance time are excluded from the uptime and SLA denominator and shown separately.

Uptime: Unknown

Healthy time: 0 seconds (0 ms)

Not-passing time: 0 seconds (0 ms)

Observed denominator: 0 seconds (0 ms)

Unknown time: 86400 seconds (86400000 ms)

Paused time: 0 seconds (0 ms)

Maintenance time: 0 seconds (0 ms)

Entire period: 86400 seconds (86400000 ms)

Slow-response time

Time from confirmed Slow to independently confirmed slow recovery, clipped to this period. Unknown evidence never resolves a Slow event. This is separate from downtime and SLA.

Confirmed Slow time: 0 seconds (0 ms) / episodes: 0

Slow time does not reduce uptime or the SLA result.

Response times

Location: all / resolution: 5m / bucket alignment: UTC

Final result per selected check from complete valid scheduled slots; retries do not add samples; manual, incomplete, runner-error, paused and maintenance results are excluded.

Percentile method: nearest-rank

Sample count: 0 samples

Minimum: Unknown

Mean: Unknown

p50: Unknown

Response times (continued)

p95: Unknown

p99: Unknown

Maximum: Unknown

Response-time samples and buckets

No eligible samples. Response time is Unknown.

Incidents in this period

Confirmed Uptime incidents: 0 / period overlap: 0 seconds (0 ms)