
Synapse Analytics Serverless SQL

MSBID- 10. december 2020



Agenda

- Quick Azure Synapse Analytics overview
- Serverless SQL
 - What is it
 - What can it be used for
- Cost management






Azure Synapse Analytics


Limitless analytics service with unmatched time to insight

Azure Synapse is Azure SQL Data Warehouse evolved—blending big data, data warehousing, and data integration into a <u>single service</u> for end-to-end analytics at cloud scale.

This is a result of businesses being forced to maintain two critical, yet independent analytics systems




Azure brings these two worlds together, in a single service



Welcome to Azure Synapse Analytics

Analytics using Azure Synapse




SaaS data

Prepare your data

Analyze the prepared data

Serve your data with high concurrency support

Build BI dashboards and reports



Azure Synapse Analytics Terminology

- Synapse workspace: A securable collaboration boundary. Has an associated ADLS Gen2 account and file system (for temporary data).
- ▶ Data Integration (Data Factory): Ingest data between various sources and orchestrate activities running within or outside a workspace
- SQL serverless: Distributed data processing system that lets you run T-SQL queries over data in data lake. It is serverless.
- ▶ SQL pool (SQL DW): 0-to-N SQL provisioned resources with their corresponding databases
- ▶ Apache Spark pool: 0-to-N Spark provisioned resources with their corresponding databases.

Synapse Studio

- Makes modern data warehouse solution-building easier than ever!
- Synapse Studio combines ingestion, preparation, analysis, and serving.
- Develop notebooks, SQL scripts, pipelines, Power BI reports, and more... all within one experience.
- Solution-level authoring and monitoring in a single pane of glass.
- Spark and SQL can operate on the same data. No need to duplicate.



Demo

- Create a Workspace and use existing Data Lake
- 2. Setup firewall rules
- 3. Set security on Data Lake
 - Storage Blob Reader or Contributor role
- Launch Synapse Studio
 - Browse storage account
 - Query PARQUET file with the use of SQL serverless



Quickstart: https://docs.microsoft.com/en-us/azure/synapse-analytics/quickstart-create-workspace and https://docs.microsoft.com/en-us/azure/synapse-analytics/quickstart-synapse-studio

SQL serverless in Synapse

Query service over the data in your data lake









SQL serverless in Synapse

- Allows you to query files in your Azure storage accounts
- No local storage, only metadata objects are stored in databases
- Analyze your Big Data in seconds to minutes
- Supported T-SQL
 - Full SELECT surface area is supported, including a majority of SQL functions
 - CETAS CREATE EXTERNAL TABLE AS SELECT
 - DDL statements related to views and security only
- There is no charge for resources reserved, you are only being charged for the data scanned by queries you run, hence this model is a true payper-use model. (\$5 per TB of data processed)

SQL serverless scenarios

- Basic discovery and exploration Quickly reason about the data in various formats (Parquet, CSV, JSON) in your data lake, so you can plan how to extract insights from it.
- ▶ Logical data warehouse Provide a relational abstraction on top of raw or disparate data without relocating and transforming data, allowing always up-to-date view of your data.
- ▶ Data transformation Simple, scalable, and performant way to transform data in the lake using T-SQL, so it can be fed to BI and other tools, or loaded into a relational data store (Synapse SQL databases, Azure SQL Database, etc.).

Demo

- 1. Create a Database
- 2. Create a data source
- 3. Query CSV files
- 4. Create an external table (CETAS)



Quickstart: https://docs.microsoft.com/en-us/azure/synapse-analytics/sql/create-external-table-as-select



Cost management

- \$5 per TB of data processed
 - Data read while reading data and metadata.
 - Amount of data in intermediate results
 - Amount of data written to storage
- Each query has a minimum of 10 MB of data processed
- Cost control
 - Setup limits Daily, weekly and monthly
 - Query sys.dm_external_data_processed

Started executing query at Line 60

(Statement ID: {584E51B0-4653-40DA-9220-B8EF535CF2B1} | Query hash: 0xF436DC5C144EC80 | Distributed request ID: {134C847F-4B23-43C2-B0EA-BE836C135B10}. Total size of data scanned is 10823 megabytes, total size of data moved is 1 megabytes, total size of data written is 0 megabytes.)

Total execution time: 00:00:28.969

| Request ID ↑↓ | Request content $\uparrow \downarrow$ | Submit time ↑↓ | Duration | Data processed |
|---------------|---------------------------------------|----------------------|----------|----------------|
| 42362 | SELECT TOP 100 * FROM OPENF | 12/10/20, 8:17:06 AM | 18s | 315 MiB |
| 50189 | *** Global stats query *** | 12/10/20, 8:19:22 AM | 1m 9s | 3.95 GiB |
| 53268 | SELECT title = JSON_VALUE(doc | 12/10/20, 8:20:15 AM | 0s | 1 MiB |
| 54097 | SELECT DateStruct, TimeStruct, 1 | 12/10/20, 8:20:39 AM | 0s | 1 MiB |
| 54180 | SELECT CAST([tpepPickupDateT | 12/10/20, 8:19:22 AM | 1m 38s | 1.39 GiB |

