

DATABASE MANAGEMENT SYSTEM (15ECSC208)

Design Phase Presentation

4D01 - IV Semester, 2021

# Supermarket Management System

06 May 2021

Aditya Vikram - 01FE19BCS220 Rishab Jain - 01FE19BCS228 Yash Raj - 01FE19BCS229 Harshita Hiremath - 01FE19BCS235



# Responsibilities

- Aditya Vikram : Formulated first normalized solution.
- Rishab Jain: Choose the optimal schema.
- Yash Raj: Design user interface.
- Harshita Hiremath: formulated second normalized solution.

# Changes Specified in ER





Membership table can maintain history of points added or redeemed

Drop branch table

**Drop Discount table** 



**Drop Job Designation Table** 

Staff Id is introduced in staff entity

Establish relation between staff and order




Drop Inventory table, relevant attributes are added to Product table

Drop Brand table, include brand in product table

# Modified ER Diagram





# Functional Dependencies Identified



#### **Customer:**

Customer\_Phone\_No → first\_name, last\_name, addr\_line\_1, addr\_line\_2

### **Observations:**

- Atomic values
- No partial dependency
- No transitive dependency
- Determinant is a candidate key

Remark: Customer is in BCNF

```
customer
customer_ph_no int
first_name varchar(10)
last_name varchar(10)
laddr_line_1 varchar(20)
laddr_line_2 varchar(20)
```

## Membership:

{Order\_id, Customer\_Phone\_No, Points} → Order\_id, Customer\_Phone\_No, Points

### **Observations:**

- Atomic values
- No partial dependency
- No transitive dependency
- Determinant is a candidate key

## Remark: Membership is in BCNF


#### Sales Return:

{Order\_id, Product\_id} → quantity, amount, Replacement\_id

#### **Observations:**

- Atomic values
- No partial dependency
- No transitive dependency
- Determinant is a candidate key

## Remark: Sales Return is in BCNF



```
■ sales_return

order_id int

product_id int

quantity int

amount_to_pay int

replacement_order_id int
```

# Ordered Items : {Order\_id, product\_id} → quantity

#### **Observations:**

- Atomic values
- No partial dependency
- No transitive dependency
- Determinant is a candidate key

### Remark: Ordered Items is in BCNF

### Invoice:


Order\_id → amount\_paid, change\_generated

#### **Observations:**

- Atomic values
- No partial dependency
- No transitive dependency
- Determinant is a candidate key

## Remark: Invoice is in BCNF





#### **Procurement:**

Bill\_No → amount, delivery\_date, batch\_no, supplier\_ph\_no Batch\_No → bill\_no

#### **Observations:**

- Atomic values
- No partial dependency
- No transitive dependency
- Determinant is a candidate key

### Remark: Procurement is in BCNF


### **Procured Items:**

{Batch\_no, product\_id} → quantity

#### **Observations:**

- Atomic values
- No partial dependency
- No transitive dependency
- Determinant is a candidate key

## Remark: Procured Items is in BCNF



```
procured_items

| procured_items |
| batch_no int |
| product_id int |
| quantity int |
```

### **Products:**

Product\_id  $\rightarrow$  Product\_name, price, availability, discounted\_price, brand, quantity\_sold {Brand,name}  $\rightarrow$  Product\_id

#### **Observations:**

- Atomic values
- No partial dependency
- No transitive dependency
- Determinant is a candidate key

## Remark: Products is in BCNF


#### Orders:


Order\_id → Order\_date, mode\_of\_payment, customer\_ph\_no, staff\_id

#### **Observations:**

- Atomic values
- No partial dependency
- No transitive dependency
- Determinant is a candidate key

## Remark: Orders is in BCNF





### Supplier:

Ph\_no → Agency\_name, Address

#### **Observations:**

- Atomic values
- No partial dependency
- No transitive dependency
- Determinant is a candidate key

## Remark: Supplier is in BCNF


Purchase Return:


{Product\_id, batch\_no} → date, amount

#### **Observations:**

- Atomic values
- No partial dependency
- No transitive dependency
- Determinant is a candidate key

## Remark: Purchase Return is in BCNF






### Staff:

Aadhar\_no  $\rightarrow$  ID, Name, Join\_date, Address, Ph\_no, Job\_designation, Salary ID  $\rightarrow$  Aadhar\_no Ph\_no  $\rightarrow$  Aadhar\_no Job\_designation  $\rightarrow$  Salary

#### **Observations:**


- Atomic values
- No partial dependency
- One transitive dependency (Aadhar No → Salary)
- Relation will not be normalized further, as redundancy due to the transitive dependency mentioned will be controlled.

Remark: Staff is in 2NF



# Optimal Normalized Solution







# Why is it an optimal solution?



Minimizes Redundancy



Removes Unwanted Data Connections



**Optimizes data storage** 

# Actual Dataset - Products (1/2)



	<b>.</b> product_id ≎	<b>I</b> product_name	<b>I</b> brand ÷	<b>I</b> price ≎	<b>I</b> available_stock ≎	■ quantity_sold ÷	<b>I</b> discounted_price ≎
1	1	Jimjam	brittania	10	100	0	0
2	2	Cream & Onion	lays	20	100	0	0
3	3	Toothbrush	Pepsodent	40	100	0	0
4	4	Chakki Atta	Aashirvad	300	100	0	0
5	5	Hairdye	Garnier	180	100	0	0
6	6	Maggi	Nestle	12	100	0	0
7	7	Dishwash	Vim	19	100	0	0
8	8	Toothpaste	Colgate	84	100	0	0
9	9	HealthDrink	Boost	730	100	0	0
10	10	Ketchup	Nestle	120	100	0	0
11	11	Lotion	Himalaya	215	100	0	0
12	12	Atta	Ashirvaad	60	100	0	0
13	13	Handwash	Lifebuoy	99	100	0	0
14	14	Toothbrush	Colgate	101	100	0	0
15	15	Biscuits	DarkFantasy	82	100	0	0
16	16	Biscuits	0reo	58	100	0	0
17	17	Biscuits	Nice	24	100	0	0
18	18	Bhujia	Haldiram	175	100	0	0
19	19	PotatoChips	Bingo	20	100	0	0
20	20	Coffee	Bru	150	100	0	0
21	21	Tea	Red Label	265	100	0	0
22	22	Noodles	Sunfeast	123	100	0	0
23	23	Vermicelli	Mtr	59	100	0	0
24	24	Pasta	Disano	99	100	0	0
25	25	Honey	Dabur	250	100	0	0
26	26	Choco Spread	Disano	269	100	0	0
27	27	Hair Oil	Parachute	120	100	0	0

# Actual Dataset - Products (2/2)


28	28	Shampoo	Dove	430	100	0	0
29	29	Shampoo	Nyle	256	100	0	0
30	30	Hair Dye	Godrej	120	100	0	0
31	31	Lotion	Nivea	192	100	0	0
32	32	Deo	Nivea	156	100	0	0
33	33	Deo	Axe	193	100	0	0
34	34	Sambar masala	Aashirvad	62	100	0	0
35	35	Salt	Tata	18	100	0	0
36	36	0il	Safola	168	100	0	0
37	37	Cold drink	Minute maid	69	100	0	0
38	38	Cold drink	Pepsi	35	100	0	0

# Actual Dataset - Staffs & Suppliers


	📭 aadhar_number 🗧	.⊞ staff_id ≎	<b>I</b> first_name ≎	<b>I</b> ≣ last_name <b>÷</b>	<b>I</b> addr_line_1	■ addr_line_2 ÷	<b>I</b> job_designation ⇒	<b>I</b> ≣ salary ‡	<b>I</b> ≣ join_date ÷	<b>I</b> phone_number
1	121114849301	2	Rahul	Sharma	Shirupark	Hubli	cashier	10000	2019-09-24	8939949
2	129823838491	3	Vidhi	Sanghvi	Gokul road	Hubli	cashier	10000	2019-05-29	9038381
3	145861663728	1	Vishal	Singh	Vidyanagar	Hubli	cashier	15000	2017-04-13	8320193
4	346513483739	4	Shlok	Kumar	KIMS	Dharwad	staff	12000	2018-08-12	9828282
5	452314567382	5	Preeti	Sharma	Station road	Dharwad	staff	9000	2020-03-01	8339202

	<pre>supplier_ph_no \$</pre>	■■ agency_name	<b>■</b> addr_line_1	<b>■</b> addr_line_2
1	8383020334	Sri Sai Goods	Dharwad	Arera Road
2	8939292923	Agarwal Goods	Dharwad	Nabad Nagar
3	9288628265	Sudarshan Entp	Dharwad	Teacher's Colony
4	9701001117	Raja wholesale	Hubli	Vidyanagar
5	9837382223	Kishore wholesale	Hubli	KIMS


# User Interface Design - Dashboard




# Transaction




# Placing Order (For Procurement)




# Inventory




# Sales Return




# Purchase Return



# View Customer Data



# Staff Data



# Implementation



- Accounted for most of the requirements with front-end.
- Since, we are yet to link the back-end to the front-end, the requirements are not functional yet.

## References & Tools

## References:

- 1. Lucidchart
- 2. JetBrains DataGrip

## Tools:

- 1. HTML
- 2. CSS
- 3. Javascript
- 4. MySQL

# THANK YOU