

Claude Code

About me

Daniel Schwartz

A UCT Graduate in Computer
Science and Psychology

Over 8 years of working in
Technology industry

Currently a DevSecOps
Engineer working at JUMO



Scan to ask questions



What's in this talk

At a high level

01

Introduction to Claude Code

What it is, and
how to get started
using Claude Code

02

Claude Code customization

A very hackable and
customizable general
purpose tool


03

How Claude Code has changed how I work

My day-to-day Claude
workflow and advice
from experience

Welcome to the Rollercoaster

1. Oh wow, it can **cook**!
2. Oh no, I burnt my food...
3. Wait it's 2am!?
4. What's an IDE again?



What even is Claude Code?

```
Claude Code v2.1.238

Welcome back Dan!



Opus 5 (1M context) · Claude Max ·
[redacted] Organization
/home/sprite

Tips for getting started
Run /init to create a CLAUDE.md file w...
Note: You have launched claude in your...

What's new
Added a `keybindingFlavor` setting: se...
Plugin marketplaces: `headersHelper` o...
A catalog entry's `headersHelper` runs...
/release-notes for more

Keep working from anywhere
Check progress or reply to any session from the mobile app, desktop app, or
[redacted]. To keep a session in this terminal
only, run /remote-control

> Say hi Claude!


● Hi! 🙌 What can I help you with today?

* Churned for 2s


>

>> auto mode on (shift+tab to cycle) · ← 1 agent /rc active
```

What even is Claude Code?



What even is Claude Code?



<https://code.claude.com/docs/en/how-claude-code-works>


Getting started with Claude Code

macOS/Linux/WSL

```
curl -fsSL https://claude.ai/install.sh | bash
```

Windows Powershell

```
irm https://claude.ai/install.ps1 | iex
```



Migrate to native installer if not already:

```
$ claude install
```

<https://code.claude.com/docs/en/quickstart>

The things you manage

Prompts

- Your messages to Claude
- Instructions [CLAUDE.md](#)
 - Organization
 - User
 - Project (and sub dirs)
- Memories for that project
- Skills ([SKILL.md](#)) that are loaded


Tools

- Your [shell](#), your [CLIs](#), your [computer](#), your [access](#)
- MCPs/Connectors you connect
- Your Claude settings and permissions

Context


- Everything Claude can [see](#) (Files, Tool results, Instructions, Memories, Images)
- [1 Million tokens](#) context window
- Affects cost and quality of output

Basic commands to get you started




- `/init` Initialize a new `CLAUDE.md` for your codebase
- `/config` Open settings menu
- `/powerup` Discover Claude Code features with interactive lesson
- `/usage` Track your session usage, cost, activity
- `/doctor` Built-in Skill for diagnosing setup issues

Basic commands to get you started



- `/usage`



Different Modes

shift-tab to cycle

```
▶▶ auto mode on
```

```
|| plan mode on
```

```
▶▶ bypass permissions on
```

Auto-mode: The new default, excellent for general use and safety

Plan mode: Purely exploring, research and planning a task

Bypass permissions: It is called YOLO mode for a reason

Examples of Components

These add context and tools

```
● Skill(update-config)
  | Successfully loaded skill · 1 tool allowed
  | Allowed by auto mode classifier

Searched for 1 pattern

● Skill(sprite)
  | Successfully loaded skill
```

```
> can you read from the general slack channel please

● I'll load the Slack read tool and pull the general channel.

Called Slack 2 times
```

Skills - lazy loaded instructions and context to teach Claude how to do a repeated task

E.g. Using a skill to update my Claude config

MCPs - tools Claude can call to fetch context from external systems or to make changes to them

E.g. using the Slack connector to read from a channel

Examples of Components

These add determinism

```

● Update(scripts/deploy.sh)
  └─ Added 2 lines
    12 for f in $(ls *.log); do
    13     rm $f
    14 done
    15 +
    16 +echo "done after $retries retries in $region"
  └─ PostToolUse:Edit says: shellcheck found issues in /home/sprite/code
    /home/sprite/code/scripts/deploy.sh:8:6: note: Double quote to pre
    /home/sprite/code/scripts/deploy.sh:12:10: error: Iterating over

```

Hooks - deterministically hook into events to take action at different stages of the workflow

E.g. a PostToolUse hook to run Shellcheck on shell scripts

```

● Write(areas.py)
  └─ Wrote 10 lines to areas.py
    1 from shapes import Rect, total_area
    2
    3 boxes = [Rect(2.0, 3.0), Rect("4", 5.0)]
    4
    5 print(total_area(boxes))
    6 print(total_area(Rect(1.0, 1.0)))
    7 print(boxes[0].perimeter())
    8
    9 r = Rect(1.0, 2.0).scaled(2)
   10 missing: int = r.area()
  └─ Found 1 new diagnostic issue in 1 file (ctrl+o to expand)


```

LSPs - Code Intelligence using Language Server Protocols like your IDE does for you


E.g. Python LSP showing issues in the file on Write

Plugins and Marketplaces

- A **plugin** is the distributable bundle of all the components that Claude can use (Skills, MCPs, Hooks, Agents, LSPs, Monitors, Themes, Output Styles)
- You can manage your plugins via the **/plugin** menu
- You install plugins from a **marketplace**, such as a GitHub repository ([anthropics/claude-plugins-official](https://github.com/anthropics/claude-plugins-official))
- You can install any number of marketplaces to source plugins (**/plugin marketplace add anthropics/claude-code**)
- You can create your own plugins and marketplaces for them to share with others, or reference external plugins in your marketplace




A few nice features to know



- Advisor ([/advisor](#))
- Enable Remote Control ([/rc](#))
- Use [Monitors](#) for continuous background polling
- Setup built in Sandbox for Bash ([/sandbox](#))
- Customize Auto-mode Classifier ([/setup-auto-mode](#))
- Set your Output Styles (new “[Concise](#)” style)
- Voice mode ([/voice](#)), and 20 Languages
- Screen Reader Support, and Colorblind themes ([/theme](#))

My Claude Code workflows



Claude Code v2.1.241
Opus 5 (1M context) · ~/repos
5 awaiting input · 0 working · 40 completed

Pinned

- * eks claude security review
- * memories and claude.md coverage
- * auto-mode defaults configuration
- * github org misconfigurations inventory
- * repo map plugin feasibility

Completed

- * **slack message investigation** 22m
- output style defaults 33m
- flsd-19279 datadog investigation 5m
- claude settings org instructions #52 1h
- configure effort level default 1h
- iam permissions audit 9m
- renovate operator logs delegation 2h
- renovate operator debug runs logs 2 PRs 30m
- renovate pr review for new v5 version 7m
- azure_rm provider migration 21m
- kserve batch scoring capacity 36m
- airflow workers arm build #1564 4m
- ... 28 more

> describe a task for a new session

enter to return · space to reply · hold space to speak · ctrl+x to delete · ? for shortcuts

My Claude Code workflows

Planning tasks

- Open Claude in **parent** folder to all my repos
- Start with a conversation
- Definition of Done
- Commit idea to a ticket
- Get agreement with Team

Tackling tasks

- New session, ticket link
- Sizing up your approach
 - Which model? Effort?
 - Dynamic Workflows?
 - Agent Teams?
- **Auto-mode** with **worktree**
- Steer the session
- Finish with draft PRs

Code review

- Human in the loop PR reviews
- Adversarial
/code-review
- **/security-review** or Claude Security plugin
- Ensure documentation is always updated

Agents we created at work that help me sleep at night

1. Access Request Reviewer

Risk score: 5

Justification: ## Summary

Daniel Schwartz requested AWS admin a

2. Automated Root Cause Analysis

Automated RCA Analysis

Summary

This is not an incident — it is an AWS Health scheduled-maintenance notification: .

Bringing Claude Code to your teams

Education

- Build your own **intuition** and share it
- Facilitate **discussions** around automating processes
- Have the hard **conversations**


Collaboration

- Create a **plugin marketplace** for sharing customizations
- Create a **feedback** channel for working on points of friction
- Work in the **open**

Safeguards

- Setup your **managed settings** from experience over time
- **Standardize** your SDLC and tooling
- Lean on **auto-mode** classifier and **sandboxing**

Advice from experience



- Managing **costs** of a session
 - New task, new session. Compact early or not at all.
 - @ relevant files instead of searching
 - Delegate noisy tasks to subagents
- Keep your feedback loop... **looping**
 - Always define what done looks like
 - Self-check verification loops
 - Lean on your best practice tools
- Getting good **results**
 - Function of the quality of your plan
 - Keep your context light of bloat
 - Use durable instructions
 - Evaluate your skills
- Seek and give **honest** feedback
 - Don't let slop take over!

And most importantly
have some fun!

Daniel Schwartz

Slides @justanotherspy/talks on GitHub

Reach out on LinkedIn!

