pdftopng(1) pdftopng(1)

#### **NAME**

pdftopng - Portable Document Format (PDF) to Portable Network Graphics (PNG) converter (version 3.04)

### **SYNOPSIS**

pdftopng [options] PDF-file PNG-root

#### DESCRIPTION

**Pdftopng** converts Portable Document Format (PDF) files to color, grayscale, or monochrome image files in Portable Network Graphics (PNG) format.

Pdftopng reads the PDF file, *PDF-file*, and writes one PNG file for each page, *PNG-root-nnnnnn*.png, where *nnnnnn* is the page number. If *PNG-root* is '-', the image is sent to stdout (this is probably only useful when converting a single page).

## **CONFIGURATION FILE**

Pdftopng reads a configuration file at startup. It first tries to find the user's private config file, ~/.xpdfrc. If that doesn't exist, it looks for a system-wide config file, typically /usr/local/etc/xpdfrc (but this location can be changed when pdftopng is built). See the **xpdfrc**(5) man page for details.

### **OPTIONS**

Many of the following options can be set with configuration file commands. These are listed in square brackets with the description of the corresponding command line option.

-f number

Specifies the first page to convert.

-l number

Specifies the last page to convert.

-**r** number

Specifies the resolution, in DPI. The default is 150 DPI.

- -mono Generate a monochrome image (instead of a color image).
- **-gray** Generate a grayscale image (instead of a color image).
- -freetype ves / no

Enable or disable FreeType (a TrueType / Type 1 font rasterizer). This defaults to "yes". [config file: enableFreeType]

-aa yes / no

Enable or disable font anti-aliasing. This defaults to "yes". [config file: antialias]

-aaVector yes / no

Enable or disable vector anti-aliasing. This defaults to "yes". [config file: vectorAntialias]

**–opw** password

Specify the owner password for the PDF file. Providing this will bypass all security restrictions.

-upw password

Specify the user password for the PDF file.

- -q Don't print any messages or errors. [config file: errQuiet]
- -v Print copyright and version information.
- **-h** Print usage information. (**-help** and **--help** are equivalent.)

## **EXIT CODES**

The Xpdf tools use the following exit codes:

- 0 No error.
- 1 Error opening a PDF file.
- 2 Error opening an output file.

pdftopng(1) pdftopng(1)

- 3 Error related to PDF permissions.
- 99 Other error.

# **AUTHOR**

The pdftopng software and documentation are copyright 1996-2014 Glyph & Cog, LLC.

# **SEE ALSO**

$$\label{eq:continuous_pdf} \begin{split} & \textbf{xpdf}(1), \ \textbf{pdftops}(1), \ \textbf{pdftotext}(1), \ \textbf{pdftohtml}(1), \ \textbf{pdfinfo}(1), \ \textbf{pdffonts}(1), \ \textbf{pdftotext}(1), \ \textbf{pdftoppm}(1), \\ & \textbf{pdfimages}(1), \ \textbf{xpdfrc}(5) \\ & \textbf{http://www.foolabs.com/xpdf/} \end{split}$$