

Sales-history coverage: all 23 categories



Counts describe the input file, not demand. 194 transactions need category review and are excluded from these category-specific analyses. No missing fruit history is filled with invented sales.

GENERATED SAMPLE SALES — demonstration only; not measured real-world forecasting accuracy.


Daily sales and revenue





Completed sales assigned to supported categories only; 194 unresolved/out-of-scope transactions are excluded. Weight and revenue are separate measures; the trailing average summarizes past sales.


GENERATED SAMPLE SALES — demonstration only; not measured real-world forecasting accuracy.

Sales trends: all 23 supported categories






















































Each available line is a seven-day trailing average of classified sales. Empty panels mean no recorded history, not zero demand. Generic Mango records cannot be assigned to a variety without confirmation. Panels have separate kg scales.

GENERATED SAMPLE SALES — demonstration only; not measured real-world forecasting accuracy.


Distribution of sales quantities






Left: daily fruit sales, including assumed zero-sale dates. Right: basket weights from individual transactions.
GENERATED SAMPLE SALES — demonstration only; not measured real-world forecasting accuracy.

Average sales by day of week



Summary of classified sales in the available period. For the bundled sample, higher weekend transaction counts were deliberately programmed; this is not evidence of real vendor weekday demand.
GENERATED SAMPLE SALES — demonstration only; not measured real-world forecasting accuracy.

Forecast errors on later test periods








All methods predict the same fruit-days over 7-day blocks. Selected policy chooses a method per fruit using earlier sales only. Scores use unrounded predictions.


GENERATED SAMPLE SALES — demonstration only; not measured real-world forecasting accuracy.


Actual versus predicted sales by fruit















































Dotted boundaries mark new 7-day forecast blocks. Selection and training use only earlier sales; actual sales within a block never become forecast inputs. Reference actuals are sample values when the dataset is generated.


GENERATED SAMPLE SALES — demonstration only; not measured real-world forecasting accuracy.


Training and validation MAE versus boosting rounds



One-day-ahead diagnostic: validation features use earlier observed sales. This is not the recursive seven-day test score; the final test period is excluded entirely.
GENERATED SAMPLE SALES — demonstration only; not measured real-world forecasting accuracy.


Selected procedure: agreement and error distribution








Only category-resolved fruit-days with evaluated predictions are shown. A point near the diagonal indicates close agreement; positive error means overforecasting. Sample reference quantities are generated when the input is synthetic.
GENERATED SAMPLE SALES — demonstration only; not measured real-world forecasting accuracy.


Actual and predicted 7-day sales totals





























































Sample reference sales Recent average Selected policy

Totals are calculated separately for each fruit and forecast block. Good agreement here can hide errors in daily timing; read alongside the daily plots. These are sales quantities, not recommended purchase quantities.

GENERATED SAMPLE SALES — demonstration only; not measured real-world forecasting accuracy.


Selected forecasting policy: errors by fruit



All supported categories are listed. Missing bars mean not evaluated; they do not represent zero error. Compare kg errors with sales volume and the vendor's tolerance before judging usefulness.

GENERATED SAMPLE SALES — demonstration only; not measured real-world forecasting accuracy.

Forecast error by distance into the future



Compare requested days on the same test blocks. Weekly-spaced origins start on the same weekday, so this plot mixes forecast-distance and weekday effects. It does not isolate the causal effect of predicting further ahead. A bridge precedes requested day 1.
GENERATED SAMPLE SALES — demonstration only; not measured real-world forecasting accuracy.