

Created by Justin Brazil



<https://github.com/justin-brazil/SkryeScript>

GPL v3

About


SkryeScript

A free and open-source PowerShell GUI tool designed to manage libraries of scripts and/or text files, with a number of features designed to streamline the scripting process.

Targeted at IT professionals .

Available as an executable or as a .PS1 script, GPL v3 license

Built using PowerShell 5, GUI built with Sapien's PowerShell Studio 2016



What is It?

SkryeScript

SkryeScript is a rich GUI tool designed to catalog, tag, and manage text-based files and scripts. It was built by an IT professional for IT professionals with the goal of streamlining the retrieval of script data from various sources, improve scripting workflows, and to standardize logging and output results across all scripts in order to create a consistent environment.

- Creates a library of scripts out of multiple user-defined sources
- Allows tagging, searching, and filtering of indexed items
- 4 selectable modes: All, Favorites, Logs, Results
- Programmable user-defined shortcut buttons, templates, and settings
- Provides standardized frameworks for logging, results, and notifications
- Displays your script's output (logs and results)

Main Screen

SkryeScript

Mode Selection

Script Pane

Tag Search

Dynamic
Filters

The screenshot shows the SkryeScript application window. At the top, there is a teal header bar with the title 'SkryeScript'. Below the header, there is a navigation bar with buttons for 'Scripts', 'Favorites', 'Logs', 'Results', 'Folder', 'Setup', 'New Script', and 'New Funct'. A search bar is located below the navigation bar. On the right side of the window, there is a 'Script Pane' displaying the 'SkryeScript' logo and the text 'Scripts in Library : 41 | Matches : 41'. The main area of the window is divided into two sections: 'Filters' on the left and 'Results' on the right. The 'Filters' section contains a list of dynamic filters with checkboxes, including 'Documentation Project', 'Enumerate-Files', 'Filename Prefix (PRODUCT -)', 'Index-Files', 'Initialize-Logfile', 'Initialize-script', 'Initialize-SKryeMS', 'JustML', 'KB', 'Knowledgebase Project', 'Manage-Firewall', 'Networking', 'New-Popup', 'Nework-PopupAlert', 'Print folder', 'e-Files', 'e-Headers', 'up-Notification', 'erShell', 'ord-Event', and 'Remote Desktop'. The 'Results' section displays a table of scripts with columns for 'Filename', 'Date', and 'Description'. The table contains 20 rows of data, including scripts like 'ADH - Centrality SQL Backup Alerting.ps1', 'Broken M... Parse and Move.ps1', 'Function - Bound... GMedServices.ps1', 'Function - Diagnose...', 'Function - Network-P...', 'Function - New-Popu...', 'Function - Popup-Notification.ps1', 'Function - Popup-Notification.ps1', 'Function - Send-Notification.ps1', 'Homelab - QNAP Robocopy Sync 2.ps1', 'Homelab - QNAP Robocopy Sync 3.ps1', 'Initialize-Script - Universal Script Functions.ps1', 'JustML - Header Definition.txt', 'JustML - Header Definition.txt', 'JustML - NonText Parsing Logic.txt', 'JustML - Syntax Definitions.txt', and 'Manage-Firewall - Sapien PowerShell Studio Blocker.ps1'. A callout box labeled 'Tag Search' points to the search bar in the 'Results' section.

Filename	Date	Description
ADH - Centrality SQL Backup Alerting.ps1	10/10/2016 3:59 PM	Monitos SQL backup location, alerts if backup hasnt been created in over X days
Broken M... Parse and Move.ps1	10/7/2016 10:38 PM	Requires logs exported from MediaInfo (by Media Arena).
Function - Bound... GMedServices.ps1	10/10/2016 4:17 PM	Interactive function that resets all gMed services for the specified ADH site on DCVM-GMEDIIS
Function - Diagnose...	9/7/2016 2:40 PM	Creates a diagnosis of the root cause of a PCs network connectivity issues
Function - Network-P...	10/10/2016 4:19 PM	Generates a network error diagnostic report when called (integrate with newtork watcher)
Function - New-Popu...	10/10/2016 10:58 AM	Displays a button-based interactive pop up notification
Function - Popup-Notification.ps1	9/9/2016 10:57 AM	Displays a pop up notification
Function - Popup-Notification.ps1	9/9/2016 11:01 AM	Displays a pop up notification
Function - Send-Notification.ps1	9/7/2016 2:37 PM	Displays a popup on one or more manually specified PCs.
Homelab - QNAP Robocopy Sync 2.ps1	10/10/2016 4:03 PM	Monitors QNAP shares and runs robocopy job for each of them to sync files to backup destination.
Homelab - QNAP Robocopy Sync 3.ps1	10/10/2016 4:04 PM	Monitors QNAP shares and runs robocopy job for each of them to sync files to backup destination.
Initialize-Script - Universal Script Functions.ps1	11/4/2016 8:08 PM	Provides functions RECORD-EVENT, INITIALIZE-LOGFILE, POPUP-NOTIFICATION, initializes pr...
JustML - Header Definition.txt	9/5/2016 9:28 AM	
JustML - Header Definition.txt	9/5/2016 9:28 AM	
JustML - NonText Parsing Logic.txt	10/28/2016 3:22 PM	Filename
JustML - Syntax Definitions.txt	9/5/2016 12:57 AM	
Manage-Firewall - Sapien PowerShell Studio Blocker.ps1	11/2/2016 7:01 PM	Creates firewall rules corresponding to all EXEs living in one or more folders

Main Screen

SkryeScript

Setup Menu

User-defined
scripting
templates

User-
programmable
folder shortcuts

Persistent
Notepad
Clipboards
(x2)

The screenshot shows the SkryeScript application window. At the top is a teal header bar with the title 'SkryeScript'. Below the header is a toolbar with buttons: 'Scripts', 'Favorites', 'Logs', 'Results', 'Folder', 'Setup', 'New Script', and 'New Funct'. A search bar is located below the 'Scripts' button. On the left side, there is a 'Filters' panel with a tree view under the 'Product' category, listing various folders and files like 'Documentation Project', 'Enumerate-Files', 'Filename Prefix (PRODUCT -)', etc. The main area is titled 'Results' and contains a table with columns 'Filename', 'Date', and 'Description'. The table lists several scripts, including 'ADH - Centricity SQL Backup Alerting.ps1', 'Broken MP4 Parse and Move.ps1', and 'Function - Bounce GmedServices.ps1'. Callouts with arrows point to specific features: 'Setup Menu' points to the 'Setup' button; 'User-defined scripting templates' points to the 'New Funct' button; 'User-programmable folder shortcuts' points to the 'Folder' button; and 'Persistent Notepad Clipboards (x2)' points to the 'New Script' button.

Filename	Date	Description
ADH - Centricity SQL Backup Alerting.ps1	10/10/2016 10:59 AM	Monitors SQL backup location, alerts if backup hasn't been created in over X days
Broken MP4 Parse and Move.ps1	10/7/2016 10:38 AM	Requires logs exported from MediaInfo (by Media Arena).
Function - Bounce GmedServices.ps1	10/10/2016 10:59 AM	Interactive function that resets all gMed services for the specified ADH site on DCVM-GMEDIIS
Function - Diagnose Network.ps1	9/7/2016 2:37 PM	Creates a diagnosis of the root cause of a PC's network connectivity issues
Function - Network Error Diagnostic.ps1	10/10/2016 10:59 PM	Generates a network error diagnostic report when called (integrate with network watcher)
Function - Interactive PopUp.ps1	9/20/2016 10:59 AM	Displays a button-based interactive pop up notification
Function - PopUp.ps1	9/20/2016 10:59 AM	Displays a pop up notification
Function - PopUp.ps1	9/20/2016 11:01 AM	Displays a pop up notification
Function - PopUp.ps1	10/7/2016 2:37 PM	Displays a popup on one or more manually specified PCs.
Function - Robocopy Sync.ps1	10/10/2016 4:00 PM	Monitors SMB shares and creates a robocopy job for each of them to sync files to backup destination.
Initialize-Script - Universal Script Functions.ps1	11/4/2016 8:00 AM	INITIALIZE-LOGFILE, POPUP-NOTIFICATION, initializes pr...
JustML - Header Definition.txt	9/5/2016 9:20 AM	
JustML - Header Definition.txt	9/5/2016 9:20 AM	
JustML - NonText Parsing Logic.txt	10/28/2016 3:00 PM	
JustML - Syntax Definitions.txt	9/5/2016 12:00 PM	
Manage-Firewall - Sapien PowerShell Studio Blocker.ps1	11/2/2016 7:00 AM	According to all EXEs living in one or more folders

Settings Menu

SkryeScript

Settings are stored in flat-files located in the application's directory and modified via the "Settings" menu.

Customize SkryeScript to suit your preferences and environment.



Beyond the Index...

SkryeScript

SkryeScript is not only an application; it also provides a suggested methodology and a series of standards and templates that can be adopted by anyone who has been struggling with consistency and organization with their scripts.

If you're looking for a tool to get organized with your scripts then check out the suggested standards and the packed "New Script" and "New Function" templates.

If utilized, all logging, results output, script data storage, and disk locations will be handled automatically going forward, and SkryeScript is designed to integrate with these standards to allow you to leverage it as a workflow enhancement tool.



SkryeScript

A Script Organizer for the IT Professional

Indexing Your Data

Tom Beyer

Builds index of scripts on launch

Scripts indexed using one of three methods:

- 1) JustML headers (customized markup syntax)
- 2) #TAGS line added to script
- 3) Via filename

Method 1 - JustML

SkryeScript

JustML is a custom markup language used to tag text-based data for grouping and parsing and is the most robust option of the three indexing methods. Each script is parsed for special JustML headers that you place at the top of each of your scripts (templates included):

```
#####SCRIPT_CONTROLS##  
#!/#Name:  Invoke-Awesome v3.1  
#!/#Description:  Orders pizza on a schedule via web APIs  
#!/#Tags:  Pizza,awesome,delivery,API,invoke,hungry  
#!/#Type:  Function  
#!/#Product: PowerShell  
#!/#Modes: Scripting,Personal  
#!/#Notes:  Specify CC# as string  
#!/#Link:  www.pizzahut.com  
#!/#Group:  Fun,Office  
#!/#Special: Favorites  
#####/SCRIPT_CONTROLS##
```


Method 2 - #TAGS

SkryeScript

Simply add a #TAGS line near the top of your scripts in order to create searchable/filterable tags.

This method works well but is much less robust than JustML headers.

```
#TAGS Function,Hardware,Audit,Specs,OS,Disk,NIC,Full,Report,Custom,Scan
```

Method 3 – File Name Parsing

SkryeScript

File name parsing can be used in lieu of header-based data. This method works for searching and sorting but lacks the flexibility and power of the header-based methods.

Files are parsed via the following conventions:

C:\KB\DeI\Compellent - Compellent Training (Documentation-SAN,Certification,Training).pdf

C:\Type\Product\Product+Tag - Name+Tags (Type-Tag,Tag,Tag.).Type



Tagging Your Data

SkryeScript

Dealing with script sprawl and multiple script locations requires that you adopt some form of organization and methodology. By adopting a framework such as JustML (and using the built-in templates when writing new scripts and functions) your data will be much more accessible, although it does take a bit of effort upfront.

Try adding JustML headers to a small number of files and see how powerful it is. You can use these headers on all scripts you create going forward (via the templates), and parse your existing scripts using the filename method, or sit down and update your existing scripts all at once using the JustML-BulkImport routing to automatically append JustML headers to the scripts in your library (downloaded separately).

A properly cataloged index is a marvelous thing and will serve you for years to come.



SkryeScript

A Script Organizer for the IT Professional

Consistency Through Standards

Tom B.

SkryeScript implements a few basic standards for handling common output such as logs, temp files, persistent script data, and results.

These standards are outlined in this section and included inside of the default script/function templates.

If you do not already have standards it is recommended that you begin utilizing these to handle your logging, results output, and notifications for all new scripts in order to ensure consistency when scripting.

Standardized Logging and Alerting

SkryeScript

Once you dive into utilizing PowerShell in a live environment it becomes important to standardize the handling of logging and alerting.

If you have not already adopted a method for handling this, I recommend adopting the functions included in this installer (and accessed via the New Script and New Function template buttons. These functions are easy to use and will handle all logging, alerting, and console output messages in a consistent manner. Furthermore, SkryeScript integrates with these functions via the "Logs" and "Results" pane, enabling you to pull up logs and results from a nicely organized GUI.

DEPLOY-DIRECTORIES : Deploys/verifies consistent folder structure for all scripts

INITIALIZE-LOGFILE: Automatically creates and names log files using the above folders

RECORD-EVENT: Handles all user notification, logging, and alerting functions

DEPLOY-FOLDERS

SkryeScript

DEPLOY-FOLDERS is a stand-alone function that you call at the start of a script without any parameters.

It will check and create a set of standardized folders on the root of C: to be used by all PowerShell scripts for storing and organizing logs, results, temp files, and persistent application data for each script.

The other functions automatically fit into these folders and generate automatic variables for you to use when defining things like log files and results output files.


Deploys Folder Structure: C:\PowerShell

INITIALIZE-LOGFILE

SkryeScript

INITIALIZE-LOGFILE : Automatically names and creates log files for your script and stores them in the logs directory created by DEPLOY-FOLDERS.

SkryeScript automatically parses and separates these results by script when in "Logs" mode.



RECORD-EVENT

SkryeScript

RECORD-EVENT handles all events, notifications, errors, and log-writing using a simple syntax.

RECORD-EVENT supersedes Write-Error, Write-Warning, Write-Host, logging operations, and other methods you may use to communicate data to the user.

SYNTAX: RECORD-EVENT "Your Message Here" -YourSwitch

RECORD-EVENT "File Scan" -SectionStart

RECORD-EVENT "Unable to verify selected File" -Warning

RECORD-EVENT "Successfully found \$FILE.FullName" -Status

RECORD-EVENT "File Scan" -SectionEnd

--SWITCHES--

- SectionStart – Writes to the log file and indicates that a section of your script has started
- SectionEnd – Indicates that a section of your script has completed
- Log – Writes message to the logfile only
- Status – Writes status message to host and log file
- Display Displays specified message to PowerShell console, then writes to log file
- Popup Displays a popup notification form to the user
- TerminatingError Displays message as error in console, writes to log, creates popup notification, terminates script
- Error Writes error to console and logfile
- Warning Writes warning to console and logfile

Core Features

SkryeScript

Builds a searchable indexed library of script/text resources spanning multiple locations

Powerful search, filtering, and tagging mechanisms allow you to organize and manage large script libraries

Log and Results parsing via standardized interface

Customizable interface designed to streamline scripting workflows, including user-defined templates, text editors, programmable bookmarks, and other program settings

Going Forward...

SkryeScript

SkryeScript was designed to be customizable so that others could adapt it to their workflows. It was written by Justin Brazil – a Systems Architect by trade who enjoys playing with PowerShell - as an experiment in PoSH-driven GUI tooling.

Community feedback and involvement is most welcome – if you have ideas for improvements please dive in.

Regards,
Justin