


Redis for AI

<https://github.com/justin-cechmanek/berkeley-ai-hackathon>

Creating an always-free cloud account

redis.io/try-free/



The screenshot shows a web browser window with the URL `redis.io/try-free/`. The page features the Redis logo in the top left and a "Log in" button in the top right. The main content area is a dark-themed sign-up form titled "See how fast feels™" with the subtitle "Get started for free". The form includes input fields for "First name*" (containing "Joe") and "Last name*" (containing "Smith"), and an "Email*" field (containing "joe@company.com"). Below these fields are three buttons: "Sign up with email" (highlighted with a red border), "Sign up with Google", and "Sign up with Github". A line of text states: "By signing up, I am agreeing to the [Redis Insight License Terms](#) and the Redis [Privacy Policy](#)." Below this is a horizontal separator with the word "or" in the center. At the bottom, there is a section titled "Subscribe via a cloud marketplace" with two buttons: "AWS" (with the AWS logo) and "Google Cloud" (with the Google Cloud logo). A small red circular icon with a white 'R' is visible in the bottom right corner of the browser window.

Try Redis Cloud free: fast in... x +

redis.io/try-free/

Redis

Already have an account? [Log in](#)

See how fast feels™

Get started for free

First name* Last name*

Joe Smith

Email*

joe@company.com

[Sign up with email](#)

[Sign up with Google](#)

[Sign up with Github](#)

By signing up, I am agreeing to the [Redis Insight License Terms](#) and the Redis [Privacy Policy](#).

or

Subscribe via a cloud marketplace

[AWS](#) [Google Cloud](#)

Creating an always-free cloud account

Select


Databases

at the top left.

Click

New Database

In the center



Creating an always-free cloud account

Click

[Try 30 MB for Free](#)

Below the **Essentials** tier

You should see

Price \$0/month

bottom right

The screenshot shows the Redis Cloud Console interface. The left sidebar contains navigation links for Databases, Subscriptions, Data Integration, AI SERVICES (Iris, LangCache, Context Retriever, Agent Memory, Vector Search), REPORTS (Logs, Usage), and ACCOUNT (Team & API, Data Access, Billing, Settings). The main content area is titled 'Choose your plan' and displays two plans: 'Essentials' and 'Pro'. The 'Essentials' plan is highlighted with a red box and arrows pointing to it from the left and bottom. Below the plan selection, the 'Select cloud provider & region' section is visible, showing 'Amazon Web Services' as the cloud vendor and 'US East (N. Virginia) us-east-1' as the region. At the bottom right, the 'Price \$0/month' is displayed next to a 'Create database' button.

Redis Cloud Console

cloud.redis.io/#add-subscription/free

Choose your plan

Essentials From **\$0.007** /hour \$5 /month

Start with Essentials Scale anytime

Shared deployment Shared infrastructure designed to scale with you

Basic security SAML, SSO, RBAC, encryption in transit and at rest

Single DB, RAM + SSD (Flex) Auto-tiering from 250 MB to 100 GB across RAM and Flash

Availability and backup Up to 99.99% uptime with multi-AZ high availability and backups

Pro From **\$0.014** /hour Minimum \$200 /month

Get Pro First \$200 free

Dedicated deployment Dedicated resources with full network isolation

Advanced security VPC, private networking, and Active-Active geo

Multiple DBs, RAM + SSD (Flex) Auto-tiering with no upper bound across RAM and Flash

Availability and backup Up to 99.999% uptime with enhanced data durability

Not ready? [Try 30 MB for free](#) - Designed for testing and learning

Select cloud provider & region

Name database-MQINISDZ

Database version 8.4

Cloud vendor Amazon Web Services Region US East (N. Virginia) us-east-1

Included in your Free plan

- ✓ 1 database
- ✓ 30MB RAM
- ✓ 30 connections
- ✓ Capabilities
- ✓ 100 ops/sec

Price \$0/month Create database

Creating an always-free cloud account

Select a DB
name

Version 8.4

Any cloud
vendor

Any region

Create
database

The screenshot shows the Redis Cloud Console interface. The left sidebar contains navigation links: Databases, Subscriptions, Data Integration, AI SERVICES, Iris, LangCache, Context Retriever, Agent Memory (NEW), and Vector Search. The main content area is titled 'Choose your plan' and displays two plans: 'Essentials' (From \$0.007/hour, \$5/month) and 'Pro' (From \$0.014/hour, Minimum \$200/month). Below the plans, there is a section for 'Select cloud provider & region' with fields for Name, Database version, Cloud vendor, and Region. Red arrows point to the following elements:

- The 'Name' field, which contains 'database-MQINISDZ'.
- The 'Database version' dropdown, which is set to '8.4'.
- The 'Cloud vendor' dropdown, which is set to 'Amazon Web Services'.
- The 'Region' dropdown, which is set to 'US East (N. Virginia) us-east-1'.
- The 'Create database' button at the bottom right.

Below the 'Select cloud provider & region' section, there is a table titled 'Included in your Free plan' with the following details:

Included in your Free plan		
✓ 1 database	✓ 30 connections	✓ 100 ops/sec
✓ 30MB RAM	✓ Capabilities	

At the bottom of the console, there is a 'Cancel' button and a 'Price \$0/month' label.

Creating an always-free cloud account

Click

Connect

To see code snippets on connecting to your DB

The screenshot shows the Redis Cloud Console interface. The left sidebar contains navigation links for Databases, Subscriptions, Data Integration, AI SERVICES (Iris, LangCache, Context Retriever, Agent Memory, Vector Search), REPORTS (Logs, Usage), ACCOUNT (Team & API, Data Access, Billing, Settings), and Help & Resources. The main content area is titled 'berkeley-hacks' and 'Database #14398865'. It has tabs for Configuration, Metrics, and Slowlog. The Configuration tab is active, showing three main action buttons: 'Import dataset' (with a subtext 'Select existing Redis server or an RDB file.'), 'Connect to database' (with a subtext 'Connect with Redis CLI, Client, and Insight.'), and 'View and manage data with Redis Insight' (with a subtext 'Interactive tutorials on use cases and features'). A red arrow points from 'Import dataset' to 'Connect to database', and another red arrow points from 'View and manage data with Redis Insight' to 'Connect to database'. Below these buttons, the 'General' section displays the database name 'berkeley-hacks', the subscription 'berkeley-hacks', and the public endpoint 'dreamy-board-ultrasoft-92147.db.redis.io:19471'. There is also a section for 'Endpoint redirection' with a 'Redirect endpoints' button. At the bottom, there is a 'Connect using Redis CLI, Client, or Insight' button. The footer shows the vendor as AWS and the creation time as 17-Jun-2026 23:15:36.

Creating an always-free cloud account

Click

Connect

To see code snippets on connecting to your DB

Scroll down to see **username** and **password**

The screenshot displays the Redis Cloud Console interface. The left sidebar contains navigation links: Databases, Subscriptions, Data Integration, AI SERVICES, Iris, LangCache, Context Retriever, Agent Memory, and Vector Search. The main panel shows the configuration for a database named 'berkeley-hacks'. The 'Configuration' tab is active, showing options to 'Import dataset' or 'Connect to database'. A red arrow points to the 'Connect' button. Below this, the 'General' section displays the database name, subscription, and public endpoint. At the bottom, there's a 'Connect using Redis CLI, Client, or Insight' button. On the right, a 'Connect to berkeley-hacks' panel shows the 'Redis CLI' connection method and a code snippet for connecting to the database.

```
import redis

r = redis.Redis(
    host='dreamy-board-ultrasoft-92147.db.
    redis.io',
    port=19471,
    decode_responses=True,
    username='default',
    password='*****',
)


success = r.set('foo', 'bar')
# True

result = r.get('foo')
print(result)
# >>> bar
```

Semantic Caching with LangCache

Creating a LangCache Service

Click on
Langcache in
the left
navigation menu
and accept the
preview terms




Creating a LangCache Service

Click on **Langcache** in the left navigation menu and accept the preview terms.


Select **Quick create**

and copy your API key



Agent Memory

Creating an Agent Memory Service



Creating an Agent Memory Service

The screenshot displays the Redis Cloud Console interface for an Agent Memory Service. The left sidebar contains navigation links for Databases, Subscriptions, Data Integration, AI SERVICES (Iris, LangCache, Context Retriever, Agent Memory, Vector Search), REPORTS (Logs, Usage), and ACCOUNT (Team & API, Data Access, Billing, Settings). The main content area is titled 'Agent Memory Services' and shows the service 'store-MQK22P8J' with a green status icon. Below the title are tabs for Configuration, Metrics, and API Keys. The Configuration tab is active, showing options to 'Quick connect' or view 'API docs'. The 'General Settings' section displays the Service Name 'store-MQK22P8J', Store ID '89393393a2eb4b578b9731719adc2d0f' (highlighted with a red arrow), Database 'berkeley-hacks', and Endpoint 'https://gcp-us-east4.memory.redis.io'. The 'Memory Configuration' section shows 'Short-term TTL' as '1 day' and 'Long-term TTL' as '365 days'. The 'Actions' section includes a 'Flush memory entries' button and a 'Delete service' option.

Redis Cloud Console

cloud.redis.io/?utm_source=direct&utm_medium=direct&utm_campaign=%2Fblog%2Fcontext-engineering-best-practices-for-an-emerging-discipline%2F&utm_term=...

Redis

← Agent Memory Services

store-MQK22P8J

Configuration Metrics API Keys

Quick connect
Start using your Agent Memory store with code samples
Connect

API docs
Full API documentation
Read more

General Settings

Service Name
store-MQK22P8J

Store ID
89393393a2eb4b578b9731719adc2d0f

Database
berkeley-hacks

Endpoint
https://gcp-us-east4.memory.redis.io

Memory Configuration

Short-term TTL
1 day

Long-term TTL
365 days

Actions

Flush memory entries
Permanently delete all short-term sessions and long-term memories for this service. The service configuration and underlying database will not be affected.

Flush

Delete service

Help & Resources

Terms Privacy © 2026 Redis