«interface» PLModelInterface

- ~initialize(): void
- ~changeName(PropertyItem prop, String newName): boolean
- ~addDescription(PropertyItem prop): boolean
- ~addNewProperty(BooleanExpEditor editor): boolean
- ~editProperty(PropertyItem prop, BooleanExpEditor editor): void
- ~deleteProperty(PropertyItem prop): boolean
- ~setTestStatus(PropertyItem prop, boolean newStatus): void
- ~setNewList(): void
- ~getPropertyList(): ArrayList<PropertyItem>
- ~setPropertyList(ArrayList<PropertyItem> list): void
- ~addObserver(Observer o): void
- ~deleteObserver(Observer o): void
- ~setNextToBePresented(ResultInterface res): boolean
- ~resetResults(): void
- ~getModel(): PLModel
- ~loadAnotherModel(PLModelInterface model): void
- ~setNewName(String name): void
- ~getName(): String



+updateView(): void

0..*

PropertyItem

-description: PostAndPrePropertiesDescription

- -willBeTested: Boolean -resultType: ResultType
- -error: List<String>
- -example: FailureExample
- +PropertyItem(PostAndPrePropertiesDescription descr, Boolean testStatus): ctor
- +PropertyItem(PostAndPrePropertiesDescription descr): ctor
- +PropertyItem(): ctor
- +presentCanceled(boolean isTimeout): void
- +presentSuccess(): void
- +presentFailure(List<String> error): void
- +presentFailureExample(FailureExample example): void
- +equals(Object o): boolean