

Cambridge International Examinations

Cambridge International Advanced Subsidiary and Advanced Level

AS & A Level	Odmbi	iago inte	mationa	Advanced Edboldidity	ana navanoca Ec	3401	
CANDIDATE NAME							
CENTRE NUMBER					CANDIDATE NUMBER		
PHYSICS						g	702/31
Paper 3 Advar	nced Pra	ctical Skil	ls 1		Oc	tober/Novemb	er 2014
							2 hours
Candidates an	swer on	the Ques	tion Paper				
Additional Mate	erials:	As liste	ed in the C	onfidential Instructions.			
DEAD THESE	INICEDIA	CTIONS	FIDOT				

READ THESE INSTRUCTIONS FIRST

Write your Centre number, candidate number and name on all the work you hand in.

Write in dark blue or black pen.

You may use an HB pencil for any diagrams or graphs.

Do not use staples, paper clips, glue or correction fluid.

DO NOT WRITE IN ANY BARCODES.

Answer both questions.

You will be allowed to work with the apparatus for a maximum of one hour for each question.

You are expected to record all your observations as soon as these observations are made, and to plan the presentation of the records so that it is not necessary to make a fair copy of them.

You are reminded of the need for good English and clear presentation in your answers.

Electronic calculators may be used.

You may lose marks if you do not show your working or if you do not use appropriate units.

Additional answer paper and graph paper should be used only if it becomes necessary to do so.

At the end of the examination, fasten all your work securely together.

The number of marks is given in brackets [] at the end of each question or part question.

For Exam	iner's Use
1	
2	
Total	

This document consists of 11 printed pages and 1 blank page.



BLANK PAGE

You may not need to use all of the materials provided.

- 1 In this experiment, you will investigate the motion of a system of masses.
 - (a) Set up the apparatus as shown in Fig. 1.1, with the shorter length of string above the central loop and the longer length of string below the central loop.

 Place four slotted masses in the bottom loop and four slotted masses in the central loop.




Fig. 1.1

(b) Move the slotted masses in the bottom loop to the left.

Release the slotted masses and watch the movement.

The slotted masses will move to the right and then to the left again, completing a swing as shown in Fig. 1.2.




Fig. 1.2

Measure and record the time for at least 10 complete swings. Record enough readings to determine an accurate value for the time T taken for one complete swing.

T =[2]	


(c)	Cha	ange the number of slotted masses in each loop. Use all the eight slotted masses.
	(i)	Count and record the number B of slotted masses in the bottom loop.
		B =
	(ii)	Count and record the number C of slotted masses in the central loop.
		C =
	(iii)	Repeat (b).
		_
		T =

	6	
(d)	Repeat (c) until you have six sets of values of <i>B</i> , <i>C</i> and <i>T</i> . Include your results from (b) and (c) .	
	For each set of values, use all eight slotted masses.	
	Include values of $\frac{T^2}{B}$ and $\frac{C}{B}$ in your table.	

[1	01	
ı	VΙ	

- (e) (i) Plot a graph of $\frac{T^2}{B}$ on the *y*-axis against $\frac{C}{B}$ on the *x*-axis. [3]
 - Draw the straight line of best fit. [1]
 - (iii) Determine the gradient and y-intercept of this line.

(ii)



16	The server of Const.	T D -			(1	
(T)	The quantities	<i>I</i> , Bar	nd C are	related b	y tne eo	quation

$$\frac{T^2}{B} = \frac{FC}{B} + G$$

where F and G are constants.

Use your answers in **(e)(iii)** to determine the values of F and G. Give appropriate units.

F=		
•		
G=		
	[2]	



You may not need to use all of the materials provided.

In this experiment, you will investigate how the number of turns of wire around a rod depends on the diameter of the wire.
(a) You have been provided with a wooden rod and two lengths of wire.
(i) Measure and record the diameter *D* of the rod as shown in Fig. 2.1.



Fig. 2.1

D =[1]

(ii) Measure and record the diameter *d* of the **thinner** wire.

d =[1]

(iii) Calculate $\left(D + \frac{d}{2}\right)$.

 $\left(D + \frac{d}{2}\right) = \dots [1]$

- (b) (i) Cut the thinner wire so that its length is **exactly** 50.0 cm.
 - (ii) Wrap the thinner wire around the rod.

Count and record the number (n + t) of turns of wire around the rod, where n is the number of complete turns and t is your estimate of the remaining part of a turn.

(n + t) =[2]

(iii) Estimate the percentage uncertainty in your value of $(n + t)$.	
percentage uncertainty =[1]	
(c) Repeat (a)(ii), (a)(iii), (b)(i) and (b)(ii) for the thicker wire.	
d =	
$u = \dots$	
$\left(D + \frac{d}{2}\right) = \dots$	
(- 2)	

[3]

4	۱۳)	It is suggested	that the	rolationship	hotwoon /	(n + t)	dand Dic
1	u)	it is suggested	mai me	relationship	Detween ((II + I), (Janu Dis

$$(n+t) = \frac{k}{\left(D + \frac{d}{2}\right)}$$

where k is a constant.

(i) Using your data, calculate two values of k.

	first value of $k = \dots$	
	second value of $k = \dots$ [1]	
(ii)	Justify the number of significant figures that you have given for your values of <i>k</i> .	
	[1]	
(iii)	Explain whether your results in (d)(i) support the suggested relationship.	

(e)	(i)	Describe four sources of uncertainty or limitations of the procedure for this experiment.
		1
		2
		3
		4
		[4]
	(ii)	Describe four improvements that could be made to this experiment. You may suggest the use of other apparatus or different procedures.
		1
		2
		3
		4
		[4]

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.