

CHEMISTRY



9701/02

1 hour 15 minutes

Candidate
Name

--

Centre
Number

--	--	--	--	--

Candidate
Number

--	--	--	--

For Examiner's Use	
1	
2	
3	
4	
5	
TOTAL	

Answer **all** the questions in the space provided.

For
Examiner's
Use

- 1 The first six ionisation energies of an element **X** are given below.

ionisation energy / kJ mol ⁻¹					
first	second	third	fourth	fifth	sixth
950	1800	2700	4800	6000	12300

- (a) Define the term *first ionisation energy*.

.....

 [3]

- (b) Write an equation, with state symbols, for the **second** ionisation energy of element **X**.

..... [2]

- (c) Use the data given above to deduce in which Group of the Periodic Table element **X** is placed. Explain your answer.

Group

explanation

.....

 [3]

The first ionisation energies (I.E.) for the elements of Group IV are given below.

element	C	Si	Ge	Sn	Pb
1st I.E. / kJ mol ⁻¹	1090	786	762	707	716

- (d) Explain the trend shown by these values in terms of the atomic structure of the elements.

.....

 [4]

[Total: 12]

BLANK PAGE

- 2 Carbon disulphide, CS_2 , is a volatile, stinking liquid which is used to manufacture viscose rayon and cellophane.

For
Examiner's
Use

- (a) The carbon atom is in the centre of the CS_2 molecule.

Draw a 'dot-and-cross' diagram of the carbon disulphide molecule.

Show outer electrons only.

[2]

- (b) Suggest the shape of the molecule and give its bond angle.

shape

bond angle

[2]

- (c) Explain the term *standard enthalpy change of formation*, ΔH_f^\ominus .

.....

 [3]

- (d) Calculate the standard enthalpy change of formation of CS_2 from the following data.

standard enthalpy change of formation of SO_2 = -298 kJ mol^{-1}

standard enthalpy change of formation of CO_2 = -395 kJ mol^{-1}

standard enthalpy change of combustion of CS_2 = $-1110 \text{ kJ mol}^{-1}$

[3]

- (e) Carbon disulphide reacts with nitrogen monoxide, NO, to form a yellow solid and two colourless gases which are produced in a 1:1 molar ratio.

For
Examiner's
Use

Deduce the identity of **each** gas and write a balanced equation for the reaction.

gases and

equation [3]

[Total: 13]

- 3 Nitrogen, which makes up about 80% of the Earth's atmosphere, is very unreactive.

For
Examiner's
Use

- (a) (i) Explain the lack of reactivity of nitrogen.

.....

.....

.....

- (ii) Nitrogen does, however, undergo some reactions. Write an equation for **one** reaction of nitrogen, stating the conditions under which it occurs.

equation

conditions

.....

.....

- (iii) Suggest why nitrogen does react in the example you have chosen.

.....

.....

[6]

Ammonium nitrate, NH_4NO_3 , is a commercially important compound of nitrogen.

- (b) (i) State **one** large-scale use of ammonium nitrate.

.....

- (ii) What are the environmental consequences of the uncontrolled use of ammonium nitrate?

.....

.....

.....

.....

[4]

When solid ammonium nitrate is heated with solid sodium hydroxide in a test-tube, three products are formed. A colourless alkaline gas, **Y**, is given off, and a colourless liquid can be seen on the cooler parts of the test-tube. A white solid remains in the tube.

(c) (i) Identify gas **Y**.

.....

(ii) Write an equation, with state symbols, for the reaction of ammonium nitrate with sodium hydroxide.

.....

[3]

(d) In order to produce gas **Y** in a pure state in the laboratory, it must be passed through a drying agent.

Why is concentrated sulphuric acid not suitable for drying gas **Y**?

.....

..... [1]

[Total: 14]

- 4 Alcohols are widely used as solvents and in the manufacture of esters.

Butan-1-ol, $C_4H_{10}O$, is an example of a primary alcohol.

For
Examiner's
Use

- (a) What is meant by the term *primary alcohol*?

..... [1]

- (b) There are three more alcohols with molecular formula $C_4H_{10}O$ that are **structural** isomers of butan-1-ol.

Complete the table below by drawing displayed formulae of **each** of these three compounds.

For **each** isomer, state whether it is a primary, secondary, or tertiary alcohol.

$ \begin{array}{ccccccc} & H & & H & & H & & H \\ & & & & & & & \\ H & -C & - & C & - & C & - & C-OH \\ & & & & & & & \\ & H & & H & & H & & H \end{array} $			
primary			
butan-1-ol	isomer 2	isomer 3	isomer 4

[6]

- (c) Butan-1-ol can be oxidised to a carboxylic acid by heating with an acidified solution of potassium dichromate(VI).

For
Examiner's
Use

- (i) What colour change would be seen during this reaction?

from to

- (ii) State which of the isomers you have drawn in (b) could also be oxidised to form a carboxylic acid.

.....

[3]

[Total: 10]

- 5 Compound **Z**, an organic compound with **three** functional groups, has the molecular formula $C_4H_6O_2$. The functional groups can be confirmed by the following tests.

(a) Test for the first functional group.

Z decolourises aqueous bromine.

What functional group is shown to be present in **Z** by this test?

..... [1]

(b) Tests for the second functional group.

Z reacts with sodium to give hydrogen and a solid compound of formula $C_4H_5O_2Na$.

When **Z** is heated with ethanoic acid and a few drops of concentrated sulphuric acid, a sweet smelling liquid of molecular formula $C_6H_8O_3$ is formed.

What functional group is shown to be present in **Z** by these tests?

..... [1]

(c) Tests for the third functional group.

A few drops of **Z** form a yellow/orange precipitate when added to 2,4-dinitrophenylhydrazine reagent.

When a few drops of **Z** are warmed with Tollens' reagent, a silver mirror is formed.

What functional group is shown to be present in **Z** by these tests?

..... [1]

(d) **Z** does **not** show *cis-trans* isomerism.

Draw the displayed formula of **Z**.

[2]

In parts (e) and (f) you may use R– to represent the part of the molecule that does not react.

For
Examiner's
Use

(e) What is the organic compound formed by the reactions of **Z** in **each** of the tests in (b)?

with sodium


with ethanoic acid

[2]

(f) Draw the structure of the organic compound formed by **Z** in **each** of the tests in (c).

with Tollens' reagent

with 2,4-dinitrophenylhydrazine,



[2]

(g) But-2-enoic acid is an isomer of **Z** which shows *cis-trans* isomerism.

Draw a displayed formula of the *cis* isomer of this acid.

[2]

[Total: 11]

BLANK PAGE

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

University of Cambridge International Examinations is part of the University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.