



## **Cambridge International Examinations**

Cambridge International Advanced Subsidiary and Advanced Level

CANDIDATE NAME				
CENTRE NUMBER		CANDIDATE NUMBER		
CHEMISTRY			9701/22	
Paper 2 Structu	red Questions AS Core		May/June 2015	
			1 hour 15 minutes	
Candidates ansv	Candidates answer on the Question Paper.			

## **READ THESE INSTRUCTIONS FIRST**

Write your Centre number, candidate number and name on all the work you hand in.

Write in dark blue or black pen.

You may use an HB pencil for any diagrams or graphs.

**Data Booklet** 

Do not use staples, paper clips, glue or correction fluid.

DO NOT WRITE IN ANY BARCODES.

Answer all questions.

Additional Materials:

Electronic calculators may be used.

You may lose marks if you do not show your working or if you do not use appropriate units.

A Data Booklet is provided.

At the end of the examination, fasten all your work securely together.

The number of marks is given in brackets [ ] at the end of each question or part question.



Answer all the questions in the spaces provided.

Complete the following table with their names and properties.

name of particle	relative mass	relative charge
		+1
	1/1836	

[3]

**(b)** Most elements exist naturally as a mixture of isotopes, each with their own relative isotopic mass. The mass spectrum of an element reveals the abundances of these isotopes, which can be used to calculate the relative atomic mass of the element.

Magnesium has three stable isotopes. Information about two of these isotopes is given.

isotope	relative isotopic mass	percentage abundance
<sup>24</sup> Mg	24.0	79.0
<sup>26</sup> Mg	26.0	11.0

(i)	Define the term relative isotopic mass.
	[2]
(ii)	The relative atomic mass of magnesium is 24.3.
	Calculate the percentage abundance and hence the relative isotopic mass of the third isotope of magnesium. Give your answer to <b>three</b> significant figures
	percentage abundance =
	isotopic mass =[3]

(c)	Mag salt	gnesium can be produced by electrolysis of magnesium chloride in a molten mixture of s.
	(i)	Give equations for the anode and cathode reactions during the electrolysis of molten magnesium chloride, ${\rm MgC}l_2.$
		anode
		cathode[2]
	Tho	وادد: electrolysis is carried out under an atmosphere of hydrogen chloride gas to convert any
		gnesium oxide impurity into magnesium chloride.
	(ii)	An investigation of the reaction between magnesium oxide and hydrogen chloride gas showed that an intermediate product was formed with the composition by mass Mg, 31.65%; O, 20.84%; H, 1.31% and C $\it l$ , 46.20%.
		Calculate the empirical formula of this intermediate compound.
		empirical formula [2]
(d)	The	acid/base behaviour of the oxides in the third period varies across the period.
	(i)	Describe this behaviour and explain it with reference to the structure and bonding of sodium oxide, $Na_2O$ , aluminium oxide, $Al_2O_3$ , and sulfur trioxide, $SO_3$ .
		[2]
	(ii)	Write equations for reactions of these three oxides with hydrochloric acid and/or sodium hydroxide as appropriate.
		[4]

[Total: 18]

2

Sul	furic	acid is an important chemical with a variety of uses.
		nufactured by the Contact process, the first stage of which involves the conversion of sulful fide ore, such as galena, PbS, into sulfur dioxide, $SO_2$ .
(a)	(i)	Write an equation for the reaction between galena and oxygen to form sulfur dioxide and lead(II) oxide.
		[2]
	(ii)	Identify the oxidation number changes that take place during this reaction.
		[2]
(b)		e second stage of the Contact process involves the production of sulfur trioxide, $SO_3$ , from ur dioxide.
		$2SO_2(g) + O_2(g) \iff 2SO_3(g)$ $\Delta H = -197 \text{ kJ mol}^{-1}$
	(i)	State the temperature usually chosen for this conversion and explain this in terms of reaction rates and Le Chatelier's principle.
		temperature
		explanation
		[3]
	(ii)	State and explain the pressure conditions that would give the best rate and best yield of sulfur trioxide. Explain why these conditions are <b>not</b> actually used.
		[3]
(c)		ne third stage of the process the sulfur trioxide is dissolved in 98% sulfuric acid followed by efully controlled addition of water.
	(i)	Explain why the sulfur trioxide is not dissolved directly in water to produce sulfuric acid.

	(ii)	Write equations for the reaction of sulfur trioxide with sulfuric acid and for the subsequent reaction with water.
		[2]
(d)	Exp	plain why sulfur dioxide is used as an additive in some foods and wines.
		[2]
(e)		e sulfur dioxide content of wine is most commonly measured by the Ripper Method which olves titration with iodine in the presence of starch as an indicator.
		$SO_2(aq) + I_2(aq) + 2H_2O(I) \rightarrow 2I^-(aq) + SO_4^{2-}(aq) + 4H^+(aq)$
		$0.0\mathrm{cm^3}$ sample of wine required $12.35\mathrm{cm^3}$ of $0.010\mathrm{moldm^{-3}}$ I <sub>2</sub> (aq) for complete reaction the SO <sub>2</sub> .
	(i)	How many moles of SO <sub>2</sub> are present in 50.0 cm <sup>3</sup> of wine?
		moles of $SO_2$ in $50.0  \text{cm}^3 = \dots$ [1]
	(ii)	How many moles of SO <sub>2</sub> are present in 1 dm <sup>3</sup> of wine?
	(,	Then many merce of elegane process in rain of time.
		moles of $SO_2$ in $1  dm^3 = \dots$ [1]
	(iii)	How many milligrams, mg, of $SO_2$ are present in 1 dm <sup>3</sup> of wine? Give your answer to <b>three</b> significant figures. (1 g = 1000 mg)
		mass of SO in $1  dm^3 - ma$ [1]
		mass of $SO_2$ in $1 \text{ dm}^3 = \dots \text{mg}$ [1]
		[Total: 18]

3	Fthana	reacts	with	chloring	tο	form	chloroethane
<b>ა</b>	Elliane	reacts	VVILII	CHIOHHE	ιU	101111	Ciliordelliane

$$C_2H_6(g) + Cl_2(g) \rightarrow C_2H_5Cl(g) + HCl(g)$$

(a)	(i)	Use bond energies from the Data Booklet to calculate the enthalpy change for this reaction.
		Include a sign in your answer.


		enthalpy change =kJmol <sup>-1</sup> [3]
	(ii)	State the conditions needed for this reaction to occur.
		[1]
	(iii)	Use a series of equations to describe the mechanism of this reaction including the names of each stage and an indication of how butane can be produced as a minor by-product.
		[5]
(b)		oroethane can be converted back into ethane by a two-stage process via an intermediate spound, ${\bf X}$ .
		$C_2H_5Cl$ reaction 1 $\times$ $\times$ $C_2H_6$
	(i)	Give the name of X.
		[1]
	(ii)	Suggest the reagent and conditions needed for reaction 1.
		[2]
	(iii)	Suggest the reagent and conditions needed for reaction 2.

[Total: 13]

**4** There are seven structural isomers with the molecular formula  $C_5H_{10}O$  that are carbonyl compounds. Four of these are aldehydes.

These four aldehydes, A, B, C and D, have the following properties.

- Aldehyde A has a straight chain while B, C and D are branched.
- Aldehyde **B** is the only one of the four isomers with a chiral centre and it exists as a pair of optical isomers.
- Aldehyde **C** has two methyl groups in its structure but **D** has three.
- (a) (i) Give the structure of each of the four isomers.



(ii) Draw the three-dimensional structures of the two optical isomers of B.

[2]

į	Describe a chemical test that would allow you to distinguish between any of the four somers $\bf A$ to $\bf D$ and any of the other three structural isomers of $C_5H_{10}O$ , that are carbonyl compounds.
	n your answer you should describe any necessary reagents and conditions as well as explaining what you would <b>see</b> in each case.
	[3]
(ii) [	Describe a test that would give the same result with all seven carbonyl isomers of $C_5H_{10}O$ .
	[2]
	[Total: 11]

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge International Examinations Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cie.org.uk after the live examination series.

Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.