

MASTERING AUTO LAYOUT

Justin Williams

JUSTIN WILLIAMS

- Twitter: [@justin](https://twitter.com/justinw)
- Blog: <http://justinw.me>



ACHIEVING

ZEN

WITH

AUTO LAYOUT

JUSTIN
WILLIAMS

BOOK TOPICS COVERED

- How Auto Layout works under the hood
- Taking advantage of Interface Builder
- Code-based constraints
- Using Size classes
- Layout Guides and Anchors
- And more!

Save 20% with Code: 360iDev

[HTTP://AUTOLAYOUTZEN.COM](http://AUTOLAYOUTZEN.COM)

TODAY'S AGENDA

- Layout Margins
- Layout Anchors
- Layout Guides
- Debugging Auto Layout with Swift
- Time for Questions? Maybe.

LAYOUT MARGINS

LAYOUT MARGINS

- Require iOS 8 or greater
- Adjust view's padding, without adjusting constraints.
- UIEdgeInsets called layoutMargins on UIView

SACRIFICE TO THE DEMO GODS



EXTRA SACRIFICE, JUST IN CASE



MARGINS DEMO

LAYOUT ANCHORS

OLD AND BUSTED


```
let emailLeadingEdgeConstraint = NSLayoutConstraint(item:  
emailLabel, attribute: .Leading, relatedBy: .Equal, toItem:  
emailField, attribute: .Leading, multiplier: 1.0, constant:  
0.0)  
view.addConstraint(emailLeadingEdgeConstraint)
```

NEW HOTNESS

```
let emailLeadingEdgeConstraint =  
emailLabel.leadingAnchor.constraintEqualToAnchor(emailField  
    .leadingAnchor)  
view.addConstraint(emailLeadingEdgeConstraint)
```

LAYOUT ANCHORS

- topAnchor / bottomAnchor
- leadingAnchor / trailingAnchor
- leftAnchor / rightAnchor
- heightAnchor / widthAnchor



ANCHORS DEMO

ONE NEAT TRICK . . .

```
emailLabel.leadingAnchor.constraintEqualToAnchor  
(emailField.leadingAnchor).active = true
```

LAYOUT GUIDES

LAYOUT GUIDES

- A replacement for spacing UIViews.
- Rectangular
- Needs constraints on all four edges to set sizing
- Simplify complex layout scenarios

LAYOUT GUIDE DEMO

DEBUGGING AUTO LAYOUT

DEBUGGING AGENDA

- Constraint Identifiers
- _autolayoutTrace
- Restoration Identifiers

TO THE DEMO ROOM!

THANK YOU

[HTTP://AUTOLAYOUTZEN.COM](http://AUTOLAYOUTZEN.COM)