

## User Guide to Client Interface

This document gives an outline of how to use the client interface provided for the first programming assignment.

- **Help**  
Provides information about the available commands  
`Help` : list of all commands  
`Help,<command>`: detailed description of command
- **Add a new flight**  
Add information about a new flight  
`AddFlight,<FlightNumber>,<NumberOfSeats>,<PricePerSeat>`
- **Add a new car location**  
Add information about a new car location  
`AddCars,<Location>,<NumberOfCars>,<PricePerCar>`
- **Add a new room location**  
Add information about a new room location  
`AddRooms,<Location>,<NumberOfRooms>,<PricePerRoom>`
- **Add a new customer**  
Add a new customer to the database `AddCustomer`: system provides customer ID  
`AddCustomerID,<CustomerID>`: user provides customer ID
- **Delete a flight**  
Delete information about a flight (fails if reservations present)  
`DeleteFlight,<FlightNumber>`
- **Delete a car location**  
Delete all cars from a location (fails if reservations present)  
`DeleteCars,<Location>`
- **Delete a room location**  
Delete all rooms from a location (fails if reservations present)  
`DeleteRooms,<Location>`

- **Delete a customer**  
Delete a customer from the database as well as their reservations  
DeleteCustomer,<CustomerID>
- **Query a flight**  
Obtain the number of available seats on a flight  
QueryFlight,<FlightNumber>
- **Query a car location**  
Obtain the number of available cars at a location  
QueryCars,<Location>
- **Query a room location**  
Obtain the number of available rooms at a location  
QueryRooms,<Location>
- **Query a customer**  
Generate the bill (based on reservations) of a customer  
QueryCustomer,<CustomerID>
- **Query a flight price**  
Obtain the price of a seat on a flight  
QueryFlightPrice,<FlightNumber>
- **Query a car price**  
Obtain the price of a car at a location  
QueryCarsPrice,<Location>
- **Query a room price**  
Obtain the price of a room at a location  
QueryRoomsPrice,<Location>
- **Reserve a flight**  
Reserve a flight number for a customer  
ReserveFlight,<CustomerID>,<FlightNumber>
- **Reserve a car**  
Reserve a car for a customer at a location  
ReserveCar,<CustomerID>,<Location>
- **Reserve a room**  
Reserve a room for a customer at a location  
ReserveRoom,<CustomerID>,<Location>
- **Reserve a bundle**  
Book 1+ flights, and an optional car/room at a location (0/1 value) for a customer  
Bundle,<CustomerID>,<FlightNumber1>,...,<FlightNumberN>,<Location>,<BookCar?>,<BookRoom?>
- **Quitting**  
Exit the application  
Quit