

Security Operations (EDU-250)

Instructor led Lab



Copyright

This document is protected by the United States copyright laws, and is proprietary to Zscaler Inc. Copying, reproducing, integrating, translating, modifying, enhancing, recording by any information storage or retrieval system or any other use of this document, in whole or in part, by anyone other than the authorized employees, customers, users or partners (licensees) of Zscaler, Inc. without the prior written permission from Zscaler, Inc. is prohibited.

©2015-25 Zscaler, Inc. All rights reserved.

Trademark Statements

Zscaler™, Zscaler Internet Access™, Zscaler Private Access™, ZIA™, ZPA™ and ZDX™ are either (i) registered trademarks or service marks or (ii) trademarks or service marks of Zscaler, Inc. in the United States and/or other countries. Any other trademarks are the property of their respective owners.

Security Operations

July 2025, Rev.1.0

Table of Contents

About the Security Operations Hands-on Lab (EDU-250)	4
Lab Topology	5
Lab Access Information	6
Lab Environment	6
Lab Guide	7
Lab Controls	7
VM Controls	8
About the Security Operations Hands-on Lab	8
Lab 1: Navigating to the Risk360 Portal	10
Task 1.1: View Risk360 Dashboard	10
Lab 2: View Reports in Risk360	22
Task 2.1: View CISO Board report, Attach Surface Report, Cybersecurity Maturity Assessment, SEC Disclosures	22
Lab 3: Viewing Assets in Risk360	26
Task 3.1: View Asset Page (Overview, Distribution of Assets by Authentication Status, Authenticated Assets, Risky Asset Inventory)	26


Lab 4: Analyzing Risk with MITRE ATT&CK and NIST CSF	33
Task 4.1: Analyzing Risk MITRE ATT&CK Framework	33
Task 4.2: Analyzing Risk with NIST CSF	37
Lab 5: Understanding Financial Risk in Risk 360	43
Task 5.1: Exploring Financial Risk Page	43
Lab 6: Navigating the Deception Portal	50
Task 6.1: Viewing Events on the Investigate Dashboard	50
Task 6.2: Explore Orchestrate Menu in Deception Dashboard	58
Lab 7: Exploring Zscaler UVM	65
Task 7.1: Ingest Data from Many different Sources	65
Task 7.2: Customize Scoring to meet your Organization's Needs	71
Task 7.3: Explore Findings	75
Task 7.4: Operationalize Risk Findings	80
Task 7.5: Understanding Tickets	84
Task 7.6: Exploring Remediation Dashboard	87
Task 7.7: Understanding Risk Dashboard	90
Task 7.8: Build Your Own Dashboard	94
Lab 8: Exploring Zscaler Asset Exposure Management	96
Task 8.1: Understanding Assets and Findings	97
Task 8.2: Understanding Asset Inventory	103
Task 8.3: Understanding Policies	106

About the Security Operations Hands-on Lab (EDU-250)

Welcome to the Security Operations (EDU- 250) Hands-On Lab. During this lab, you will build the skills you need to get the most from Security Operations with the key objective to:

- understand the strategic process that involves identifying, assessing, and mitigating potential threats that could compromise an organization's sensitive data, systems, and/or operations.
- develop practical skills and expertise in risk management by exploring platform offerings and tools designed to assess and analyze vulnerabilities. Gain hands-on experience with solutions such as Risk360, Unified Vulnerability Management (UVM), Asset exposure Management (AEM).
- learn to develop strategies for continuous monitoring and management of your organization's external attack surface through EASM, while also gaining valuable insights into the role of the Data Fabric for Security in enhancing your overall cybersecurity framework.
- understand how Zscaler UVM enhances the organization's vulnerability assessment and remediation processes.

Lab Topology



You can access the Risk360 and EASM portal either from the Skytap-based Corp: Client PC, or another machine/browser of your choice. Risk360 , EASM and Deception are cloud services and therefore accessible from any machine with an Internet connection.

Note: In labs 1-6, you will access Risk360 and Deception tenets on the Zscaler Solutions Demo Center (SDC) as a Read- Only Administrator. This role affects what you will see in the Admin Portal. In lab 7-8 you'll have an access to the UVM portal to explore the functionalities.

Lab Access Information

For this course, each student is assigned a unique student ID with a dedicated virtual environment (hosted in Skytap) and corresponding Student FQDN with a set of admin and test users accounts for Zscaler. User credentials and portal addresses are all contained in the lab access instructions that are provided to you for your assigned training pod. These include:

- Your Student ID which is a unique identifier for your pod (e.g. zs9901)
- Your Student FQDN which is a unique domain for your pod (e.g. zs9901.safemarch.com)
- Your admin logon credentials for access to the Zscaler Portals
 - The login name will be in the format student@<Student FQDN> where [Student FQDN] is the domain assigned to your pod. For example, student@zs9901.safemarch.com / student@zs9901.labtenant.com / studentxxx@thezerotrustlab.com (for accessing UVM)
 - The password is unique for your session and is set as the same password on all the configured admin and user accounts for the pod.

Lab Environment

Your lab environment is displayed in your browser window in two side-by-side frames. On the left is a Virtual Browser and on the right is the Lab Manual with the lab tasks and related instructions.


Lab Guide

Your browser window's right-hand pane displays this lab guide. From the blue tool bar at the top, you may access:

1. Manual - display the manual in the frame.
2. Resources - summary of this course and credentials for your administrator and test user accounts.
3. Actions- gives you options for using the manual:
 - Pop Out - open the manual in a new browser page or if you prefer a QR code to open it on another device such as a tablet.
 - Print Manual - print the manual content as a pdf (if you have a pdf printer installed) or directly to a standard printer.
 - Collapse - collapses this tab to the edge of the browser.
 - Close - closes the manual completely.

Lab Controls

Controls and information about using and managing your virtual lab environment are displayed along the top of the frame.




VM Controls

A toolbar at the top of the window enables you to control the view and use of your virtual machine.

Note: A complete set of instructions on all the tools and options is available from the help (?) tool on the right side of the toolbar.

Here are a few key tools:

Power: If the lab virtual machine is powered off or suspended, click on the power icon. The Virtual Machine will take a couple of minutes to start.



Fit to Window: If the virtual desktop is too small or too big for the browser frame, you may adjust the screen resolution to fit the frame. Click  to change the VM screen resolution to fit the current browser window size.

Note: Maximize your browser window and adjust your manual view to your preferences first, and then fit the VM screen to the window.

About the Security Operations Hands-on Lab

Welcome to the Security Operations Hands-on Lab. During this lab, you will practice the skills you learned during the eLearning using the Zscaler remote lab. You will complete several labs designed to increase proficiency in configuring connectivity to the Zero Trust Exchange, configuring policy to allow / deny access through the Zero Trust Exchange, and using the administration interfaces to understand traffic patterns.

Lab 1: Navigating to the Risk360 Portal

Risk360 is a 360-degree risk management platform that not only provides holistic risk measurement data but also quantifies and helps remediate high-risk activities from various entities, configurations, and external attack surface data to provide the most comprehensive and actionable risk framework the industry has to offer. Furthermore, it helps mitigate risk exposure by providing actionable recommendations through intuitive workflows. The underlying architecture of Risk360 is an advancement of Zscaler's progressive features, such as the User Risk Score, Company Risk Score, Configuration Risk Score, etc.

Task 1.1: View Risk360 Dashboard

In this task, you will familiarize yourself with the Risk360 Dashboard and view parameters like **Organizational Risk Score, Risk Score Trend, Risk Events by Location, Contributing Factors by Entity**. To log in to Risk360 follow these steps:

Note: Login to the **Zscaler Client Connector** using the **SDC ZIA_ADMIN_USER_ID** and the **session_password** present in your lab access instruction

1. In the **Corp: Client PC** (Or open a browser in your PC,) login to Solution Demo Centre (<https://sdc.zslogin.net>) with the **ZIA_ADMIN_USER_ID** and the **session_password**.


The image displays two sequential steps of the Zscaler Identity login process. The first step, 'Welcome!', prompts the user to log into their Zscaler Identity account. It features a 'Login ID' field with the text '3474989-ADMIN@thezerotrustexchi', two checkboxes for 'Remember Me' and 'Sign-in using Security Key or Biometric', and a blue 'Next' button. The second step, 'Sign In', shows the 'Username' field with the same text as the Login ID, a 'Password' field with masked characters and a visibility toggle, a checked 'Remember me' checkbox, a blue 'Sign In' button, and a link for 'Need help signing in?'.

2. Click on the **Risk360** tile to navigate to the Risk360 portal.

 Deception zerotrust	 Trust Portal	 Zidentity Administration	 SecOps Platform app.avalor.io, Sales Demo Environment
 Zguard app.us1.zseclipse.net, AIGuard-SDC	 Workflow Automation app.us1.zsworkflow.net, The Zero Tru...	 Data Security Posture Management app.zsdpc.net, dspdemo	 Zscaler Private Access prod.zpath.net, Solutions Demo Center
 Zscaler Cellular Access prod.ztsim.com	 Partner Portal zscalerscm.net, The Zero Trust Exhan...	 Business Insights zscalerthree.net, The Zero Trust Exch...	 Zscaler Cloud and Branch Connector zscalerthree.net, The Zero Trust Exch...
 Zscaler Client Connector zscalerthree.net, The Zero Trust Exch...	 Zscaler Digital Experience zscalerthree.net, The Zero Trust Exch...	 Zscaler Internet Access zscalerthree.net, The Zero Trust Exch...	 Risk360 zscalerthree.net, The Zero Trust Exch...
 Zero Trust Branch ztb-us-m5.goairgap.com, solutionsde...			

Note: If you prefer, you can connect to the Risk360 Portal on your local laptop/desktop, launch a browser, login to the SDC portal (<https://sdc.zslogin.net>) and go to Zidentity Dashboard. Use the Solution Demo Centre (SDC) login credentials for the ADMIN_USER_ID.


- Click on the **Dashboard** tab to view the Risk360 dashboard.



- View the **Organization Risk Score Dashboard** which shows the Zscaler-computed risk score for your organization and the industry peer average risk score. Your organization's risk score is an average risk score across 4 categories, i.e., External Attack Surface, Compromise, Lateral Propagation, and Data Loss. You can study how the risk score has changed over time and compare your score against your industry peers. The following severities appear for the score ranges: Low (0–25), Medium (26–50), High (51–75), Critical (76–100)


Organization Risk Score

\$



5. In the **Risk Score Trend** tile, click on the **Key Events** to view the top 10 events. In the enlarged view the **Risk Score Trend graph** shows the top 10 events impacting the risk score. Hover over an event to view the change in the risk score because of the event and the list of contributing factors within the event.


Risk Score Trend




Note: The Risk Score Trend graph shows the Zscaler-computed and industry peer average risk score trend for the last 90 days.



6. In the **Risk Events by Location** file, view the top risky locations and hover the mouse to any specific risky location to view the details.



7. Navigate to the **Factors** tab the left menu. Click each of the attack stages (**External Attack Surface**, **Compromise**, **Lateral Propagation**, and **Data Loss**) to view the Factor, Category, Risk Score for the past 30 days.



Note: The Factors page shows the list of contributing factors that are affecting your organization's risk score. The Risk360 service quantifies each factor according to its risk weight, which then adds to your overall organization risk score and maps these factors to various renowned risk and security frameworks like MITRE, NIST, etc. The services also support integration with other vendors like CrowdStrike to gather data for risky events and activities and represent them into Risk360 Factors to provide holistic risk management experience.

8. Under the Entity Column, click on the entities affected by the factor (for e.g. **3rd Parties, Applications, Workforce**) to view the details.

Factor	Category	Your Score ↓	Last 30 Days	Entities	Licensed?	Recommended Actions	Include
> GenAI risk	Data Loss	4.79 / 8.56			N	Investigate the risks associated with data usag...	☒

Contributing Factors to Organizational Risk Score							
External Attack Surface 63.26 Compromise 35.10 Lateral Propagation 31.58 Data Loss 39.73 Search List View Tree View							
Factor	Category	Your Score ↓	Last 30 Days	Entities	Licensed?	Recommended Actions	Include
> GenAI risk	Data Loss	4.79 / 8.56			N	Investigate the risks associated with data usag...	☒
Known Vulnerabilities (CVEs)	External Attack Surface	3.67 / 4.74			Y	Investigate these vulnerabilities* (CVEs): ...	☒
Device Posture Not Used in Access Policies	Lateral Propagation	3.01 / 3.76			N	Implement device posture checks for 55 application ...	☒
Outdated SSL / TLS Servers	External Attack Surface	2.94 / 3.79			Y	Upgrade 311 servers* out of 1452 exposed servers ...	☒
VPN Usage Observed	External Attack Surface	2.94 / 3.79			Y	Number of VPN domains in use: 38, based on keywor...	☒
SSL/TLS Certificate Expiration	External Attack Surface	2.31 / 3.79			Y	Establish a system or process to monitor the ...	☒
> Identity Protection – Entra ID	Compromise	2.20 / 2.64			Y	Investigate risks identified in Entra and perform the ...	☒

Risk360

Search

Dashboard

Factors

Assets

Insights

Financial Risk

Frameworks

Reports

Administration

Alerts

EASM

Account

Help

Logout

Contributing Factors to Organizational Risk

External Attack Surface 63.26

Compromise 35.10

Lateral Propagation 10.00

Factor	Category
> GenAI risk	Data Loss
Known Vulnerabilities (CVEs)	External Attack Surface
Device Posture Not Used in Access Policies	Lateral Propagation
Outdated SSL / TLS Servers	External Attack Surface
VPN Usage Observed	External Attack Surface
SSL/TLS Certificate Expiration	External Attack Surface
> Identity Protection – Entra ID	Compromise
Application Segments with Open Ports	Lateral Propagation

GenAI risk

Severity: High Subfactors:3

Recommended Action

Investigate the risks associated with data usage in generative AI to safeguard against organizational data breaches.

Description

Generative AI introduces several security risks that organizations and users need to be aware of in order to mitigate potential threats.

Below are some of the key risks associated with Gen AI :

- User data privacy risk
- Application usage risk
- Sensitive data loss through genAI applications

Help

- Switch to the Tree View and view the parameters i.e. External Attack Surface, Compromise, Lateral Propagation and Data Loss by entities Workforce, 3rd Parties, Applications, and Assets.

Risk360

Search

Dashboard

Factors

Assets

Insights

Financial Risk

Frameworks

Reports

Administration

Alerts

My Profile

Help

Logout

Contributing Factors to Organizational Risk Score

List View

Tree View

Workforce

3rd Parties

Applications

Assets

External Attack Surface

Factor	Recommended Actions	Licensed?	Your Score ↓	Last 30 Days	Include
Known Vulnerabilities (CVEs)	Investigate these vulnerabilities* (CVEs): Critical: 174, High: 502, Medium: 525	N	3.05 / 5.00		☒
Outdated SSL / TLS servers	Upgrade 24 servers* out of 231 exposed servers that are running outdated SSL/TLS versions.	N	1.79 / 4.00		☒
Exposed Servers (Services Exposed)	Investigate 231 exposed servers*.	N	1.78 / 4.00		☒
SSL/TLS Certificate Expiration	Establish a system or process to monitor the expiration date of SSL/TLS certificates and ensure their timely renewal.	N	1.59 / 4.00		☒
Public Cloud - Exposed Instances	Investigate 196 exposed servers.	N	1.14 / 2.00		☒
CrowdStrike - CVEs with Critical and High severity	Patch / upgrade the vulnerable software packages. If patching / upgrading is impossible, consider applying additional defense ...	N	1.00 / 1.00		☒
Namespace Exposure on Internet	Rename namespace for 48 keyword based domains with ambiguous names to eliminate leakage.	N	0.27 / 1.00		☒

Help


Lab 2: View Reports in Risk360

Zscaler Risk360 provides detailed reports that help organizations assess and manage cyber risk. These reports, including CISO board presentations, attack surface reports, and cybersecurity maturity assessments, offer insights into an organization's risk posture and assist with compliance and mitigation efforts.

Task 2.1: View CISO Board report, Attack Surface Report, Cybersecurity Maturity Assessment, SEC Disclosures

To navigate to the Reports page, follow the following steps:

1. Click the **Reports** Tab in the left panel of the Risk360 portal to navigate to the Reports .



2. You can view and download various risk-related reports from the Reports page.

Reports

CISO Board Slides
Downloadable reports for security leadership summarizing the risk associated with your environment for a non-technical audience, including your financial exposure.

- Risk360 CISOReport zscalerthree.net 44847399 Apr2025 Week4
April 18, 2025 - April 25, 2025
- Risk360 CISOReport zscalerthree.net 44847399 Apr2025 Week3
April 11, 2025 - April 18, 2025
- Risk360 CISOReport zscalerthree.net 44847399 Apr2025 Week2
April 4, 2025 - April 11, 2025
- Risk360 CISOReport zscalerthree.net 44847399 Apr2025 Week1
March 29, 2025 - April 5, 2025
- Risk360 CISOReport zscalerthree.net 44847399 Mar2025 Week5
March 21, 2025 - March 28, 2025

[View All](#)

Attack Surface Report
Downloadable powerpoint and spreadsheet reports with full detail on exposed servers and known CVEs.

- Attack Surface Report zscalerthree.net 44847399 - Apr 24
April 24, 2025
- Attack Surface Report zscalerthree.net 44847399 - Apr 18
April 18, 2025
- Attack Surface Report zscalerthree.net 44847399 - Apr 10
April 10, 2025
- Attack Surface Report zscalerthree.net 44847399 - Apr 07
April 7, 2025
- Attack Surface Report zscalerthree.net 44847399 - Apr 04
April 4, 2025

[View All](#)

Cybersecurity Maturity Assessment
Powerful, holistic reports on your zero trust journey, generated by a custom large language model (LLM) developed by Zscaler.

- Cybersecurity Maturity Assessment - Apr 01
April 1, 2025
- Cybersecurity Maturity Assessment - Jan 06
January 6, 2025
- Cybersecurity Maturity Assessment - Oct 31
October 31, 2024
- Cybersecurity Maturity Assessment - Jan 19
January 19, 2024
- Cybersecurity Maturity Assessment - Dec 10
December 10, 2023

[View All](#)

SEC Disclosures
Sample language that can be a helpful starting point for security and legal teams in addressing the SEC's new cyber risk reporting regulations.

- Risk360 SEC 10k Cyber Disclosures

[View All](#)

Copyright © 2007-2025 Zscaler Inc. All rights reserved. | Version 1a114a76d0a | Patents | Data Policy | Legal Notices

Note: The Reports page contains the following reports and documents:

- **CISO Board Slides:** The CISO Board Slides provide customers with extensive insight into how Risk360 is helping quantify and measure risk in their network. A new slide is generated for a period of 7 days. The reports are securely stored as a PowerPoint file.
- **Attack Surface Report:** The Attack Surface Report provides you with the details of your organization's exposed applications and servers to a public network, such as the internet, and their possible exploitation.
- **Cybersecurity Maturity Assessment:** This report provides a holistic view of your zero-trust journey. It is generated by a custom large language model (LLM) developed by Zscaler.

- **SEC Disclosures:** A document with a sample format and content that can be a helpful starting point for security and legal teams in addressing the Securities and Exchange Commission's (SEC's) new cyber risk reporting regulations.
 - **Miscellaneous:** Various materials on risk management, including books published on how board members can manage cyber risk.
-

3. Click on the **View All** link at the bottom of the to view all the reports for a specific category.



CISO Board Slides

Downloadable reports for security leadership summarizing the risk associated with your environment for a non-technical audience, including your financial exposure.

Risk360 CISOResult zscalerthree.net 44847399 Apr2025 Week4

April 18, 2025 - April 25, 2025



Risk360 CISOResult zscalerthree.net 44847399 Apr2025 Week3

April 11, 2025 - April 18, 2025



Risk360 CISOResult zscalerthree.net 44847399 Apr2025 Week2

April 4, 2025 - April 11, 2025



Risk360 CISOResult zscalerthree.net 44847399 Apr2025 Week1

March 29, 2025 - April 5, 2025



Risk360 CISOResult zscalerthree.net 44847399 Mar2025 Week5

March 21, 2025 - March 28, 2025



[View All](#)



Risk360

Dashboard

Factors

Assets

Insights

Financial Risk

Frameworks

Reports

Administration

Alerts

EASM

Account

Help

Logout

← CISO Board Slides

Report Name	Report Generated For	Action
Risk360 CISOReport zscalerthree.net 44847399 Apr2025 Week4	April 18, 2025 - April 25, 2025	Download
Risk360 CISOReport zscalerthree.net 44847399 Apr2025 Week3	April 11, 2025 - April 18, 2025	Download
Risk360 CISOReport zscalerthree.net 44847399 Apr2025 Week2	April 4, 2025 - April 11, 2025	Download
Risk360 CISOReport zscalerthree.net 44847399 Apr2025 Week1	March 29, 2025 - April 5, 2025	Download
Risk360 CISOReport zscalerthree.net 44847399 Mar2025 Week5	March 21, 2025 - March 28, 2025	Download
Risk360 CISOReport zscalerthree.net 44847399 Mar2025 Week4	March 14, 2025 - March 21, 2025	Download
Risk360 CISOReport zscalerthree.net 44847399 Mar2025 Week3	March 7, 2025 - March 14, 2025	Download
Risk360 CISOReport zscalerthree.net 44847399 Mar2025 Week2	February 28, 2025 - March 7, 2025	Download
Risk360 CISOReport zscalerthree.net 44847399 Feb2025 Week5	February 21, 2025 - February 28, 2025	Download
Risk360 CISOReport zscalerthree.net 44847399 Feb2025 Week4	February 14, 2025 - February 21, 2025	Download
Risk360 CISOReport zscalerthree.net 44847399 Feb2025 Week4	February 12, 2025 - February 19, 2025	Download
Risk360 CISOReport zscalerthree.net 44847399 Feb2025 Week2	January 31, 2025 - February 7, 2025	Download


Lab 3: Viewing Assets in Risk360

Asset-level risk aggregates and visualizes the total number of assets in your organization, highlights risky assets, and further provides drilldowns on these risky assets to understand what's driving the risk. In progression to the Risk360's organizational-level risk score representation, and over 100 factors that can drill down to show specific users and locations at risk, asset-level risk helps view the risk score assigned at the asset level. It facilitates the monitoring and remediation of risky assets.


Task 3.1: View Asset Page (Overview, Distribution of Assets by Authentication Status, Authenticated Assets, Risky Asset Inventory)

To view the Assets Page in Risk360 portal follow the steps below:

1. Click on the **Assets** Tab in the left panel of the Risk360 portal to navigate to the Assets page.




2. In the overview section, view your assets in the following views:
 - a. **Risk Score**
 - b. **Location**



Note: The **Risk Score view** displays a three-dimensional graph with the Risk Score, Asset Count, and Days. This helps you analyze the number of assets under each severity for a select date:

- Each risk severity is highlighted with a unique color code:
 - No Risk (0–1)
 - Low (>1–25)
 - Medium (>25–50)
 - High (>50–75)
 - Critical (>75–100)




Note: The Location view shows all the assets in your organization spread across the globe. The map shows the country where the assets are located. Hover over the country to view the number of assets in them. The size of the bubble signifies the number of assets present, relative to other locations. The top-left of the section displays the number of assets with unknown locations.

The **Top Risky Locations section** at the bottom-left displays the locations with the highest percentage of risky assets in descending order.


3. View the **Distribution of Assets by Authentication Status**. This pie chart shows the percentage split between the number of authenticated and unauthenticated assets. The total number of assets is displayed at the center of the pie chart.

Distribution of Assets by Authentication Status ⓘ



- At the right, view the Authenticated Assets. This chart shows the types of assets available in your organization's traffic with their count. This data is for authenticated assets only.

Authenticated Assets



5. Scroll down to view the Risky Asset Inventory. The table shows the top 1,000 risky asset details. For each asset, you can view the information that includes Asset ID, Private IP Address, Username, Asset Type, Authentication Status, Risk Score, Last Seen, Location.

Risky Asset Inventory ⓘ

Asset ID ▼
Asset Type ▼
Location ▼

Asset ID ⌵	Private IP Address ⌵	Egress IP Address ⌵	Username ⌵	Asset Type ⌵	Authentication Status ⌵
1ff4097a65793f7a0a75f1701d1dd237	100.64.0.1	96.241.0.252	0909260-IT@thezei	Other OS	Authenticated
56581fe1ec19ee0276f41d673ea4e7fe	192.168.0.74	106.70.132.98	1079775-IT@thezer	Other OS	Authenticated
605af45cefd9efdffc48fbccfa1be4fb	10.0.1.1	206.198.148.53	1180549-IT@thezer	Windows OS	Authenticated
94fb93d4f9052ad3afeed24d6f7b6f69	172.31.12.59	3.216.132.132	1062647-IT@thezer	Windows OS	Authenticated
9f4bee6f5ab1bedf11aa167410bcfd98	192.168.1.1	206.198.148.52	Api User (ptc002-mi	Other OS	Authenticated
ad087bee5e5055d674f564fe351e6a4e	192.168.1.193	75.240.109.156	0903693-IT@thezei	Other OS	Authenticated
0159ed785183ee6065bd2a584d700f28	192.168.1.1	206.198.148.53	Api User (ptcb35-it	Windows OS	Authenticated
0389a6af6cb8dbb2d767eaae8f98b89e	192.168.1.1	206.198.148.51	Api User (ptca98-it	Windows OS	Authenticated
05aee5897e596a07cad8f9f5c44482a8	192.168.1.1	206.198.148.53	Api User (ptca84-it	Windows OS	Authenticated

- Click on any of the Asset ID to navigate to the detailed page with Asset Risk Score, Asset Risk Score Trend, Asset details, Asset Location.

Risk360

Search

Dashboard
Factors
Assets
Insights
Financial Risk
Frameworks
Reports
Administration
Alerts
EASM
Account
Help
Logout

Assets > ID: 1ff4097a65793f7a0a75f1701d1dd237

Asset Risk Score

100 Critical

Low Medium High Critical

Asset Risk Score Trend

Risk Score

Apr 24 Apr 26 Apr 28 Apr 30

Asset Details

Asset ID	1ff4097a65793f7a0a75f1701d1dd237	Department	IT	Device Hostname	N/A
Username	0909260-IT@thezerotrustexchange.com...	Asset Type	Other OS	OS Type	Other OS
Private IP	100.64.0.1	Last Seen	Apr 25, 2025 02:52:31 PM UTC	OS Version	N/A
Egress IP	96.241.0.252	Authentication Status	Authenticated		
Location	Cloud Browser	Enrolled Device Type Version	N/A		

Asset Location

Events Contributing to Risk Score for Last 7 Days

- IPS block inbound response: malicious content

Apr 25, 2025 02:52:31 PM UTC | Malware

Threat Category: None

Threat Name: NA

URL Category: MALWARE

URL Name: www.eicar.org/download-anti-malware-testfile/
- IPS block inbound response: malicious content

Apr 25, 2025 02:51:56 PM UTC | Malware

Threat Category: None

Copyright © 2007-2025 Zscaler Inc. All rights reserved. | Version 1a114a76a0a | Privacy | Data Policy | Legal Notices

Lab 4: Analyzing Risk with MITRE ATT&CK and NIST CSF

MITRE ATT&CK is a cybersecurity framework funded by the US government that is used to detect, identify, and classify various tactics, techniques, and procedures (TTPs) used for cyber-attacks by attackers. It helps you assess your organization's security posture and calculate the risk of a cyber-attack.


The MITRE ATT&CK framework assumes the attacker's point of view to navigate through your organization's network. This helps in highlighting the attacker's journey from the point of view to potential data exfiltration, among other harmful acts. The integration of the MITRE ATT&CK framework with Risk360 provides in-depth knowledge of attackers' behavior and assists you in finding weak points, vulnerabilities, and misconfigurations within your organization's network and, in turn, helps you mitigate attack surfaces and lateral movement opportunities during an attack. This framework is widely implemented and trusted across the industry, acts as a communal approach to threat reporting, and most importantly, helps you look at your organization's risk from a deeper and recognized perspective.

Task 4.1: Analyzing Risk MITRE ATT&CK Framework


The MITRE ATT&CK page shows the MITRE ATT&CK framework with all the **Tactics, Techniques and Procedures** (TTPs) and maps these TTPs to your current Zscaler protections and provides you with a holistic, as well as in-depth analysis of the attack techniques that Zscaler protects you against. The page also shows any misconfiguration of policies that are refraining you from covering an attack technique that can be reconfigured to strengthen your security stance.

In this task, you will familiarize yourself with the MITRE ATT&CK Framework in Risk 360. Follow the steps to view the MITRE ATT&CK framework.


1. Click on the **Frameworks** to view the MITRE ATT&CK and NIST CSF framework. Navigate to the **MITRE ATT&CK**.



2. Check the Legend section on the left and get the following overview:
 - a. The **donut chart** shows the split between the number of techniques covered by Zscaler and those that are not. The center of the pie chart shows the total **percentage coverage** of the **techniques**.
 - b. **Configurations:** This section shows the number of configurations or policies that are misconfigured and configured correctly for your organization.
 - c. You can show or hide the legend section by using the  arrow at the top right of this section.



View the TTP Tiles on the right and hover mouse to any TTP tile to get the details.



3. Click on any TTP Tile corresponding to a technique or sub-technique (e.g: active Scanning) the following information in a **drawer view** to the right side of the page:
 - a. The **name of the technique**, its ID, and the state of the sub-techniques, whether they are covered by Zscaler protection or not.
 - b. Details: A link that redirects you to the MITRE website where the technique is explained in detail.
 - c. MITRE Description: A description of the technique.
 - d. MITRE Category: The MITRE category is the level of coverage provided for the attack technique (i.e., Detect, Prevent, or Remediate). Whether the technique is detectable, preventable, or remediable by the Zscaler service.

- e. Zscaler Comment: A note on how Zscaler can help mitigate the risk from this attack technique by using one of Zscaler's progressive protection portfolios.
- f. TTP to Zscaler Product Mapping: Maps the attack technique to the Zscaler feature responsible for protecting against these attack techniques and the Risk360 category that the TTP falls under.
- g. TTP to Risk360 Factor Mapping: Maps all the attack sub-techniques to the Risk360 Factors and shows the status of each sub-technique.
- h. Notes: Any notes that you added for the technique.

The screenshot displays the Risk360 MITRE ATT&CK interface. On the left, a sidebar contains navigation links: Dashboard, Factors, Assets, Insights, Financial Risk, Frameworks, MITRE ATT&CK®, NIST CSF, Reports, Administration, Alerts, EASM, Account, Help, and Logout. The main panel shows the MITRE ATT&CK® (v13.1) grid. A legend on the left indicates 'Active Subscription' with a 79% coverage rate (179 out of 226 techniques covered). The grid is organized into columns: Reconnaissance, Resource Development, Initial Access, and Execution. A detailed view of T1595: Active Scanning is open on the right, showing its details, MITRE description, control type, effectiveness, Zscaler comment, TTP to Zscaler Product Mapping, and TTP to Risk360 Factor Mapping. The detailed view shows that T1595 is covered by Zscaler (3 out of 3 sub-techniques) and is in a 'Covered' state. The TTP to Risk360 Factor Mapping table shows the following status for various sub-techniques:

Sub-Technique	Risk360 Factor	Status
T1595.001	Exposed Servers (Services Exposed)	Misconfigured
	Public Cloud - Exposed instances	Misconfigured
	Application Segmentation	Misconfigured
T1595.002	Vulnerable ActiveX Controls	Configured
	Browser Exploits	Configured
	Outdated / Vulnerable Chrome	Misconfigured
	Outdated / Vulnerable Firefox	Misconfigured
	Outdated / Vulnerable IE Version	Misconfigured
	Outdated / Vulnerable Opera	Misconfigured
	Outdated / Vulnerable Safari	Misconfigured
	Block Mobile Apps With Known Vulnerabilities	Configured
	Outdated SSL / TLS servers	Misconfigured

Note: Each TTP tile shows the name of the technique and the technique ID. When you click on a tile, it opens all the sub-techniques under the technique. The TTP tiles highlighted in blue indicate that they are covered by Zscaler protection, and the green or red colour at the right side of these tiles indicates whether the protection is configured correctly or not.


Task 4.2: Analyzing Risk with NIST CSF

The National Institute of Standards and Technology (NIST) cybersecurity framework (CSF) is a set of recommendations and processes that you can implement and follow to strengthen your organization's security posture against malicious attackers that also provide guidance on how to respond and recover from a security breach event.

NIST CSF is considered a very high-standard risk management tool across the industry as it provides great value at any stage of your cybersecurity journey. The Risk360 service supports both versions of NIST CSF (1.1 and 2.0) in the Risk360 Admin Portal. You can use both versions of the framework to manage your organization's risk.


To access the NIST CSF framework follow the following steps:

1. Login to the Risk 360 portal and navigate to the **Frameworks > NIST CSF**
2. Click on the **NIST CSF** and view the TTP tiles on the right .




3. Check the Legend section on the left and get the following overview:

- The **pie chart** shows the split between the number of techniques covered by Zscaler and those that are not. The center of the pie chart shows the total percentage coverage of the techniques.
- Configurations:** This section shows the number of configurations or policies that are misconfigured and configured correctly for your organization.
- You can show or hide this section by using the arrow at the top right of this section.



4. View the TTP Tiles on the right and hover mouse to any TTP tile to get the details.



5. Click on any TTP Tile corresponding to a technique or sub-technique (e.g: active Scanning) the following information in a **drawer view** to the right side of the page:

Techniques:

- a. The name of the technique, its NIST ID, and the state of the sub-techniques, whether they are covered by Zscaler protection or not.
- b. Details: A link that opens the NIST CSF PDF file where the technique is explained in detail.
- c. NIST Description: A description of the technique.
- d. Zscaler Comment: A note on how Zscaler can help mitigate the risk from this attack technique by using one of Zscaler's progressive protection portfolios.

- e. TTP to Zscaler Product Mapping: Maps the attack technique to the Zscaler feature responsible for protecting against these attack techniques, whether the features that are responsible for protecting against these tactics, techniques, and procedures (TTPs) are licensed by your organization or not, and the Risk360 category that the TTP falls under.
- f. TTP to Risk360 Factor Mapping: Maps all the attack sub-techniques to the Risk360 Factors and shows the status of each sub-technique.
- g. Notes: Any notes that you added for the technique.

The screenshot displays the Risk360 NIST CSF v1.1 dashboard. The left sidebar contains navigation links: Dashboard, Factors, Assets, Insights, Financial Risk, Frameworks (MITRE ATT&CK®, NIST CSF), Reports, Administration, Alerts, EASM, Account, Help, and Logout.

The main content area is titled "NIST CSF (v1.1)" and includes a "Legend" section with a donut chart showing "Active Subscription Risk360 Advanced" with "12 out of 23 Techniques Covered" (52%). Below the chart, there are checkboxes for "Zscaler Coverage" (12), "Custom Coverage" (0), and "Not Covered" (11). A "Configurations" section shows "Configured" (0) and "Misconfigured" (12).

The dashboard is organized into four columns: Identify, Protect, Detect, and Respond. Each column contains several security functions with associated counts. For example, in the "Identify" column, "IDAM Asset Management" has a count of 5, and "IDRA Risk Assessment" has a count of 6. In the "Detect" column, "DEAE Anomalies and Events" has a count of 5, and "DECM Security Continuous..." has a count of 8.

A detailed view of the "DEAE Anomalies and Events" function is shown on the right. It includes a "Details" section with the NIST CSF link, a "NIST Description" stating "Anomalous activity is detected and the potential impact of events is understood," and a "Zscaler Comment" section. The "Zscaler Comment" section contains a "TTP to Zscaler Product Mapping" table and a "TTP to Risk360 Factor Mapping" table.

Sub-Technique	Risk360 Factor	Status
DEAE-1	-	Not Covered
DEAE-2	Suspicious Domains (NRD/N...	Configured
	Malware (Malicious Content ...	Misconfigured
	Active Infections	Configured
	Severe Botnet Infections Obs...	Misconfigured
	CrowdStrike - Zero Trust Score	Misconfigured
	CrowdStrike - Endpoint Secu...	Configured
	CrowdStrike - Critical and Hi...	Configured
	CrowdStrike - High Severity ...	Misconfigured
DEAE-3	CrowdStrike - Zero Trust Score	Misconfigured
	CrowdStrike - Endpoint Secu...	Configured
	CrowdStrike - Critical and Hi...	Configured
	CrowdStrike - High Severity ...	Misconfigured
DEAE-4	Suspicious Domains (NRD/N...	Configured
	Malware (Malicious Content ...	Misconfigured
	Active Infections	Configured
	Severe Botnet Infections Obs...	Misconfigured
	CrowdStrike - Critical and Hi...	Configured

Sub-Techniques:

- a. The name of the technique, its NIST ID, and the state of the sub-technique, whether they are covered by Zscaler protection or not.
- b. Details: A link that opens the NIST CSF PDF file where the technique is explained in detail.
- c. NIST Description: A description of the technique.
- d. Zscaler Comment: A note on how Zscaler can help mitigate the risk from this attack technique by utilizing one of Zscaler's progressive protection portfolios.
- e. Sub-Technique to Zscaler Product Mapping: Maps the attack technique to the Zscaler feature responsible for protecting against these attack techniques, whether the features that are responsible for protecting against this sub-technique is licensed by your organization or not, the Risk360 category that the sub-technique falls under, and whether the configuration for the attack sub-technique is configured correctly or not.
- f. Notes: Any notes that you added for the technique.

Search

Dashboard
Factors
Assets
Insights
Financial Risk
Frameworks
MITRE ATT&CK®
NIST CSF
Reports
Administration
Alerts
EASM
Account
Help
Logout

NIST CSF (v1.1)

Legend

Active Subscription

Risk360 Advanced

52%

12 out of 23 Techniques Covered

Zscaler Coverage 12

Custom Coverage 0

Not Covered 11

Configurations 12

Configured 0

Misconfigured 12

Identify

Protect

Detect

Respond

ID.AM Asset Management 6

ID.BE Business Environment 5

ID.GV Governance 4

ID.RA Risk Assessment 6

ID.RM Risk Management Strategy 3

ID.SC Supply Chain Risk Management 5

PR.AC Identity Management an... 7

PR.AT Awareness and Training 5

PR.DS Data Security 8

PR.IP Information Protection... 12

PR.MA Maintenance 2

PR.PT Protective Technology 5

DE.AE Anomalies and Events 5

DE.AE-1 NIST-DE.AE-1

DE.AE-2 NIST-DE.AE-2

DE.AE-3 NIST-DE.AE-3

DE.AE-4 NIST-DE.AE-4

DE.AE-5 NIST-DE.AE-5

DE.CM Security Continuous... 8

DE.DP Detection Processes 5

RS.RP Response Planning 1

RS.CO Communications 5

RS.AN Analysis 5

RS.MI Mitigation 3

RS.IM Improvements 2

NIST-DE.AE-2

ID: DE.AE-2 State: Covered by Zscaler

Details

NIST CSF link: <https://nvlpubs.nist.gov/nistpubs/CSWP/...>

NIST Description

Detected events are analyzed to understand attack targets and methods.

Zscaler Comment

-

Sub-Technique to Zscaler Product Mapping

Zscaler Control -

Risk360 Category Compromise

TTP to Risk360 Factor Mapping

Sub-Technique	Risk360 Factor	Status
DE.AE-2	Suspicious Domains (NRD/N...	Configured
	Malware (Malicious Content ...	Misconfigured
	Active Infections	Configured
	Severe Botnet Infections Obs...	Misconfigured
	CrowdStrike - Zero Trust Score	Misconfigured
	CrowdStrike - Endpoint Secu...	Configured
	CrowdStrike - Critical and Hi...	Configured
	CrowdStrike - High Severity ...	Misconfigured


Notes

Lab 5: Understanding Financial Risk in Risk 360


The Financial Risk page gives visibility into your organization's potential financial loss exposure for your current risk score. You can also analyze the factors affecting the financial loss exposure on this page.

Task 5.1: Exploring Financial Risk Page


1. In the **Organization Risk Score Dashboard** hover the mouse to the **\$** icon to view the Financial Risk and click on the **View Details** link to navigate to **Financial Risk** Page to view the **Financial Summary** and **Top 10 Contributing Factors**.



2. View the **Financial Summary** which is the organization's risk score-based financial exposure and the exposure without Zscaler. The section also provides an estimate of how much of this financial risk exposure can be reduced by implementing the recommended actions from the Top 10 Financial Contributing Factors section.




- Click on the **Monte Carlo Simulation** on the top-right side to simulate numerous random loss observations in terms of **Inherent Risk and Residual Risk, Average Yearly Loss**.



- View the **Average Yearly Exposure** bar graph shows the average yearly loss in millions of dollars for each of the risk parameters.

Average Yearly Exposure ⓘ



5. Scroll down to view the **Breach Probability** which shows the breach probability percentage calculated based on your organization's inherent risks, last 30 days average risk, residual risk, and industry peer risk.

Breach Probability (%) ⓘ	
Inherent Risk	34.8%
Last 30 Days Average Risk	34.8%
Residual Risk	10.55%
Industry Peer Risk	37.4%


Note: Monte Carlo Simulation (MCS) helps organizations quantify various risk-related parameters, especially financial losses from cyber breaches. It's used to simulate a variety of threat scenarios and determine the likelihood and impact of potential breaches.


In cybersecurity, this is particularly useful for assessing risk under the zero-trust model, where the goal is to minimize reliance on any single point of validation and instead focus on continuous verification across all systems.

The power of MCS lies in its ability to simulate a wide range of possible scenarios, each time factoring in different variables and outcomes based on probability distributions. These distributions represent the likelihood of different events (potential cyber intrusion, system failure, or insider threat, etc.,) occurring and are essential to producing realistic simulated outcomes.

6. In the **Loss Exceedance Curve** hover over a risk parameter (Inherent Risk, Residual Risk, Last 30 Days Average Risk, Industry Peer Risk) curve in the graph to view the probability of exceeding loss for a certain amount (in millions of dollars). This graph shows the probability of

exceeding loss values (in percentage) in millions of dollars.





Lab 6: Navigating the Deception Portal

Zscaler Deception is a simple, faster, and more effective targeted threat detection solution built on the Zscaler Zero Trust architecture. Deception uses advanced lures and decoys to detect and disrupt sophisticated threats that consistently bypass traditional defenses, such as advanced persistent threats (APT), exploits, reconnaissance, lateral movement, active directory, supply chain, human-operated ransomware, supervisory control and data acquisition (SCADA), and industrial control system (ICS) attacks.

- Task 1: Viewing Events on the Investigate Dashboard
- Task 2: Explore Orchestrate Menu in Deception Dashboard

Task 6.1: Viewing Events on the Investigate Dashboard

The Investigate module in Zscaler Deception allows you to track, analyze, and manage all events generated by the decoys. The Investigate page provides a single dashboard that allows you to visualize all events, decoys, Decoy Connectors and App Connectors along with a graphical representation of how these entities are connected to each other and to the Zscaler Deception Admin Portal. The Investigate page provides a single dashboard that allows you to visualize all events, decoys, Decoy Connectors along with a graphical representation of how these entities are connected to each other and to the Zscaler Deception Admin Portal.

1. To access the Deception portal, perform the following steps:

In the **Corp: Client PC** (Or open a browser in your PC), login to Solution Demo Centre (<https://sdc.zslogin.net>) with the **ZIA_ADMIN_USER_ID** and the session_password.

The image displays two side-by-side screenshots of the Zscaler Identity login interface.


Left Screenshot (Welcome!):

- Logo: THE ZERO TRUST EXCHANGE
- Greeting: **Welcome!**
- Text: Log into your Zscaler Identity account.
- Field: **Login ID** (3474989-ADMIN@thezerotrustexch...)
- Options:
 - ☐ Remember Me
 - ☐ Sign-in using Security Key or Biometric
- Button: **Next**


Right Screenshot (Sign In):

- Logo: THE ZERO TRUST EXCHANGE
- Section: **Sign In**
- Field: **Username** (3474989-ADMIN@thezerotrustexchange.com)
- Field: **Password** (masked with dots)
- Option: ☒ Remember me
- Button: **Sign In**
- Link: [Need help signing in?](#)

2. Click on the **Deception** file to navigate to the Deception portal.



3. To view and manage events from the dashboard, click **Investigate**.




Note: All events generated by deployed decoys are populated on the Deception dashboard, along with the graphical representation of how they are connected to other components. When an attacker interacts with the decoys, Deception detects threats, collects information on the attacker's actions and intentions, and generates high-fidelity and real-time alerts on the dashboard.


- On the dashboard, view the following components to interact with **Alerts Area, Filters, Dashboard Customization Options, Timeline.**

- Alerts Area:** This section shows the graphical representation of all events and the components to which they are connected.

- **Filters:** This section allows you to filter the events shown in the alerts area using queries and predefined time ranges. You can build **Filters** complex queries using the purpose-built query language. To learn more, see [Understanding and Building Queries](#).
- **Dashboard Customization Options:** You can use various options to customize the dashboard to filter events based on level of details, threat level, decoy type, etc.
- **Timeline:** The timeline bar allows you to manually filter the events that were generated over a specific time period. In addition, you can visualize how the events were generated sequentially.



5. Click on Investigate and navigate to **ThreatParse**. In the **Alert Area**, click on any one of the **Attacker**  and view the **ThreatParse** details on the right.



Note: ThreatParse is a technology that conducts natural language reconstruction of attacks by summarizing and translating log information into plain English. It also links this information to the MITRE ATT&CK framework and includes the risk scores assigned to attackers. The information on the ThreatParse details page helps your analysts to understand what the attacker is trying to accomplish. They can prioritize the most pressing threats first and take necessary actions to stop lateral movement. For each threat you can view information such as a detailed description of each threat, Attack examples, Attack mitigations, MITRE

ATT&CK ID, MITRE ATT&CK tactic, Event occurrence summary, Important information about the attacker (e.g., the username and the password the attacker has submitted).

- Click on the **View Extended Details** button on the ThreatParse and navigate to the **Event Logs** Provides detailed log information about the events associated with an activity.

The screenshot displays the Zscaler Investigate interface. On the left, a sidebar shows the ThreatParse details for the IP address 35.93.224.198, including a risk score of 10 and event timestamps. The main panel shows the 'Event Logs' tab, which contains a table of reconnaissance events. The table has columns for timestamp, type, sub_type, decoy group, attacker id, decoy name, decoy port, decoy appliance name, kill_chain_phase, and tags. The events listed are all reconnaissance activities from 2025-03-26T12:56:19+05:30, involving Perimeter Decoys and ThreatIntel-54.175.92.37.


ThreatParse Details:

- IP: 35.93.224.198
- RISK SCORE: 10
- FIRST EVENT: 11 MAR 2025 | 12:18 +05:30
- LAST EVENT: 26 MAR 2025 | 12:38 +05:30
- THREATPARSE: Recon Activity
- TRIAGE INCIDENTS: No Triage Data Available

Event Logs Table:


timestamp	type	sub_type	decoy group	attacker id	decoy name	decoy port	decoy appliance name	kill_chain_phase	tags
2025-03-26T12:56:19+05:30	recon		Perimeter Decoys	ec2-35-92-62-2.us-west-2.compute.amazonaws.com	vpn.thezerotrustexchange.com		ThreatIntel-54.175.92.37	Reconnaissance	
2025-03-26T12:56:19+05:30	recon		Perimeter Decoys	ec2-35-92-62-2.us-west-2.compute.amazonaws.com	vpn.thezerotrustexchange.com		ThreatIntel-54.175.92.37	Reconnaissance	
2025-03-26T12:56:19+05:30	recon		Perimeter Decoys	ec2-35-92-62-2.us-west-2.compute.amazonaws.com	vpn.thezerotrustexchange.com		ThreatIntel-54.175.92.37	Reconnaissance	
2025-03-26T12:56:19+05:30	recon		Perimeter Decoys	ec2-35-92-62-2.us-west-2.compute.amazonaws.com	vpn.thezerotrustexchange.com		ThreatIntel-54.175.92.37	Reconnaissance	
2025-03-26T12:56:19+05:30	recon		Perimeter Decoys	ec2-35-92-62-2.us-west-2.compute.amazonaws.com	vpn.thezerotrustexchange.com		ThreatIntel-54.175.92.37	Reconnaissance	
2025-03-26T12:56:19+05:30	recon		Perimeter Decoys	ec2-35-92-62-2.us-west-2.compute.amazonaws.com	vpn.thezerotrustexchange.com		ThreatIntel-54.175.92.37	Reconnaissance	
2025-03-26T12:56:18+05:30	recon		Perimeter Decoys	ec2-35-92-62-2.us-west-2.compute.amazonaws.com	vpn.thezerotrustexchange.com		ThreatIntel-54.175.92.37	Reconnaissance	

7. Navigate to the **Chronology** tab and get a temporal overview and heatmap of the attacker's activities.



Note: The Chronology page provides a temporal overview and heatmap of the attacker's activities. This information helps you to identify periods of activity with unusual volumes of alerts. The Chronology page provides graphical representations of the number of events generated in Zscaler Deception over time. This helps you gain insights into attackers' activity using the weekly heatmap generated based on the volume of activity during the time of day.

8. Navigate the **Threatparse** home page. Click on any **attacker**  and then click on the **Action** button on the Threatparse score window to view the actions that can be initiated by the user.




Note: The Deception dashboard allows you to take actions on events, attackers, or devices. To act, click the component on which you want to take an action, and select a preferred action from the Actions menu on the details pane. The actions that you can take include Containment using Zscaler's solutions or third-party solutions, Mark an event or attacker as safe, Block IP addresses of attackers and Delete an attacker from the Deception dashboard.

Task 6.2: Explore Orchestrate Menu in Deception Dashboard

To view the Orchestrate menu in the Deception portal, perform the following steps:

1. To view the orchestration rules, navigate to **Orchestrate > Rules** to view the rules that automate workflows, notifications, and containment in response to threat detection.



2. View a list of rules. For each rule, you can view **Priority**, **Name**, **Condition**, **Tasks**, **Types**, **Actions**. View the **Pause Orchestration** button to pause the orchestration rules.



Rules

Rules to automate workflow, notifications, and containment in response to detections.

Investigate

Orchestrate

Miragemaker

Deceive

ITDR

Settings

Search

II Pause orchestration

+ Add Rule

Priority	Name	Condition	Tasks	Type	Actions
1	Score > 100	score > 100	Email		 
2	ZPA containment rule	score > 99 and decoy.type is "network"	Zscaler Private Access		 
	High Priority: Credential access attack detected in Active Directory	threat_parse_ids in ["credtheft_asrep","credtheft_kerberoasting"]		Internal	
	High Priority: Credential access attack detected on the endpoint	threat_parse_ids in ["lm_cbf_decoy","lm_cbf_local","lm_imc","lm_kerberoast"]		Internal	
	High Priority: Man-in-the-middle attack detected in the network	threat_parse_ids in ["lm_mitm","mitm"]		Internal	
	High Priority: Ransomware-like behavior detected in the network	threat_parse_ids in ["smb_ransomware","threat_wannacry_darkpulsar_ping"]		Internal	
	Investigative: Suspicious source detected in the network	type is not "recon" and attacker.score > 700		Internal	

Copyright©2024 Zscaler Inc. All rights reserved. | Version v4.25.4 | Database Version: af36f7635066 ✓ | Patents

3. Navigate to **Orchestrate > SIEM** Integration page to view the integrated third-party SIEM solutions.

Investigate

Orchestrate

Miragemaker

Deceive

ITDR

Settings

Search

SIEM Integrations

Fine tune the events going to SIEM

Add Integration

#	Name	Type	Connector	Source	Last Failure	Enabled	Actions
1	SDC Splunk	Splunk	ThreatIntel-54.175.92.37 connector	Events	Could not send message with id 2022-11-28T20:47:02.188220-recon-627e8e3a-62ec-40dd-b07d-2f2474ebcc6f. Got error timeout of 60000ms exceeded	✓	

« PREV

Total: 1 Page 1 of 1

NEXT »

Copyright©2024 Zscaler Inc. All rights reserved. | Version v4.25.4 | Database Version: af36f7635066 ✓ | Patents

4. Navigate to the **Orchestrate > API Tokens** page to view and manage API tokens for setting up programmatic access to deploy decoys, manage event logs and evidence

API Tokens
API Tokens for programmatic access to the platform.

[API Docs](#) [+ Add API Token](#)

#	Name	Description	Roles	Created By	Created On	Enabled	Status	Actions
1	Clear Containment	This token will be used to run a script clearing ZPA Containment	Superadmin	mchouinard@zscaler.com	2024-03-07T01:01:22+05:30	✓	Active	Edit Delete
2	Deception Maintenance	Deception Maintenance	Superadmin	jaronson@zscaler.com	2024-03-22T01:14:51+05:30	✓	Active	Edit Delete
3	Demo API Token	This token for use to demo	Demo Role	mchouinard@zscaler.com	2024-01-25T23:06:25+05:30	✓	Active	Edit Delete
4	John Aronson Test	John Aronson Test	Superadmin	jaronson@zscaler.com	2024-03-07T01:56:08+05:30	✓	Active	Edit Delete

Copyright © 2024 Zscaler Inc. All rights reserved. | Version v4.25.4 | Database Version: af36f7635066 ✓ | [Patents](#)

- Navigate to **Orchestrate > Containment** page to view integrated third-party security solutions to isolate active attackers with automated or manual containment.



The screenshot shows the Zscaler Containment page. The left sidebar contains navigation icons for Investigate, Orchestrate, Miragemaker, Deceive, ITDR, Settings, Search, and a user profile icon. The main content area is titled "Containment" with the subtitle "Integrations with third party security tools for automated containment." Below this is a table listing 12 integrations.

#	Enabled	Settings	Blocked Identities				Actions
1	✗	Zscaler Internet Access	0				Edit
2	✓	Zscaler Private Access	33				Edit
3	✗	Okta (SSF)	0				Edit
4	✗	CrowdStrike	Contained IP	IOC Hash	IOC IP	IOA Process Tree	Edit
5	✗	VMware Carbon Black EDR	0				Edit
6	✗	VMware Carbon Black Endpoint Standard	0				Edit
7	✗	Check Point Firewall	0				Edit
8	✗	Microsoft Defender	0				Edit
9	✗	Palo Alto Networks (External Dynamic List - Attacker IPs)	0				Edit
10	✗	Palo Alto Networks (External Dynamic List - Attacker Hostnames)	0				Edit
11	✗	Fortinet (Threat Feeds - Attacker IPs)	0				Edit
12	✗	Fortinet (Threat Feeds - Attacker Domains)	0				Edit

Copyright©2024 Zscaler Inc. All rights reserved. | Version v4.25.4 | Database Version: af367635066 | [Patents](#)

- Navigate to **Orchestrate > Service Connectors** page to view and manage service connectors that forward events and audit logs from the Zscaler Deception Admin Portal and to the SIEM solution.

Service Connectors
Formerly known as SIEM Connector, the Service Connector forwards Deception events to your SIEM, receives AD logs from Windows/other SIEMs, and Isolates/un-Isolates attacker IPs

Download Connector + Add Connector

#	Name	Version	Syslog Receiver Source	Syslog Receiver Allowed IPs	Actions
1	CMC Connector - zerotrust	development			
2	TheZeroTrust1 connector	v4.5.211			
3	ThreatIntel-54.175.92.37 connector	development			
4	Troubleshooting- Network Decoys connector	development			
5	Troubleshooting-Appliance connector	development			

« PREV Total: 5 Page 1 of 1 NEXT »

Copyright©2024 Zscaler Inc. All rights reserved. | Version v4.25.4 | Database Version: af36f7635066 ✓ | [Patents](#)

Lab 7: Exploring Zscaler UVM

Note: To access the UVM Admin portal use the **SecOps Platform** tile that is on the ZIdentity Portal.


In this lab you will gain a holistic understanding of an organization's risk and build an effective exposure management program without limits. With Unified Vulnerability Management, you can:

- Identify which security gaps and vulnerabilities to fix first: Prioritize risks in the context of your own risk factors and mitigating controls, based on input from 150+ data sources.
- Get always-up-to-date reports and dashboards: Get dynamic insights into your risk posture, KPIs, SLAs, and other metrics in one correlated, context-rich data set.
- Automate workflows to streamline remediation: Accelerate triage with custom workflows that provide remediation details and rationale and automatically reconcile tickets.


Task 7.1: Ingest Data from Many different Sources

At the heart of **Unified Vulnerability Management** is the **Data Fabric** for Security. This powerful engine aggregates and unifies data across your security ecosystem, creating a single source of truth that powers the entire Zscaler Exposure Management portfolio. In this task you will explore the option to ingest data into the UVM platform from different sources.


1. Open your Browser and login to the Solutions Demo Center (<https://sdc.zslogin.net>), using your assigned lab credentials as you did in Task 1.1
2. Select the **SecOps Platform** tile.
3. From the **home** screen, click on Configure in the upper right portion of the screen.




4. This is the **sources** page, where the Data Fabric for Security gets all of its data. Click the **Create button** on the upper right part of the page.




5. On the **Connect New Data Sources** page you can see the 100s of out-of-the-box integrations supported by Zscaler Exposure Management platform. Scroll the page to review the many available options.




6. Locate **Orca Alerts** in the list and then click to add the source.




7. Click on the left panel to navigate to the **source configuration** page, you can set retrieval authentication details, scheduling, as well as additional settings. Review the settings, and then click cancel at the bottom.




- On the **Sources** page, locate any available source. Mouse over it and click on the **map data icon** at the end of the row, on the right side of the screen.



- In the **map data** view, we can see how ingested data is mapped in Zscaler Exposure Management platform.



10. Zscaler Exposure Management platform can also ingest data from static files. In the menu on the left click Sources.
11. Click the “+ **Create**” button again.
12. On the Create New Data Source page, In the search bar at the top, type “any,” and then select AnySource



Note: you can provide source details and upload a local file or pull in files from other Cloud sources like GCP, and Amazon S3.

13. Click **Cancel** at the bottom.


Task 7.2: Customize Scoring to meet your Organization's Needs

Now that all your data has been ingested, harmonized, deduplicated, and correlated by our Data Fabric for Security, it's time to craft custom scoring logic that reflects your unique organization and security goals.

1. Click on the “**Vulnerabilities**” button in the top bar.



2. Then, in the left-hand navigation menu click on **Settings**, and then **Score**



3. Here, you can customize your risk scoring by adjusting weights the weights of factors like exploitability and scanner scores. ss

Score Settings

Base Score (3) 60%

+ Add Factor

Factor Name

MIN %

● CVSS

25 %

● EPSS

5 %

● Original Severity Score

30 %

4. **Optional:** Scroll down to view the Risk & Mitigating Factors section, you can consider additional context that could raise your risk score:
- **Is the user or asset deemed risky?**
 - **Does the asset have PII?**
 - **Is it open to the Internet?**
 - **Is the asset considered a crown jewel?** Or any other contextual information that your data sources bring in. Choose how much, or how little these additional risk factors will *increase* your risk score.

Risk & Mitigating Factors 392% » 40% ⓘ

▲ Risk Factors (14)

Factor Name	Entity	MAX %
Open To Web	Asset	5%
Asset Has PII	Asset	20%
High Risk User	Asset	10%
User Prone to Phishi...	Asset	20%
Public Exploit	Finding	10%
Easy Exploit	Finding	10%
Asset Risk	Asset	20%
Business Criticality	Asset	20%
User Has Access to ...	Asset	10%
CISA KEV	GlobalVul...	10%

5. Next, a **factor in mitigating controls** is the vulnerable asset properly protected by an **EDR tool, WAF, network security solution**, etc.


Here, you can decide how much or little these additional risk factors will decrease your risk score.

▼ Mitigating Factors (5)		
Factor Name	Entity	MAX %
Host Based Firewall	Asset	5%
Has Falcon EDR	Asset	10%
Network Protection	Asset	1%
Vuln Mitigated by ZIA	Finding	10%
ZIA Protected	Asset	10%


Task 7.3: Explore Findings

With your data ingested and customized scoring rules in place, it's time to start exploring your findings and reducing your risk.

1. Click on **Findings** in the left panel menu.



2. Start by exploring all your **contextual findings**. For e.g. **What issues are causing the most risk? Is there a common trend?**



3. Narrow down the search results. Type "Microsoft" in the search bar at the top, and then press enter.
4. Click on one of the findings, like The version of Microsoft Edge installed.

Findings

Active Critical and High Fin... Save As View

Sources Type Severity: HIGH +1 State: Active + More Clear Filters

Q microsoft X

> Overview Active Findings by Severity: High 4 Unique CVEs: 2 Finding Duplication: Findings 4 Active Tickets 1

4 findings found Group By C D

ID ↑	Severity score ↓	Title	Sources	Asset ID	Asset Type	CVE
8	8.0 High	Integer overflow in Skia in Google		77	Windows Workstation	CVE-2023-6345
70	8.0 High	Integer overflow in Skia in Google Chrome prior to ...		77	Windows Workstation	CVE-2023-6345
141	7.5 High	The version of Microsoft Edge installed		77	Windows Workstation	CVE-2023-6351
367	7.5 High	The version of Microsoft Edge installed on the rem...		77	Windows Workstation	CVE-2023-6351

Showing 1-4 of 4 < 1 >

- Here, we get a comprehensive view of all the related details, including which tool reported the issue, when it was last seen, and which fix needs to be applied.

Finding The version of Microsoft Edge installed

First Seen: Sep 14 2024, 10:47 AM (8 months ago)

Active

ID / 141



7.5 HIGH



9.6

Source

Details

Vulnerability

Details

CVE CVE-2023-6351

ASSET [SO_Windows](#)

TICKET [Microsoft Edge finding...](#)

SOURCES



FIRST SEEN Sep 14, 2024

LAST SEEN Apr 28, 2025

Description

The version of Microsoft Edge installed on the remote Windows host is prior to 118.0.2088.122 / 119.0.2151.97. It is, therefore, affected by multiple vulnerabilities as referenced in the November 29, 2023 advisory.

Fixes

- 119.0.2151.97

6. Scroll down in the same window to view score details reveal how your custom business context transformed the original 8.1 severity into a more relevant 7.0 contextual risk score that more accurately reflects your organization's true risk.


Score Explanation			
Base Score	Value	Score Share %	Score Change
CVSS	8.8	+25%	+2.2
EPSS	0.0294	+5%	0.0
Original Severity Score	9.6	+30%	+2.9
Score Adjustments	Value	Score Share %	Score Change
High Risk User	True	+8%	+0.8
User Prone to Phishing	High Risk	+16%	+1.6
User Has Access to Critical Ap...	True	+8%	+0.8
ZIA Protected	True	-8%	-0.8
Open To Web, Host Based Fire...		0%	0
Final Score		 7.5 High	

Note: These risk calculations happen dynamically and automatically across all findings. If the factor isn't relevant, then it is automatically removed from the equation. This ultimately empowers your team to eliminate countless hours of manual analysis in spreadsheets.


Task 7.4: Operationalize Risk Findings

Now, it's time to operationalize these contextual findings!

1. Click on **Assets** in the left side menu. The asset view gives you quick visibility into risk scores, types, and operating systems. And our search capabilities let you quickly investigate any asset in your environment.



2. Let's take a closer look at the web application to understand its security posture, associated vulnerabilities, and unique risk factors. Click on it to open the details pane.



3. View the complete asset profile, highlighting everything the Data Fabric has pulled together about the asset.

Asset https://www.acme.com/xyz/homepage_base_responsive.js

First Seen: Sep 14 2024, 8:00 PM (8 months ago)

 10.0 CRITICAL

Details

Asset Merging

Findings (27)

Incidents

Tickets (2)

Activity

Details

ASSET TYPE

Web Application

>

ASSET LAST SEEN

Sep 15, 2024

SOURCES



>

ASSIGNEE

Acme Team

IP ADDRESS

72.69.111.1

APPLICATION

Acme

ZIA PROTECTED

False

APPLICATION OWNER

Brandon Davis

HAS CROWDSTRIKE FALCON

False

BUSINESS CRITICALITY

3

THREAT DETECTED ON DECOY

False

L3

Liam Turner

HAS PII DATA

False

>

OWNER NAME

Acme Team

Risk Mass ?

135

C 40

H 0

M 83.9

L 10.7


Note: This web application was reported by multiple tools (two Burpsuite connectors, your EASM tool, and your CMDB). You can also quickly understand which security tools are protecting this device. In this case, it appears it is completely unprotected.

Close this window by using the X in the upper right corner.

4. Let's get a different view of the asset. Click on the **Visual Explorer** symbol at the end of the row

☐	ID	Type	Name	Risk Score ↓	↓ Risk Mass	Owner ID	Sources	Is Crown Jewel	Visual Explorer
☐	65	Web Application	https://www.acme.com/xyz/homepage_base_resp...	10.0 Critical	135	Acme Team	🔴 🔴 +2		
☐	41	Web Application	https://www.acme.com/	10.0 Critical	69	Acme Team	🔴 🟢 🟢		
☐	83	Web Application	https://www.acme.com/xyz/acmemsb_homepage_...	10.0 Critical	48	Acme Team	🔴 🟢 🟢		


5. The **visual explorer** gives you a graphical view of everything the Data Fabric has pulled together about this asset and lets you see how it's all connected.



Task 7.5: Understanding Tickets

All the unique findings have been dynamically grouped into tickets based upon shared qualities. Most customers opt to group issues together that require the same fix by the same team, but you can also customize the grouping logic to meet your unique organizational structure.

1. From the navigation on the left click **Tickets**



2. Let's explore a sample ticket - **MISCONFIG on Container Repository for Acme Application**. Click on the Ticket to open the details.

The screenshot shows the Zscaler Vulnerabilities interface. At the top, there's a navigation bar with 'Vulnerabilities' and 'Assets' tabs. Below this, the 'Tickets' section is active. It includes a search bar, filter buttons for 'Is Fixable', 'Status', 'Severity', and 'Sources', and a 'Save As View' button. A table lists 64 tickets. The first ticket is highlighted with a red box. The table columns are: ID, Severity Score, Risk Mass, Title, First Seen, SLA, and Assignee.

ID	Severity Score	Risk Mass	Title	First Seen	SLA	Assignee
50	10.0 Critical	312	MISCONFIGs on Web Application on Acme Applic...	Sep 14, 2024	Sep 15, 2024	Acme Team
31	10.0 Critical	38	Software Composition Issue in Repo for Acme	Sep 14, 2024	Sep 15, 2024	Acme Team
69	10.0 Critical	20	MISCONFIGs on Web Application on Acme Applic...	Sep 14, 2024	Mar 21, 2025	Acme Team
17	9.8 Critical	10	MISCONFIGs on Web Application on Enterprise APL...	Sep 14, 2024	Sep 15, 2024	Enterprise API Team
8	9.2 Critical	36	MISCONFIG on Container Repository for Acme App...	Sep 14, 2024	Sep 15, 2024	Acme Team
10	9.2 Critical	9	Findings on Network Infra (Firewall)	Sep 14, 2024	Sep 15, 2024	Networking Team
36	9.1 Critical	284	CVE on DevOps Resource for Multiple Applications	Sep 14, 2024	Sep 17, 2024	DevOps Team

3. In the **details** pane get a quick view of all details associated with this new ticket, including SLA and owner.

Ticket MISCONFIG on Container Repository for Acme Application ID / 8 🔗 ⌵ ✕

First Seen: Sep 14 2024, 10:52 AM (8 months ago)

🚨 **9.2 CRITICAL** ⏪ 🚨 **9.0 CRITICAL** Source

● Discovered ● ● ● ● ● ● ● ●

Details
Findings (5)
Assets (2)
Comments
Activity

Details

ASSET TYPEContainer Repository

SOURCES

UNDETECTED 0%

SLASep 15, 2024

ASSIGNEEAcm Team

APPLICATIONAcme

APPLICATION OWNERBrandon Davis

L3Liam Turner

HAS PII DATAFalse

Risk Mass ?
36 **C** 18.4 **H** 7.5 **M** 9.8 **L** 0

- Click on **Findings**. Here you can see all the related findings that were brought together to make up this new ticket. You can drill down into the findings to see additional context that may help understand and remediate the issue.

5 Findings 🔽 ⚙️

🔍 Severity score ▾ Original Severity Score ▾ State ▾ + More | Clear Filters

5 found


☐	SEVERITY ▾	ORIGINAL SEVERITY	STATE ↑	TITLE	A
☐ >	🚨 9.2 Critical	🚨 9.0 Critical	Active	Private ECR Repository tag immutability should be enabled	ai
☐ >	🚨 9.2 Critical	🚨 9.0 Critical	Active	Private ECR Repository tag immutability should be enabled	ai
☐ >	🚩 7.5 High	🚩 7.0 High	Active	Private ECR Repository should be encrypted with KMS	ai
☐ >	🟡 4.9 Medium	🟡 4.0 Medium	Active	Private ECR Repository should scan images on push	ai
☐ >	🟡 4.9 Medium	🟡 4.0 Medium	Active	ECR repository should be configured with a lifecycle policy	ai

- You can pivot to the relevant asset metadata, so your team knows where they need to go to apply the recommended patches. Click on Assets.


Task 7.6: Exploring Remediation Dashboard

Finally, it's time to track your team's progress with Zscaler's rich analytical capabilities.

1. Click on the Zscaler log in the upper left corner.
2. Click on **Remediation** Dashboard, in the center.



3. The out-of-the-box Remediation History dashboard shows you how your team has progressed towards remediating your top issues over time. Here, you can Quickly see how many tickets you have open by criticality, and how it's changed over time.



- View the status of all **open tickets** in aggregate. This helps to spot trends like “are too many tickets being opened without any action? “

Open Tickets by Current Status

● Discovered ● Opened ● Exception Requested



5. Next, view how your various teams are tracking against their SLA's. This is often used by customers to gamify their remediation programs.

Analyze Remediation Work

Historical Data

+ % Total Tickets Over SLA X

Total Tickets Over SLA X

Total Open Tickets X

ByAssignee vDownload

	MARCH 2025			APRIL 2025			MAY 2025		
Assignee	% Total Tickets Over SLA	Total Tickets Over SLA	Total Open Tickets	% Total Tickets Over SLA	Total Tickets Over SLA	Total Open Tickets	% Total Tickets Over SLA	Total Tickets Over SLA	Total Open Tickets
Acme Team	100%	11	11	100%	11	11	100%	11	11
Chart Design Team	100%	1	1	100%	1	1	100%	1	1
Cloud Governance Team	100%	7	7	100%	7	7	100%	7	7
Cloud Team	100%	9	9	100%	9	9	100%	9	9
Coding Team	100%	2	2	100%	2	2	100%	2	2
DevOps Team	100%	1	1	100%	1	1	100%	1	1
EUC Team	100%	7	7	100%	7	7	100%	7	7
Enterprise API Team	100%	6	6	100%	6	6	100%	6	6
Enterprise DevOps Team	100%	3	3	100%	3	3	100%	3	3
Summary	100%	64	64	100%	64	64	100%	64	64

Showing 1-10 of 14 < 1 2 >

Task 7.7: Understanding Risk Dashboard


The **Risk Dashboard** gives you quick insight into your overall risk level and how that's changed over time.

1. In the left-hand navigation menu, click Risk under the Analyze section

The screenshot shows the Zscaler Risk Dashboard. The left-hand navigation menu is on the left, with the 'Risk' option under the 'ANALYZE' section highlighted with a red box. The main content area displays a table of risk items. The table has columns for Severity Score, Risk Mass, Title, First Seen, SLA, Assignee, Sources, and Status. The table lists several critical issues, including MISCONFIGs on Web Applications, Software Composition Issues, and CVEs on DevOps Resources.

Severity Score	Risk Mass	Title	First Seen	SLA	Assignee	Sources	Status
10.0 Critical	312	MISCONFIGs on Web Application on Acme Applic...	Sep 14, 2024	Sep 15, 2024	Acme Team	3	Opened
10.0 Critical	38	Software Composition Issue in Repo for Acme	Sep 14, 2024	Sep 15, 2024	Acme Team	1	Opened
10.0 Critical	20	MISCONFIGs on Web Application on Acme Applic...	Sep 14, 2024	Mar 21, 2025	Acme Team	1	Opened
9.8 Critical	10	MISCONFIGs on Web Application on Enterprise API...	Sep 14, 2024	Sep 15, 2024	Enterprise API Team	1	Opened
9.2 Critical	36	MISCONFIG on Container Repository for Acme App...	Sep 14, 2024	Sep 15, 2024	Acme Team	1	Opened
9.2 Critical	9	Findings on Network Infra (Firewall)	Sep 14, 2024	Sep 15, 2024	Networking Team	1	Opened
9.1 Critical	284	CVE on DevOps Resource for Multiple Applications	Sep 14, 2024	Sep 17, 2024	DevOps Team	1	Opened
9.1 Critical	62	Software Composition Issue in Repo for Coding	Sep 14, 2024	Sep 15, 2024	Coding Team	1	Discover

2. On the Risk dashboard you can view the findings by **source system**, by **asset type**, and by **risk score**.




3. Scroll down to view many additional useful risk insights including Active Finding, Vulnerable Assets .



4. Scroll down to the bottom of the page. You can view the breakdown risk severity by team. This illustrates a great way to see how your teams are making progress towards reducing organizational risk.



5. You can pivot the chart by other dimensions to see things like application risk to get a deeper understanding of where the biggest areas of focus should be.




Task 7.8: Build Your Own Dashboard

In this task, you view how we can build your own dashboards with a few clicks to measure whatever data trends or KPIs are important to your organization.

These dashboards are infinitely flexible so you can easily reflect on the way you operate your business.


1. In the navigation bar on the left, click on **My Dashboards**.



2. View all the available Dashboards. In order to build your dashboard, you can select a widget type and change your view. Dashboards can be made available publicly within the organization or shared with specific users or teams. Let's take a look at the **CISO Dashboard** for our organization.

☐ Business Applications	Noga Anaby	Public	Vulnerabilities	5/6/2025, 4:25:22 PM	In
☐ CISO Dashboard	Noga Anaby	Public	Vulnerabilities	5/6/2025, 4:25:22 PM	In
☐ Cloud Health	Noga Anaby	Public	Vulnerabilities	5/6/2025, 4:25:22 PM	In

3. This dashboard provides a custom view for the data that's important to our CISCO and Team.



Lab 8: Exploring Zscaler Asset Exposure Management

With Asset Exposure Management, you can:


- Get an asset inventory you can trust:
Enable asset resolution across dozens of source systems to create a holistic and accurate inventory.
- Uncover & close asset coverage gaps:
Correlate all organizational asset details to pinpoint misconfigurations and missing security controls.
- Minimize your organizational risk:
Activate risk mitigation policies, assign and track workflows, and update your CMDB.

Note: At the heart of Asset Exposure Management is our Data Fabric for Security. The fabric aggregates and unifies data across all your security tools and business systems. This rich source of security data truth serves as the foundation for the broader Zscaler Exposure Management portfolio, and powers feedback loops between products to drive even richer insights.


The first step is to bring in all data that is relevant to building an accurate asset inventory into the Data Fabric for Security, which we completed in the previous section of this lab. So, let's jump right into showing you Zscaler Asset Exposure Management!

Task 8.1: Understanding Assets and Findings

1. In the navigation menu on the left side, click on **Assets**.



- From the main Assets screen, you can use the search bar to search for a specific asset, or browse the full library of assets to find what you're looking for.



- Let's take a closer look at an asset. In the search bar, type **SO_Windows** and press enter.

Vulnerabilities
Assets
Explore
Configure
?
z
zS

Assets

Active

Save As View

Sources
Type
Site
Operating System
State: ACTIVE
+ More
Clear Filters

Overview

Number of Assets by Risk Score

Low Medium High Critical

Asset Count by Type

TOTAL 1

Windows Wo... 1

Asset Count by Operating System

TOTAL 1

Windows 10 ... 1

1 assets found

Group By
Refresh
Download
Settings

☐	ID	Type	Name	Risk Score	Risk Mass	Owner ID	Sources	Is Crown Jewel	Site	First Seen	Last Seen
☐	77	Windows Workstation	SO_Windows	8.0 High	44	EUC Team	+6			Sep 15, 2024	Sep 15, 2024

Showing 1-1 of 1

4. Once you've located the asset you're looking for. Click on it to take a closer look.
5. View the details of the Asset that your disparate tools know about this Windows Workstation. From this page you can see:
 - a. This asset is known to many different sources that are connected
 - b. The team owner as well as the end-user owner

Asset SO_Windows

First Seen: Sep 14 2024, 8:00 PM (8 months ago)

7.9 HIGH

ID / 77

Details

Asset Merging

Findings (6)

Incidents

Tickets (2)

Activity

Details

ASSET TYPEWindows Workstation

SOURCES

HOST NAMESO_Windows

OSWindows 10 Pro

IP ADDRESS10.0.0.16

ZIA PROTECTEDTrue

ZCC VERSION4.3.0.202 (64-bit)

HAS CROWDSTRIKE FALCONFalse

THREAT DETECTED ON DECOYFalse

Risk Mass ?

44 C 0 H 30.8 M 13 L 0

> ASSET LAST SEENSep 15, 2024

> ASSIGNEEEUC Team

DEPARTMENTHR

RISK 360 SCORE45

LAST KNOWN USERsteve.owner

> OWNER NAMEEUC Team

6. Click on **findings** to see that there are multiple findings currently associated with this asset, contributing to its high risk score.

Asset SO_Windows

First Seen: Sep 14 2024, 8:00 PM (8 months ago)

7.9 HIGH

Details

Asset Merging

Findings (6)

Incidents

Tickets (2)

Activity

Findings

Severity score ▼ State ▼ Vulnerability CVE ▼ + More Clear Filters

6 found

☐		SEVERITY	STATUS	CVE	TITLE	ASSET
☐	>	7.9 High	Active	CVE-2023-6345	Integer overflow in Skia in Google	SO_Win
☐	>	7.9 High	Active	CVE-2023-6345	Integer overflow in Skia in Google Chrome prior to 119.0.60...	SO_Win
☐	>	7.5 High	Active	CVE-2023-6351	The version of Microsoft Edge installed	SO_Win
☐	>	7.5 High	Active	CVE-2023-6351	The version of Microsoft Edge installed on the remote Wind...	SO_Win
☐	>	6.5 Medium	Active	CVE-2023-38163	Security Updates for Windows Defender (September 2023)	SO_Win
☐	>	6.5 Medium	Active	CVE-2023-38163	Security Updates for Windows Defender (September	SO_Win

Showing 1-6 of 6 < 1 >

7. Next, click on **Tickets** and you can see there's currently two open tickets raised related to this asset.

Asset **SO_Windows**

First Seen: Sep 14 2024, 8:00 PM (8 months ago)

 **7.9 HIGH**

Details

Asset Merging

Findings (6)

Incidents

Tickets (2)

Activity

Tickets

 **Is Fixable**  **Status**  **Severity**  **Sources**  **Assignee**  **+ More** **Clear Filters**


ID	TYPE	SEVERITY SCORE	TITLE	FIRST SEEN	SLA	SOURCES	S
3	CVE	 7.9 High	Microsoft Edge findings on Windows Workstation	Sep 14, 2024	Sep 15, 2024	 	C
29	CVE	 6.5 Medium	Microsoft Defender findings on Windows Workstation	Sep 14, 2024	Sep 17, 2024	 	C

Showing 1-2 of 2 < **1** >

Task 8.2: Understanding Asset Inventory


In this task, you can start analyzing Assets - both individually and in the aggregate. Once you have a complete view of all your assets.

1. In the navigation menu on the left, click on **Asset Inventory**




2. The **Asset Inventory** automatically presents our inventory in a variety of ways:

- by type,
- by operation system,
- by asset owner, and
- allows you to visually see how it's all changed over time.



3. View the drop-down menus to change select from a number of asset sorting views.



Task 8.3: Understanding Policies

Now that you have a clean asset inventory, you can start creating policies to alert you when assets do not meet your internal compliance standards.

You can build a policy based upon any data element you've brought into the Data Fabric for Security.

Perhaps you are concerned about assets that have EDR on them, but the version is out-of-date. Or maybe you want to know about assets not scanned by your vulnerability scanner. The sky's the limit!

In this task, we'll take a deeper look at an asset, as well as some compliance with a few custom-built policies.


1. In the left-hand navigation menu, click on **Policy Compliance**.

The screenshot displays the Zscaler Assets management interface. The left-hand navigation menu is visible, with the 'Policy Compliance' option highlighted under the 'ANALYZE' section. The main content area shows a search bar, filters (Type, Site, Operating System, State: ACTIVE), and three charts: 'Assets by Risk Score', 'Asset Count by Type', and 'Asset Count by Operating System'. Below the charts is a table listing assets, with the first row showing a 'Windows Workstation' asset with a risk score of 8.0 (High) and a risk mass of 44. The table columns include Type, Name, Risk Score, Risk Mass, Owner ID, Sources, Is Crown Jewel, Site, First Seen, and Last Seen. The bottom right corner indicates 'Showing 1-1 of 1'.


2. View pre-defined organizational policies. With these custom-built policies we can easily understand how we're tracking ourselves toward meeting this organizational goals.



3. Click on a **policy** to expand it and learn more. Let's click on the Missing Owners in CMDB. Right away we can see that about 20% of our assets are missing Owners in the CMDB.




4. Now, in the left hand navigation menu, click on **Policy Violations**



5. View the assets that are missing in this important field.

Policy Violations



6. Let's click on this asset to view additional details, **ZTS61**.

☐	216	8.5 Critical	Endpoint SO39 Missing EDR	SO39	Windows Workstation	May 07, 2025	May 15, 2025	Active
☐	217	8.5 Critical	Endpoint ZS95 Missing EDR	ZS95	Windows Workstation	May 07, 2025	May 15, 2025	Active
☐	219	8.5 Critical	Endpoint ZTS61 Missing EDR	ZTS61	Mac Workstation	May 07, 2025	May 15, 2025	Active
☐	220	8.5 Critical	Endpoint ZS90 Missing EDR	ZS90	Mac Workstation	May 07, 2025	May 15, 2025	Active
☐	221	8.5 Critical	Endpoint ZT23 Missing EDR	ZT23	Server	May 07, 2025	May 15, 2025	Active

7. In the details view we can see that this asset is known to our ServiceNOW instance, as well as Tenable, and Zscaler.

Policy Violation Endpoint ZTS61 Missing EDR
Active
ID / 1

First Seen: May 07, 2025, 5:04 PM (9 days ago)

8.5 CRITICAL

Details

Asset Info

ASSET NAME
ZTS61

TYPE
Mac Workstation

SOURCES

ASSET LAST SEEN
Apr 27, 2025

ASSET OPERATING SYSTEM
Mac

ASSET IP
73.69.55.174

SLA
No SLA

FIRST SEEN
May 07, 2025


LAST SEEN
May 16, 2025

POLICY NAME
EDR Coverage

POLICY VIOLATION TYPE
Tool Coverage

Note: From here, we can manually select the proper team owner to remediate the violation. And, once we've updated the owner you can either open a Jira ticket for someone to update the CMDB manually, or leverage our "Outegrations" to automatically update your CMDB with the newly assigned owner.

8. You can create and share custom dashboards (refer **task 7.8**) for your organization. Click on **My Dashboards** in the left hand navigation menu to view the custom dashboards that have already been created.



Thank you!