

Train layout and interaction heights

Provisional arrangement. Use this plan and the written brief for placement; rendered views are illustrative.

TOP PLAN / FRONT AT LEFT



FRONT SIGHTLINE / HEIGHT STUDY




DECK = 0

Eye height: user reference. Sill: proposed starting height.

This diagram checks height only; test downward sight to track.

RADIO TABLE / HEIGHT STUDY



DECK = 0

PROPOSED PLACEMENT

Radio table: train-right, behind front shelter; controls face inward.

One furnace opposite on train-left, with coal opening toward the crew.

Four full-size bag hooks at right rear; gear shelf at left rear.

Opposed mid-deck boarding gaps: start at 2.0 m clear opening each.

Front roof only. No seats; no furniture across the center or boarding paths.

REFERENCE AND VALIDATION

10 x 5 m is the authored floor size in RailSceneBuilder.cs, not a fresh measurement of the active Unity scene.

Table starting envelope: 1.2 m wide x 0.6 m deep x 0.35 m tabletop height. All new dimensions are proposals.


Keep mic-base TALK button at the inner edge: hold to transmit, release to stop. Route its cable behind the station.

Review low sightlines, hand approach, bag access and eight-player circulation in the existing rig before modeling detail.

Low-poly forms and pixel textures are approved; polygon, texture and lighting budgets still require Quest 3 profiling.

Train turnaround and deck study

Illustrative proportions only. Use page 1 for the proposed equipment layout and dimension references.



Radio station and low-posture interaction

Separate tabletop radio and upright mic. The TALK button sits on the mic base; press and hold, release to stop.

