
Train layout and interaction heights

Provisional arrangement. Use this plan and the written brief for placement; rendered views are illustrative.

TOP PLAN / FRONT AT LEFT



PROPOSED PLACEMENT

Center seat; dash left-to-right: fuel gauge, throttle, horn. Forward headlight.


Furnace and radio outside cockpit. Stack rises directly from furnace into open sky.

Rear edge open for boarding: no transverse rail, displayed bags or cargo.

Keep opposed sideboarding gaps too. Amber plan edges mark rail openings.

Front roof only; two side lamps. No hanging lamp, coal bin or decorative coal.

FRONT SIGHTLINE / HEIGHT STUDY




DECK = 0

Eye height: user reference. Sill: proposed starting height.

This diagram checks height only; test downward sight to track.

RADIO TABLE / HEIGHT STUDY



DECK = 0

REFERENCE AND VALIDATION

10 x 5 m is the authored floor size in RailSceneBuilder.cs, not a fresh measurement of the active Unity scene.

User opening target: about 0.5 x 0.5 m, one inward-facing furnace mouth. Proposed body: 1.6 x 1.6 m, outside roof.


Table proposal: 1.2 x 0.6 x 0.35 m high. Plain receiver, texture-only details; mic-base TALK is the physical button.

Seat posture, low sightlines, hand reach and eight-player circulation require rig review; do not raise the camera to fit.

Low-poly forms and pixel textures are approved; polygon, texture and lighting budgets still require Quest 3 profiling.

Open-deck stations and rear boarding

Illustrative proportions only. Use page 1 for the proposed equipment layout and dimension references.



Cockpit / center seat and forward view

Throttle ahead of seat; headlight reveals the track. Two side lamps only. Camera is illustrative, not an eye-height test.



Simplified radio and single furnace

Approved radio design. One furnace mouth and a thick stack; both stations now sit outside the cockpit on the open deck.

