**Gym:** Emerald City, Monroe, WA (1/3/17)

Trainer: Robb

#### **Fitness Plan**

Prev (2014):	183.0 lbs (10%)	164.7 lbs / 18.3 lbs
Start (10/16):	186.6 lbs (16.4%)	156.0 lbs / 30.6 lbs
Today (12/30):	180.2 lbs (15.0%)	153.2 lbs / 27.0 lbs
Goal:	180.0 lbs (8.0%)	165.6 lbs / 14.4 lbs

+10 lbs / -16 lbs

Time Target: 1 year

Start: 11/10/16 <

Complete: 11/10/17

### **Activity Keypoints**

 Plan: Build up a routine that is pointed towards longer term and establishment of habit

- You can do extra if desired (e.g. 6 days/wk)
- o Typical high-endurance routine is 4-5 days/wk
- target 300 minutes over 4 days/wk
- The average healthy weight loss pace is 1 lbs/month
  - Your plan calls for at least one year
- Gain muscle first, don't emphasize weight loss until after
  - "Convert your weight, it's not a Lose/Grow game you see"
  - o This minimizes number of cycles and time taken dramatically
  - o There will be several rounds to final achieved goals
- Diet and diet-balance are one of the most important long term components of your plan.
  - o A primary goal is healthy lifestyle balance, ensure you target something that you can maintain

### **Supplemental Nutrients Plan**

Protein (after workout) – 2 Scoops w/Almond Milk

Aminos (after workout) – 1 Scoop

GNC Meal (lunch replace) – 3 Scoops w/Almond Milk

Water (daily) – 10 bottles daily (carried alongside)

### **Routine Plan**

Justin will follow the 5-day lift routine established with Robb. Cardio will be interspersed onto lift days in 30m+ segments when possible, in addition to the core pre(10)/post(15) already incorporated. Rest days will occur every 7-14 days.

Weight	BF %	Muscle Body Fat		Stage		
186.6	16.4	16.4 156.0 30.6		Start		
177.0	13.0%	% 154.0 23.0		Trim		
185.0	14.6%	158.0	27.0	Strength		
193.0	16.1%	162.0 31.0		Grow		
193.0	16.6%	161.0 32.0		Back to Work		
181.7	13.0%	158.0 23.7		Trim		
Concurrent			7	Grow		
Activities				Loss		
180.5	8.0%	166	14.5	Final		

#### Note:

Consider supplementing your diet with a Probiotic and an Amino Acid

## **Training Plan 2.0 < open>**

**Plan** 5 day routine, rest every 7-14 days w/cardio interspersed

**Start** 1/5/2017

**Pre** 10-15 min warm-up walk or run, 2 min gait train

Day 1 Posterior Resistance against gravity
<open>

Day 2 Anterior Moving through space <open>

Day 3	Legs	Always use weak leg's strength
	<open></open>	

**Goal** Get started with Robb's plan and intent

Style Super-sets of two-lifts

**Post** 30 min (run/elliptical/stairs)



#### Cardio

Interspersed into Days 1-5 when available or wanted

#### **Plan Goals**

Short-term: (primary: shape) (secondary: strength)

Long-term: (primary: fitness) (secondary: shape, strength)

### Central Lift Style Points < open>

### **Central Plan Points < open>**

- Always squeeze the shit on grips during a lift. Grip strength & muscle activation bloom here!
- Always squeeze on entry into a lift and on exit. Muscle engagement and activation grow here
   Important Points < open>
- Don't lift like a body-builder, 3 sets of 10 is dangerous and generally weak in benefit
- Changing lift sets and rep counts is important!
- Power generation, e.g. jumping or throwing is one of the greatest muscle growth activities

### Key & Vocab <open>

 Failure: performing an exercise to complete exhaustion, while maintaining perfect form. When your form breaks, you have failed.

#### **Side Goals**

- Two-Mile run in 14 min (7min mile)
- Flat Bench Press 6 reps @ 225 lb.
- Torso fitness & aesthetic

# Present Nutrition Plan <open!> ☺

Time	Meal
7 AM	Breakfast
11 AM	Juicer
1 PM	Lunch (TP Shake)
4 PM	Post Workout Meal
7 PM	Dinner

Meal	Item	Qty			
Breakfast	Special K Red Berry	2 Scoops			
	2% Mils	12 oz			
Lunch	GNC Total Lean	3 Scoops			
	Almond Milk	16 oz			
	Banana	Medium			
Juicer	Custom Daily	20 oz			

Meal	Item	Qty				
	Protein Shake	2 Scoops				
Workout	Amino Acids	1 Scoop				
	Almond Milk	8 oz				
	Lean Pocket	1 Unit				
Dinner	Cheez-its	1 Serving				
	Yogurt	1 Container				

	RB(2)	Mi(1.5)	TL	Am	Banana	Juicer	Protein	Amino	Am	LeanP	Cheez-it	Yogurt	Total	Target	Standard	1
Calories	220	183	300	60	105	278	300	5	60	270	130	80	2026	2000	2000	10
Total Carbs [g]	54	18	25.5	2	27	84	18	1	2	41	20	8	302	300	300	10
Total Fat [g]	0	0.9	4.5	5	0	1	12	-	5	7	4.5	0	43	65	65	66
Protein [g]	4	12	37.5	2	1	4	32	_	2	12	4.5	12	122	150	50	82
Calories from Fat	0	64.5	45	50	3	-	100		50	60	40	0	438	-	-	102
Sat Fat [g]	0	4.5	1.5	0	0		6	-	0	4	1	0	18	20	20	1
Trans Fat [g]	0	0	0	0	0		0	_	0	0	0	0	1	-	-	1
Poly Fat[g]	0	0	0	1	0		-		1	0	2	0	5	-	_	1
Mono Fat [g]	0	0	0	3	0	-	_	-	3	0	1	0	7	-	-	1
Cholesterol [mg]	0	30	90	0	0		30	_	0	25	0	10	210	300	300	1
Sodium [mg]	380	150	180	320	1		320	90	320	480	250	55	2546	2400	2400	1
Potassium [mg]	140	0	375	70	0		0	-	70	0	0	160	922	3500	3500	1
Dietary Fiber pg[	6	0	12	2	3	16	4	_	2	1	1	0	47	25	25	1
Sugars [g]	18	18	4.5	0	14	49	4		0	5	0	6	119	-	- 23	1
Jugars [6]	10	10	4.5		14	73	-			3	0	U	113			1
Vitamin A [%]	20	13.5	30	20	2	56	30	_	20	4	2	0	267	100	100	1
Vitamin C [%]	70	1.5	90	0	17	39	30	_	0	2	0	0	349	100	100	1
Calcium [%]	0	43.5	75	90	1	9	50	_	90	20	4	15	418	100	100	1
Iron [%]	90	0	30	4	2	8	30		4	10	6	0	284	100	100	1
Vitamin D [%]	20	39	0	50	0	-	-	_	50	0	0	0	409	100	100	1
Vitamin E [%]	0	0	30	40	0	6	_	_	40	0	0	0	216	100	100	1
Vitamin K [%]	0	1.5	0	0	0	56	_	_	-	0	0	0	88	100	100	1
Thiamine [%]	70	9	30	0	1	16	_	_	_	0	0	0	226	100	100	1
Riboflavin [%]	70	40.5	30	8	0	15	_	-	8	0	0	0	272	100	100	1
Niacin [%]	70	1.5	30	-	0	13	_	_	-	0	0	0	214	100	100	1
Vitamin B6 [%]	70	7.5	30	_	0	25	_	-	_	0	0	0	233	100	100	1
Folate [%]	0	4.5	30	_	0	12	-	_	-	0	0	0	47	100	100	1
Vitamin B12 [%]	70	28.5	30	-	0	-	-	-	-	0	0	0	229	100	100	1
Biotin [%]	0	0	30	-	0	-	-	-	-	0	0	0	30	100	100	1
Panthothenate [%]	0	13.5	30	-	0	-	-	-	-	0	0	0	144	100	100	1
Phosphorous [%]	0	34.5	30	-	0	13	-	-	-	0	0	0	79	100	100	1
lodine [%]	0	0	60	-	0	-	-	-	-	0	0	0	160	100	100	1
Magnesium [%]	0	10.5	30	8	0	16	_	-	8	0	0	0	148	100	100	1
Selenium [%]	0	13.5	30	-	0	-	-	-	-	0	0	0	123	100	100	1
										acro-Nutrie		1				

# Configuration

Robb → Macros, Calories, Plan Form

Justin → Micros

### **Notes**

(pre-gym) Banana, (post-gym) Protein Shake Robb has strongly shared the importance of time at the plan, and proper calories (2k/day min) 150g daily protein min, PCF is 30/40/30% at present

## **Important Concepts**

"You feed your body what it needs. Weight loss attempts outside of this lose heavy amounts of muscle!"

"The goal is not calories, for Justin it is plan. Can you hit your targets?"

## **TDEE – Total Daily Expenditure**

How much energy your body expends in a day, in caloric expression. Stated simply, the calories your body needs in a given day.

#### **TDEE Factors**

### **TDEE Components**

### **TDEE Effects**

- Body Physique
- Level of Physical Activity
- Dietary Intake
- Genetics

- (80%) Basal Metabolic Rate
- o Resting (core body components, like lungs & liver) (70%)
- o Thermo-genesis, the thermic effect of food (10%)
- (20%) Activity Energy Expenditure (wide range)

Height: UpWeight: Up

Age: Down

There are plenty of online calculators and you should use this tooling to establish your state, in different levels (normal, weight-loss, muscle gain).

Justin Calc (12/23/16, 5'11", 180 lbs., Heavy Excersize 6-7 days/wk, 90 min excersize/day)

SailRabbit (2133 calories per day - for losing 1lb per week)

MuscleForLife (2715 calories per day)

TDEECalculator (3067 calories per day)

MyTDEE (2578 calories per day - recommended), (1934 calories per day - reckless)

Fitness Frog (3217 calories per day)

My Personal Conclusion (for current 7 days/wk lifting plan)

(1900 calories per day - short-term reckless weight loss (1.5 months max)

(2200 calories per day - minimum weight loss general (no limits)

(3100 calories per day - general sustain level) (no limits)

note - Robb calls for 2000 min and I will shoot for this amount, not the 1900 listed above!

## Losing Fat is not Losing Weight! (How To Lose Fat Without Losing Muscle – Burn Fat, NOT Muscle)

People often say they want to lose weight, meaning they want to be in better shape, and to look better. This in essence means losing <u>fat</u> not weight, dropping the body fat percentage and increasing the muscle mass. This is not aligned with "weight" loss at all, which includes all of you (water, glycogen, muscle, fat, etc!). Well can you lose your muscle mass while only trying to lose body fat? Heck yes, but this takes focused, consistent effort and intent, and this takes time.

The primary and perhaps semi-apparent component then of fat loss is caloric deficit, consuming less than your body needs to perform its tasks for the day. It is important to note then, as described earlier, that simply minimizing this consumption is only the first step. See it turns out your body kind of doesn't give a shit about what it burns to survive, it burns what is available, and what works given the current conditions and state. And here then is <u>your key</u>.

Your key is to maximally align and prepare your bodie's condition, diet and activities for it to then burn fat, while maintaining muscle.

Here are some keys to this goal.

### 1. Eat enough Protein

A sufficient daily protein intake is the single most important dietary requirement for maintaining muscle

### 2. Maintain Strength/Intensity/Weight On The Bar

- the primary training stimulus required for maintaining muscle is maintaining your current levels of strength
- On a fat loss diet just maintaining your current levels of strength (aka intensity, aka the weight on the bar) is what now signals your body to maintain muscle
- If that signal goes away, your body's need to keep your pretty muscle tissue around goes away right along with it
  - That's why the insanely stupid myth of lifting heavier weights to build muscle but then lifting lighter weights (for higher reps) when you want to lose fat, get lean and get toned is the absolute WORST thing you could possibly believe when you're trying to avoid losing muscle
  - o In reality, you lift heavy weight to build muscle, and then lift that same heavy weight if you want to actually maintain that muscle
- Sure you can continue trying to get stronger and continue trying to make progressive overload happen while
  losing fat. It can and does happen (especially for beginners, who should still be progressing consistently even in a
  deficit)

#### 3. Reduce Weight Training Volume and/or Frequency

- A caloric deficit is really an energy deficit, and while this is fantastic (and required) for losing any amount of body fat, it eliminates energy for the rest of your time and life
- If not reduced, this regimine can actually lead to strength loss (lifting a lot with insufficient energy available!)

### 4. Get Pre & Post Workout Nutrition Right... Still

 Pre and Post workout nutrition is centered on the maximization of effect in training and recovery from training periods, which is directly aligned with your weight loss plan's point of excercize - maximizing effect of this time spent!


### 5. Don't Reduce Calories By TOO Much

- A moderate deficit of about 20% below maintenance level is what ends up being most ideal in most cases
- Reducing your calorie intake by TOO much will increase the potential for strength and muscle loss

### 6. Avoid Excessive Amounts Of Cardio (Or Just Don't Do ANY At All)

# **A Challenge**

8% by July 2017, game on -



This means 7% body fat loss, 14 pounds in six months, or 14 pounds in 3 months for reasonable estimation.

14 lbs / 12 weeks -> 1.2 lbs / week

I have been at the pace of 1 pound per week for the past month, this appears quite achievable!