


Evaluating the Impact of a Health System Specialty Pharmacist Service on Identification and Resolution of Failed Adalimumab Biosimilar Transitions

Kiersi Harmon, PharmD, CSP | Alexandra Ritenour, PharmD, CSP
CHRISTUS Specialty Pharmacy – Tyler, Texas



Background

- Biosimilar Approvals and Market^{1,2}*
- Biosimilars (BS) undergo an abbreviated approval process, often requiring studies in only one indication.
 - In recent years, over 60 BS products have been released in the United States.
 - Adalimumab has had 10 BS products approved since 2023. This variety of options may lead to patient confusion, difficulty with medication access, and multiple required formulary changes.




- SP Place in Care*
- Health-system SP are positioned to identify flares following BS changes before the next specialist visit.
 - Earlier recognition of BS failure can allow SP to work with prescribers and get medications changed sooner, preventing therapy complications.
- Gap in Knowledge*
- Limited real-world data exists regarding the occurrence of BS failure, and potential impact SP can have in identifying and addressing failures.

Objectives

This study aims to evaluate the impact of SP on identifying and addressing unsuccessful BS adoptions and explore related prescription characteristics.

Methods

Study Design
This retrospective descriptive study was designed to evaluate adalimumab BS switches for patients being treated for a rheumatology condition at a CHRISTUS clinic. BS prescriptions and clinical data were collected from the electronic medical record.



- Data Analysis*
- Primary endpoints utilize descriptive statistics to evaluate the drug ordered, SP involvement in identified failure, and order characteristics.

Results




Figure 1. Distribution of BS orders prescribed per indicated disease state. **Figure 2.** Unsuccessful BS transition characteristics. Clinical failure defined as loss of stability, adverse effects from BS, increase in inflammatory markers, increase in symptoms or flares, or need for new corticosteroid prescription. **Figure 3.** Distribution of BS products prescribed, how many were failed or discontinued, and distribution of alternative therapies used after BS failure. **Table 1.** BS initiation success rate per top three products.

Conclusions

- This study highlights the importance of SP in monitoring BS transitions and identifying therapy failures.
- Results demonstrate the need for real world evidence in the efficacy of BS and further development of SP-driven BS uptake and monitoring programs.

Disclosures

The authors of this presentation have nothing to disclose concerning possible financial or personal relationships with commercial entities that may have a direct or indirect interest in the subject matter of this presentation.

References

- Biosimilars Review and Approval. U.S. Food & Drug Administration. Last updated 2022 December 13. Available at: <https://www.fda.gov/drugs/biosimilars/review-and-approval#approval%20process>.
- Jeremias S. From Amjevita to Zarxio: A Decade of US Biosimilar Approvals. Am J Manag Care. 2025 March 6. Available at: <https://www.centerforbiosimilars.com/view/from-amjevita-to-zarxio-a-decade-of-us-biosimilar-approvals>.
- Mulcahy A, Buttorff C, Finegold K, et al. Projected US savings from biosimilars, 2021-2025. Am J Manag Care. 2022;28(7):329-335. doi:10.37765/ajmc.2022.88809.
- Okoro, RN. Biosimilar medicines uptake: The role of the clinical pharmacist. Exp Research Clin Soc Pharm. 2021;1(100008):2667-2766. doi: 10.1016/j.rcsop.2021.100008.
- Bhat S, Altajar S, Shankar D, et al. Process and Clinical Outcomes of a Biosimilar Adoption Program with Infliximab-Dyyb. J Manag Care Spec Pharm. 2020;26(4):410-416. doi:10.18553/jmcp.2020.26.4.410