

Files

Fall 2019

Files

- Python can open external files to process that aren't other Python files
 - Includes items like text files, csv files, etc
- Can open files in various different “modes” that determines what you'll be doing with the file included
 - Cannot have a file open in more than one mode
- Files should be closed once you're done using them; every file open should have a corresponding file close

File Modes

| Mode | Description |
|------------|---|
| Write (w) | Writes data to a file; overwrites any previous data the file had so it only contains the newly written data |
| Read (r) | Reads data from a file |
| Append (a) | Writes data to a file; adds on to any previous data the file contained |

Files: Code Anatomy

- Open a file through built-in Python function “open”
 - First argument: file name
 - File name must contain entire path if it's not in the same folder as python
 - Second argument: open mode
- Files are closed through “.close()”
 - How you call it depends on what you named your file when it was opened

```
# opens file in read mode  
nameFile = open('names.txt', 'r')
```

```
# gets first line, then prints it  
line = nameFile.readline()  
print(line)
```

```
# closes file out of read mode  
nameFile.close()
```

```
# opens file in append mode  
nameFile = open('names.txt', 'a')
```

```
# adds line, then closes file  
nameFile.write("Maggie Neal\n")  
nameFile.close()
```

Files: Code Anatomy

- To read a singular line from the file, you use “.readline()”
 - This gets the entirety of the line (including whitespace)
- To write to a file you use “.write()”
 - Whatever you want written should be inside the parentheses
 - You must *manually* add white space (newlines)
 - Unlike Python’s print, it does not do it for you

```
# opens file in read mode
nameFile = open('names.txt', 'r')

# gets first line, then prints it
line = nameFile.readline()
print(line)

# closes file out of read mode
nameFile.close()

# opens file in append mode
nameFile = open('names.txt', 'a')

# adds line, then closes file
nameFile.write("Maggie Neal\n")
nameFile.close()
```

Files: Reading Multiple Lines

- Can loop through a file to get a dynamic (changing) number of lines
- Must get the first line of the file before the loop body
- Must get the next line of the file (and so forth) inside of the loop body

Code output:

```
Kortni Neal  
Devin Neal  
Maggie Neal
```

```
# reads file contents in a loop  
  
# opens file in read mode  
infile = open('names.txt', 'r')  
  
# gets first line  
line = infile.readline()  
  
# loops until line is empty  
while(line != ''):  
    print(line)  
  
    # sets line to next line in file  
    line = infile.readline()  
  
# closes file at the end  
infile.close()
```

Files: Stripping Whitespace

- Uses Python built-in function `.rstrip()`
 - Removes all trailing whitespace: tabs, newlines, spaces, etc
 - Does not remove whitespace at the beginning of a variable
- Important to not have variables that contain unintended whitespace

Code output:

```
Kortni Neal  
Devin Neal  
Maggie Neal
```

```
# opens file in read mode  
infile = open('names.txt', 'r')  
  
# gets first line  
line = infile.readline()  
line = line.rstrip()  
  
# loops until line is empty  
while(line != ''):  
    print(line)  
  
    # sets line to next line in file  
    line = infile.readline()  
    line = line.rstrip()  
  
# closes file at the end  
infile.close()
```

Files: Notes

- When opening a file in “read” mode, the file *must* exist before opening, or the program will error out
- When open a file in “write” or “append” modes, if the file doesn’t exist it will be *created*
- Can also write to files in a loop

```
# writes file contents in a loop
outfile = open('numbers.txt', 'w')
```

```
# writes 0-9 to file
for i in range(10):
    line = str(i) + "\n"
    outfile.write(line)
```

```
# closes the file
outfile.close()
```


Files: Notes

- There are other ways to read/write to files
 - They mainly include lists, which haven't yet been covered

| Function | Description |
|---------------------------------------|---|
| <code>.readline()</code> * | Reads in a line from the file |
| <code>.write(<i>item</i>)</code> * | Writes a specific item to the file |
| <code>.read()</code> | Reads the entire contents of the file |
| <code>.readlines()</code> | Reads all the lines of the file into a list |
| <code>.writelines(<i>list</i>)</code> | Writes items from a list to the file |

Only those indicated by an * are required to know as of now, due to lists not being covered