

Case-Insensitive

oj.dcs.upd.edu.ph/problem/caseinsensitive

Problem Statement

Given two strings ss and tt , are the two strings the same if we disregard case?

If we disregard case, that means that, say, **A** and **a** are the same character.

Task Details

Your task is to implement a function named **same**, which should look like this:

Copy

```
def same(s, t):  
    return ...
```

Here, you only need to replace the **...** part with a **Python expression**.

The function must return an Boolean denoting the answer.

Your source code must have at most 100100 bytes.

Examples

Example 1 Function Call

Copy

```
same("banana", "Banana")
```

Example 1 Return Value

Copy

```
True
```

Constraints

- The function **same** will be called at most 10410^4 times.

- `ss` and `tt` are (possibly empty) strings of English letters of length at most 100.

Scoring

Note: New tests may be added and all submissions may be rejudged at a later time. (All future tests will satisfy the constraints.)

- You get 5050 ❤️ points if you solve all test cases where:
 - `ss` and `tt` only consist of lowercase English letters.
- You get 5050 ❤️ points if you solve all test cases where:
 - `ss` and `tt` are nonempty.
- You get 100100 ❤️ points if you solve all test cases.

[Report an issue](#)

Clarifications

No clarifications have been made at this time.