

# [CS 11] Prac 2n – 3-Permutations

---

[oj.dcs.upd.edu.ph/problem/cs11prac2n](https://oj.dcs.upd.edu.ph/problem/cs11prac2n)

[Submit solution](#)

[My submissions](#)

Points: 100 (partial)

Time limit: 4.0s

Memory limit: 1G

Author:

[kvatienza \(Kevin Atienza\)](#)

Problem type

Allowed languages

NONE, py3

**Cheatsheet is available here:** <https://oj.dcs.upd.edu.ph/cs11cheatsheet/>

## Problem Statement

---

A *kk-permutation* of a sequence is obtained by choosing *kk* elements at *distinct indices* and then joining them into a sequence. (The indices don't have to be in order.)

Given a sequence of numbers, enumerate all of its *3-permutations*.

## Task Details

---

Implement a function called `permutations3`:

Copy

```
def permutations3(seq):
```

- `seq`—tuple of ints

Return a `frozenset` of triples of ints.

## Restrictions

---

(See 2a for more restrictions)

For this problem:

- Up to 11 function definition is allowed.
- Recursion is **disallowed**. (The recursion limit has been greatly reduced.)
- Comprehensions are allowed.
- `range` is allowed.
- The source code limit is 500500.

## Example Calls

---

### Example 1 Function Call

Copy

```
permutations3((3, 1, 4, 1))
```

### Example 1 Return Value

Copy

```
frozenset((
    (1, 3, 4),
    (1, 4, 3),
    (3, 1, 4),
    (3, 4, 1),
    (4, 1, 3),
    (4, 3, 1),
    (3, 1, 1),
    (1, 3, 1),
    (1, 1, 3),
    (4, 1, 1),
    (1, 4, 1),
    (1, 1, 4),
))
```

## Constraints

---

- The function `permutations3` will be called at most 100100 times.
- `seq` will have at most 88 elements.

- Each element of `seq` has absolute value at most  $10^{20}$ .

### Scoring

---

- You get 100100 ❤️ points if you solve all test cases.

[Report an issue](#)

### Clarifications

---

No clarifications have been made at this time.