[CS 11] Prac 0c – Greetings

oj.dcs.upd.edu.ph/problem/cs11prac0c

Problem Statement

You have just been hired at your dream job—to be a greeter at the local branch of Wall Market!

Your job is simple—to greet every customer that comes in. Your job comes with a standard greeting such as "Welcome" or "Hello".

You are also a psychic, and you have the power to magically know the name of the person that comes in, even if you've never met them.

Today, something interesting happened. The first nn people to come into the store all have the same names!

How do you greet these nn people?

Task Details

Your task is to implement a function called `greet`. This function has three parameters `n`, `greeting`, and `name`, in that order.

In particular, your function will be declared as follows:

Copy

```
def greet(n, greeting, name):
```

- The argument `n` is an `int` and its meaning is described in the problem statement.
- The argument `greeting` is a `str` and it represents the standard greeting.
- The argument `name` is a `str` and is the common name of the nn people.

The function must return a `str` denoting the greeting to the nn people. A greeting for each person consists of the standard greeting, then a comma (`,`), then a space, then the name, and finally an exclamation mark (`!`). Consecutive greetings must be separated by a space.

See the example calls below for further understanding.

Do **not** print anything on screen.

Example Calls

Example 1 Function Call

Copy

```
greet(3, "Welcome", "John")
```

Example 1 Return Value

Copy

```
"Welcome, John! Welcome, John! Welcome, John!"
```

Example 2 Function Call

Copy

```
greet(1, "Hello", "World")
```

Example 2 Return Value

Copy

```
"Hello, World!"
```

Example 3 Function Call

Copy

```
greet(2, "Hey", "Jude")
```

Example 3 Return Value

Copy

```
"Hey, Jude! Hey, Jude!"
```

Hints

- If `s` is a `str`, then `s.strip()` is the same `str` but with leading or trailing whitespace removed.

Constraints

When the program is run:

- The function `greet` will be called at most 100100 times.
- In each function call, each string argument will have a length between 11 and 1010 and consist of uppercase and lowercase English letters only.
- In each function call, nn will satisfy $1 \leq n \leq 1001 \leq n \leq 100$.

Scoring

You get 100100 ❤️ points if you solve all test cases correctly.
Report an issue

Clarifications

No clarifications have been made at this time.