

# Comparing averages

# Comparing averages

<b>age (years)</b>	20-30	30-40	40-50	50-60	60-75	75+
<b>average height(")</b>	69.3	69.5	69.4	69.2	68.3	67.2

Intervals include the left endpoint but not the right.

[National Health and Nutrition Examination Survey, 1999-2002]

# Comparing averages

age (years)	20-30	30-40	40-50	50-60	60-75	75+
average height(")	69.3	69.5	69.4	69.2	68.3	67.2

Intervals include the left endpoint but not the right.

[National Health and Nutrition Examination Survey, 1999-2002]

**Is this table telling us that as men get older, on average they get a bit taller and then get shorter?**

# Comparing averages

age (years)	20-30	30-40	40-50	50-60	60-75	75+
average height(")	69.3	69.5	69.4	69.2	68.3	67.2

Intervals include the left endpoint but not the right.

[National Health and Nutrition Examination Survey, 1999-2002]

**Is this table telling us that as men get older, on average they get a bit taller and then get shorter?**

**No;** the data were not gathered by watching a group of men as they get older.

# Comparing averages

age (years)	20-30	30-40	40-50	50-60	60-75	75+
average height(")	69.3	69.5	69.4	69.2	68.3	67.2

Intervals include the left endpoint but not the right.

[National Health and Nutrition Examination Survey, 1999-2002]

**Is this table telling us that as men get older, on average they get a bit taller and then get shorter?**

**No**; the data were not gathered by watching a group of men as they get older. The data are **not longitudinal**.

# Comparing averages

age (years)	20-30	30-40	40-50	50-60	60-75	75+
average height(")	69.3	69.5	69.4	69.2	68.3	67.2

Intervals include the left endpoint but not the right.

[National Health and Nutrition Examination Survey, 1999-2002]

**Is this table telling us that as men get older, on average they get a bit taller and then get shorter?**

**No**; the data were not gathered by watching a group of men as they get older. The data are **not longitudinal**.

The data are **cross-sectional**. The table is a snapshot of the population at a given time.

# Comparing averages

age (years)	20-30	30-40	40-50	50-60	60-75	75+
average height(")	69.3	69.5	69.4	69.2	68.3	67.2

Intervals include the left endpoint but not the right.

[National Health and Nutrition Examination Survey, 1999-2002]

**Is this table telling us that as men get older, on average they get a bit taller and then get shorter?**

**No**; the data were not gathered by watching a group of men as they get older. The data are **not longitudinal**.

The data are **cross-sectional**. The table is a snapshot of the population at a given time.

The men in their twenties **were not the same men** as the men in their seventies.

# Comparing averages

age (years)	20-30	30-40	40-50	50-60	60-75	75+
average height(")	69.3	69.5	69.4	69.2	68.3	67.2

Intervals include the left endpoint but not the right.

[National Health and Nutrition Examination Survey, 1999-2002]

**Is this table telling us that as men get older, on average they get a bit taller and then get shorter?**

**No**; the data were not gathered by watching a group of men as they get older. The data are **not longitudinal**.

The data are **cross-sectional**. The table is a snapshot of the population at a given time.

The men in their twenties **were not the same men** as the men in their seventies.

**The older men were shorter, on average.**



# Before comparing the numbers

When you are comparing the averages of different groups,

# Before comparing the numbers

When you are comparing the averages of different groups, **first** try to answer the question, **“How are the groups related to each other?”**

# Before comparing the numbers

When you are comparing the averages of different groups, **first** try to answer the question, **“How are the groups related to each other?”**

Compare the groups first, and then the numerical averages.

# Another reason to compare the groups

## Another reason to compare the groups

A class has two sections.

	<b>average</b>
<b>Section 1</b>	60
<b>Section 2</b>	70

## Another reason to compare the groups

A class has two sections.

	<b>average</b>
<b>Section 1</b>	60
<b>Section 2</b>	70

**What is the class average?**

## Another reason to compare the groups

A class has two sections.

	average
Section 1	60
Section 2	70

**What is the class average?**

**First guess:**  $(60 + 70)/2 = 65$

## Another reason to compare the groups

A class has two sections.

	average
Section 1	60
Section 2	70

**What is the class average?**

**First guess:**  $(60 + 70)/2 = 65$

**But is it OK to just take the average of the averages?**



## Another reason to compare the groups

A class has two sections.

	average
Section 1	60
Section 2	70

**What is the class average?**

**First guess:**  $(60 + 70)/2 = 65$

**But is it OK to just take the average of the averages?**

**No.** The question can't be answered with the information given.

## Another reason to compare the groups

A class has two sections.

	average
Section 1	60
Section 2	70

**What is the class average?**

**First guess:**  $(60 + 70)/2 = 65$

**But is it OK to just take the average of the averages?**

**No.** The question can't be answered with the information given.

The class average has to be between 60 and 70,

## Another reason to compare the groups

A class has two sections.

	average
Section 1	60
Section 2	70

**What is the class average?**

**First guess:**  $(60 + 70)/2 = 65$

**But is it OK to just take the average of the averages?**

**No.** The question can't be answered with the information given.

The class average has to be between 60 and 70, but exactly where in that interval depends on the **section sizes**.

# Combining averages

# Combining averages

A class has two sections.

	<b>average</b>	<b>section size</b>
<b>Section 1</b>	60	20
<b>Section 2</b>	70	30

# Combining averages

A class has two sections.

	<b>average</b>	<b>section size</b>
<b>Section 1</b>	60	20
<b>Section 2</b>	70	30

**What is the class average?**

# Combining averages

A class has two sections.

	<b>average</b>	<b>section size</b>
<b>Section 1</b>	60	20
<b>Section 2</b>	70	30

**What is the class average?**

$$\text{class average} = \frac{\text{total score of class}}{\text{class size}} = \frac{\text{total score of class}}{50}$$

# Combining averages

A class has two sections.

	<b>average</b>	<b>section size</b>
<b>Section 1</b>	60	20
<b>Section 2</b>	70	30

**What is the class average?**

$$\text{class average} = \frac{\text{total score of class}}{\text{class size}} = \frac{\text{total score of class}}{50}$$

$$\text{total score of class} = (20 \times 60) + (30 \times 70) = 3300$$



# Combining averages

A class has two sections.

	average	section size
Section 1	60	20
Section 2	70	30

**What is the class average?**

$$\text{class average} = \frac{\text{total score of class}}{\text{class size}} = \frac{\text{total score of class}}{50}$$

$$\text{total score of class} = (20 \times 60) + (30 \times 70) = 3300$$

$$\text{class average} = 3300/50 = 66$$

# Weighted average of averages

	average	section size	section proportion
Section 1	60	20	$2/5$
Section 2	70	30	$3/5$

# Weighted average of averages

	average	section size	section proportion
<b>Section 1</b>	60	20	2/5
<b>Section 2</b>	70	30	3/5

$$\text{class average} = \frac{(20 \times 60) + (30 \times 70)}{50} = \frac{20}{50} \times 60 + \frac{30}{50} \times 70$$

# Weighted average of averages

	average	section size	section proportion
<b>Section 1</b>	60	20	2/5
<b>Section 2</b>	70	30	3/5

$$\text{class average} = \frac{(20 \times 60) + (30 \times 70)}{50} = \frac{20}{50} \times 60 + \frac{30}{50} \times 70$$

$$\text{class average} = \frac{2}{5} \times 60 + \frac{3}{5} \times 70 = 66$$

# Weighted average of averages

	average	section size	section proportion
Section 1	60	20	2/5
Section 2	70	30	3/5

$$\text{class average} = \frac{(20 \times 60) + (30 \times 70)}{50} = \frac{20}{50} \times 60 + \frac{30}{50} \times 70$$

$$\text{class average} = \frac{2}{5} \times 60 + \frac{3}{5} \times 70 = 66$$

**The class average is the weighted average of the section averages; the weights are the section proportions.**