Suppose you ask 50 people to pick which color they like best among green, blue, and red.

Suppose you ask 50 people to pick which color they like best among green, blue, and red.

Then your variable is categorical, and your observations might start out like this:

blue red red green red green red red blue ...

Suppose you ask 50 people to pick which color they like best among green, blue, and red.

Then your variable is categorical, and your observations might start out like this:

blue red red green red green red red blue ...

A natural first step towards a summary of such a list is to count the number of each kind:

Suppose you ask 50 people to pick which color they like best among green, blue, and red.

Then your variable is categorical, and your observations might start out like this:

blue red red green red green red red blue ...

A natural first step towards a summary of such a list is to count the number of each kind:

color	number of people
red	30
blue	10
green	10

Suppose you ask 50 people to pick which color they like best among green, blue, and red.

Then your variable is categorical, and your observations might start out like this:

blue red red green red green red red blue ...

A natural first step towards a summary of such a list is to count the number of each kind:

color	number of people
red	30
blue	10
green	10

This simple summary tells you a lot about the people's preferences.

Suppose you ask 50 people to pick which color they like best among green, blue, and red.

Then your variable is categorical, and your observations might start out like this:

blue red red green red green red red blue ...


A natural first step towards a summary of such a list is to count the number of each kind:

color	number of people
red	30
blue	10
green	10


This simple summary tells you a lot about the people's preferences.

A picture is more vivid. Here is a common way of graphically describing a categorical variable.


Bar graph of the categorical variable "favorite color"



Bar graph: favorite color, different order



Bad bar widths!!!



Areas matter

The area of a bar is visually important.

Areas matter

The area of a bar is visually important.

Keeping the width of the bars equal ensures that not only the height but also the area of each bar is proportional to the number of people in that category.


Areas matter

The area of a bar is visually important.


Keeping the width of the bars equal ensures that not only the height but also the area of each bar is proportional to the number of people in that category.

This observation will be crucial when we start creating graphical summaries of quantitative variables.

A good bargaph



No vertical axis needed; can still see relative proportions



Even without the vertical scale, you can compare areas and clearly see that the colors red, blue, and green appear in the ratio 3:1:1.

Even without the vertical scale, you can compare areas and clearly see that the colors red, blue, and green appear in the ratio 3:1:1.

This means that you can think of the data being split into 3+1+1=5 equal pieces, 3 of which are red, 1 is blue, and 1 is green. In other words:

Even without the vertical scale, you can compare areas and clearly see that the colors red, blue, and green appear in the ratio 3:1:1.

This means that you can think of the data being split into 3+1+1=5 equal pieces, 3 of which are red, 1 is blue, and 1 is green. In other words:

color	proportion of people	percent of people
red	3/5	60%
blue	1/5	20%
green	1/5	20%

Even without the vertical scale, you can compare areas and clearly see that the colors red, blue, and green appear in the ratio 3:1:1.

This means that you can think of the data being split into 3+1+1=5 equal pieces, 3 of which are red, 1 is blue, and 1 is green. In other words:

color	proportion of people	percent of people
red	3/5	60%
blue	1/5	20%
green	1/5	20%

So, without the vertical scale, you can recover all the information that was in our earlier summary, except the total number of people (which was 50).

Even without the vertical scale, you can compare areas and clearly see that the colors red, blue, and green appear in the ratio 3:1:1.

This means that you can think of the data being split into 3+1+1=5 equal pieces, 3 of which are red, 1 is blue, and 1 is green. In other words:

color	proportion of people	percent of people
red	3/5	60%
blue	1/5	20%
green	1/5	20%

So, without the vertical scale, you can recover all the information that was in our earlier summary, except the total number of people (which was 50).

Apart from the numbers on the vertical axis, the appearance of the bar graph depends only on percents. It would have looked the same if the data consisted of 300 red, 100 blue, and 100 green;

Even without the vertical scale, you can compare areas and clearly see that the colors red, blue, and green appear in the ratio 3:1:1.

This means that you can think of the data being split into 3+1+1=5 equal pieces, 3 of which are red, 1 is blue, and 1 is green. In other words:

color	proportion of people	percent of people
red	3/5	60%
blue	1/5	20%
green	1/5	20%

So, without the vertical scale, you can recover all the information that was in our earlier summary, except the total number of people (which was 50).

Apart from the numbers on the vertical axis, the appearance of the bar graph depends only on percents. It would have looked the same if the data consisted of 300 red, 100 blue, and 100 green; or 4800 red, 1600 blue, and 1600 green; and so on, as long as the percents were 60, 20, and 20.

8 / 8