


# A really bad idea


# A really bad idea



mean 27.23 years

SD 5.82 years


# A really bad idea



**Many distributions  
are not normal,**

mean 27.23 years  
SD 5.82 years

# A really bad idea



**Many distributions  
are not normal, not  
even approximately.**

mean 27.23 years  
SD 5.82 years

# Clearly not normal

# Clearly not normal

**Monthly rents** in a neighborhood have an **average of \$900** and an **SD of \$600**.

# Clearly not normal

**Monthly rents** in a neighborhood have an **average of \$900** and an **SD of \$600**.

**Could the distribution of rents be approximately normal?**

# Clearly not normal

**Monthly rents** in a neighborhood have an **average of \$900** and an **SD of \$600**.

**Could the distribution of rents be approximately normal?**

Two SDs below average, "rents" become negative, which can't be.



# Clearly not normal

**Monthly rents** in a neighborhood have an **average of \$900** and an **SD of \$600**.

**Could the distribution of rents be approximately normal?**

Two SDs below average, "rents" become negative, which can't be.

**So these rents can't go 2 SDs below average, but the normal curve has 2.5% of its area there.**

# Clearly not normal

**Monthly rents** in a neighborhood have an **average of \$900** and an **SD of \$600**.

**Could the distribution of rents be approximately normal?**

Two SDs below average, "rents" become negative, which can't be.

**So these rents can't go 2 SDs below average, but the normal curve has 2.5% of its area there.**

**This distribution of rents is not normal, not even approximately.**

## Clearly not normal

**Monthly rents** in a neighborhood have an **average of \$900** and an **SD of \$600**.

**Could the distribution of rents be approximately normal?**

Two SDs below average, "rents" become negative, which can't be.

**So these rents can't go 2 SDs below average, but the normal curve has 2.5% of its area there.**

**This distribution of rents is not normal, not even approximately.**

The big spread is most likely coming from a long right hand tail.

# Chebychev's bound always works

**Whether or not the distribution is normal**, at most  $1/k^2$  of the entries can be outside the range average  $\pm k$  SDs.

# Chebychev's bound always works

**Whether or not the distribution is normal**, at most  $1/k^2$  of the entries can be outside the range average  $\pm k$  SDs.

- This is a bound, not an approximation.

# Chebychev's bound always works

**Whether or not the distribution is normal**, at most  $1/k^2$  of the entries can be outside the range average  $\pm k$  SDs.

- This is a bound, not an approximation.
- Better a correct bound than a bad approximation.