A distribution table

Annual incomes of U.S. adults in 2010

A distribution table

Annual incomes of U.S. adults in 2010

income (thousands of dollars)	**percent**
$0 - 10$	20
$10 - 25$	28
$25 - 50$	27
$50 - 100$	18
$100 - 150$	7

A distribution table

Annual incomes of U.S. adults in 2010

income (thousands of dollars)	**percent**
$0 - 10$	20
$10 - 25$	28
$25 - 50$	27
$50 - 100$	18
$100 - 150$	7

Where are the people who earned exactly $\$25,000$: in 10-25 or 25-50?

A distribution table

Annual incomes of U.S. adults in 2010

income (thousands of dollars)	**percent**
$0 - 10$	20
$10 - 25$	28
$25 - 50$	27
$50 - 100$	18
$100 - 150$	7

Where are the people who earned exactly $\$25,000$: in 10-25 or 25-50?

Endpoint convention:

A distribution table

Annual incomes of U.S. adults in 2010

income (thousands of dollars)	**percent**
$0 - 10$	20
$10 - 25$	28
$25 - 50$	27
$50 - 100$	18
$100 - 150$	7

Where are the people who earned exactly $\$25,000$: in 10-25 or 25-50?

Endpoint convention: Intervals include the left end-point but not the right.

A distribution table

Annual incomes of U.S. adults in 2010

income (thousands of dollars)	**percent**
$0 - 10$	20
$10 - 25$	28
$25 - 50$	27
$50 - 100$	18
$100 - 150$	7

Where are the people who earned exactly $\$25,000$: in 10-25 or 25-50?

Endpoint convention: Intervals include the left end-point but not the right.

- Total percent $= 100\%$

A distribution table

Annual incomes of U.S. adults in 2010

income (thousands of dollars)	**percent**
$0 - 10$	20
$10 - 25$	28
$25 - 50$	27
$50 - 100$	18
$100 - 150$	7

Where are the people who earned exactly $\$25,000$: in 10-25 or 25-50?

Endpoint convention: Intervals include the left end-point but not the right.

- Total percent $= 100\%$
- Did nobody make \$150,000 or more?

A distribution table

Annual incomes of U.S. adults in 2010

income (thousands of dollars)	**percent**
$0 - 10$	20
$10 - 25$	28
$25 - 50$	27
$50 - 100$	18
$100 - 150$	7

Where are the people who earned exactly $\$25,000$: in 10-25 or 25-50?

Endpoint convention: Intervals include the left end-point but not the right.

- Total percent $= 100\%$
- Did nobody make \$150,000 or more?

Yes, but they are such a small percent that they have been "swept in" just below \$150,000.

Something like a bar graph?

• Want to draw a diagram analogous to a bar graph, to show how the incomes are distributed.

Something like a bar graph?

- Want to draw a diagram analogous to a bar graph, to show how the incomes are distributed.
- Want income on the horizontal axis, and vertical rectangular bars.

Something like a bar graph?

- Want to draw a diagram analogous to a bar graph, to show how the incomes are distributed.
- Want income on the horizontal axis, and vertical rectangular bars.

income (thousands of dollars)	**percent**
$0 - 10$	20
$10 - 25$	28
$25 - 50$	27
$50 - 100$	18
$100 - 150$	7

Something like a bar graph?

- Want to draw a diagram analogous to a bar graph, to show how the incomes are distributed.
- Want income on the horizontal axis, and vertical rectangular bars.

income (thousands of dollars)	**percent**
$0 - 10$	20
$10 - 25$	28
$25 - 50$	27
$50 - 100$	18
$100 - 150$	7

Recall Lecture 1.3!

Something like a bar graph?

- Want to draw a diagram analogous to a bar graph, to show how the incomes are distributed.
- Want income on the horizontal axis, and vertical rectangular bars.

income (thousands of dollars)	**percent**
$0 - 10$	20
$10 - 25$	28
$25 - 50$	27
$50 - 100$	18
$100 - 150$	7

Recall Lecture 1.3!

Can't simply use the percents as the heights of the bars, because the widths of the bars are unequal.

Area = percent

How tall should the bars be?

Area = percent

How tall should the bars be?

20% of the people are in the 0 to 10 thousand dollar interval.

Area = percent

How tall should the bars be?

20% of the people are in the 0 to 10 thousand dollar interval.

Main idea: **area** of the bar = **percent** in the interval

Area = percent

How tall should the bars be?

20% of the people are in the 0 to 10 thousand dollar interval.

Main idea: **area** of the bar = **percent** in the interval

- area of bar over the 0-10 thousand dollar interval = 20%

Area = percent

How tall should the bars be?

20% of the people are in the 0 to 10 thousand dollar interval.

Main idea: **area** of the bar = **percent** in the interval

- area of bar over the 0-10 thousand dollar interval = 20%

= height of bar × width of bar = height × 10 thousand dollars

Area = percent

How tall should the bars be?

20% of the people are in the 0 to 10 thousand dollar interval.

Main idea: **area** of the bar = **percent** in the interval

- area of bar over the 0-10 thousand dollar interval = 20%

= height of bar × width of bar = height × 10 thousand dollars

- height of bar × 10 thousand dollars = 20%

Area = percent

How tall should the bars be?

20% of the people are in the 0 to 10 thousand dollar interval.

Main idea: **area** of the bar = **percent** in the interval

- area of bar over the 0-10 thousand dollar interval = 20%

= height of bar × width of bar = height × 10 thousand dollars

- height of bar × 10 thousand dollars = 20%

$$\text{height of bar} = \frac{20\%}{10 \text{ thousand dollars}} = 2\% \text{ per thousand dollars}$$

Formula for height

$$\text{height of bar} = \frac{\%\text{ in interval}}{\text{width of interval}} = \frac{\%\text{ in interval}}{\text{right endpoint} - \text{left endpoint}}$$

Formula for height

$$\text{height of bar} = \frac{\%\text{ in interval}}{\text{width of interval}} = \frac{\%\text{ in interval}}{\text{right endpoint} - \text{left endpoint}}$$

the distribution table, along with the heights of the bars

income (thousands of dollars)	**percent**	**height (% per thousand dollars)**
$0 - 10$	20	$20/10 = 2.00$
$10 - 25$	28	$28/15 = 1.87$
$25 - 50$	27	$27/25 = 1.08$
$50 - 100$	18	$18/50 = 0.36$
$100 - 150$	7	$7/50 = 0.14$

A histogram



Histogram: summary

A histogram shows how a quantitative variable is distributed over all its values.

Histogram: summary

A histogram shows how a quantitative variable is distributed over all its values.

- Allows for the variable to be "binned" into unequal intervals

Histogram: summary

A histogram shows how a quantitative variable is distributed over all its values.

- Allows for the variable to be "binned" into unequal intervals
- Horizontal axis must be drawn to scale

Histogram: summary

A histogram shows how a quantitative variable is distributed over all its values.

- Allows for the variable to be "binned" into unequal intervals
- Horizontal axis must be drawn to scale
- **Areas represent percents**

Histogram: summary

A histogram shows how a quantitative variable is distributed over all its values.

- Allows for the variable to be "binned" into unequal intervals
- Horizontal axis must be drawn to scale
- **Areas represent percents**

$$\text{height} = \frac{\%}{\text{width}}$$

Histogram: summary

A histogram shows how a quantitative variable is distributed over all its values.

- Allows for the variable to be "binned" into unequal intervals
- Horizontal axis must be drawn to scale
- **Areas represent percents**

$$\text{height} = \frac{\%}{\text{width}}$$

- Units of height: % per unit on the horizontal axis