# Product overview

*Production workload automation. Define the work, run it where the files live, and keep a record.*

Just Run It is a commercial control plane. People define jobs, order them into workflows, and schedule the result. An agent on the host calls out, claims the queued run, and posts the outcome. One deployment serves many teams. Commercial licenses are available now.

## Why customers choose it

- **Run where files live.** Linux and Windows agents stay on the hosts you control.
- **A pool, or one host.** A workspace can name a set of agents. A preferred agent still pins one job to one name.
- **Operate with a record.** History, logs, cancel, orphan recovery, and an audit of which fields changed.
- **Move definitions on purpose.** Export, review the adds and removals, then apply only what you confirm.
- **Known deploy paths.** Docker Compose, Kubernetes with Helm, or a Java process on a VM.

## What ships

| Area | What you get |
|---|---|
| **Jobs** | COMMAND shell, HTTP GET, GIT_RELEASE, and NOOP. A command succeeds when the process exits 0. Turning a job off stops new runs. |
| **Workflows** | Ordered steps. A later step can require success, run anyway, or run only after a failure. Restart from a chosen step. |
| **Schedules** | A cron entry on a job or a workflow. |
| **Agents** | Pull workers on Linux, Windows, and containers. A workspace pool, or a preferred agent. On Linux the process refuses to start as root. |
| **Access** | Viewer is read-only. Operator runs and edits managed workspaces. Admin governs users, groups, pools, and deletes. Optional OIDC SSO. |
| **Definitions** | Administrators export jobs, workflows, and schedules. The review shows add, update, and remove. Apply writes only the confirmed lines. |
| **Audit** | Who changed a definition, when, and the fields before and after, for workspaces that person can already see. |
| **Deploy** | Docker Compose, Helm on Kubernetes, bare metal or VM. A local JAR is for a sandbox, not production. |

## How a team’s work stays on that team’s machines

The control plane does not open a connection to the agent. Each agent has its own name. The hostname is a label. Assign the workspace an agent pool and jobs with no preferred agent are taken only by online members of that pool. Name one preferred agent and only that agent takes the job. Both members of a pool need the same scripts, because either online member may take the next run.

A definition file identifies each object by workspace and name. It does not carry database ids, agent hostnames, or run history. The pool is a name, so the same file can move between environments when those names match. The machines behind the pool can differ.

## Technology

Java 21 and Spring Boot for the control plane. PostgreSQL is the system of record in production. Agents talk to the control plane over its API. They do not connect to the database. Sign-in can be local accounts, company SSO, or both. Remote agents use a short-lived token. A local operator login remains for a private network.

Production licenses: justrunit.io@gmail.com or 318-232-2280. Leave a message and we will call back.