



Acme Industrial Textiles

Tel: 905-487-3428

Fax: 1888-641-8018

SAFETY DATA SHEET

Acmetex FG Series

Date Prepared: Jan. 2023

SECTION 1. COMPANY AND PRODUCT AND IDENTIFICATION

Name: FG Series including Fiberglass Fabric, sewing thread and Fiberglass Mat

Manufacturer's Or
Distributor's Name

Acmetex Inc.
Mississauga, ON, Canada
Tel: 905-487-3428

SECTION 2. HAZARDS IDENTIFICATION



WARNING

Precautionary Statements:

Material is either chemically or physically bonded to the fiberglass fabric and is deemed non-hazardous.

Wear personal protective clothing and equipment as required. Personal may get inhalation of nuisance dust.

Wash thoroughly after handling

If on skin, wash with mild soap and running water to avoid itching and redness

If inhaled, stay in fresh air area, seek medical attention if irritation persists

If in eyes, flush eyes, seek medical attention if irritation persists

SECTION3. COMPOSITION / INFORMATION ON INGREDIENTS

Ingredients:

Fiberglass continuous Filament: 5mg/M3 8-hr TWA (respirable)

OSHA has not established a specific PEL for fibrous glass. It is considered to be a particulated not otherwise regulated and is covered under the OSHA nuisance dust PEL's of 5 mg/m³ for the respirable dust fraction and 15 mg/m³ for the total dust fraction for an 8-hr TWA.

SECTION4: FIRST AID MEASURES

Inhalation: Move the person to fresh air, seek medical attention if irritation persists

Skin contact: wash with mild soap and running water to avoid itching and redness

Eye Contact: flush eyes, seek medical attention if irritation persists

Ingestion: N/A

SECTION5: FIRE FIGHTING MEASURES

Flash point: > 250 C by Tag Open-cup

Flammable: No

Extinguishing media: Water

Special fighting procedure: Normal smoke protection

No unusual fire and explosion hazards

SECTION6: ACCIDENTAL RELEASE MEASURES

Material is a solid products. It is fabric or Mat in a roll format, just rewind the roll or cut of the released part if accidental released.

SECTION7: HANDLING, STORAGE AND DISPOSAL

Handling: Use adequate handling equipment

Storage: No Special precaution necessary

Disposal: Incompliance with local or government regulations.

SECTION8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure control: General dilution ventilation or local exhaust and dust collection

Personal protection: Safety glasses, gloves, long sleeve clothing

SECTION9: PHYSICAL AND CHEMICAL PROPERTIES

Boiling Point: N/A
Vapor Density: N/A
Specialty Gravity: N/A
Vapor Pressure: N/A
Odor: N/A
Appearance and Color: WHITE OR TAN

SECTION10: STABILITY AND REACTIVITY

Stability: Stable
Incompatibility (Conditions to avoid): None
Material to avoid: Strong oxidizing agents
Hazardous Decomposition Products: Carbon monoxide, hydrogen chloride, carbon dioxide
Hazardous Polymerization: None
Flammable Limits: LEL: N/A, WEL: N/A

SECTION11: TOXICOLOGICAL INFORMATION

Primary Routes of Exposure: Inhalation and skin contact

Inhalation of airborne fiberglass fiberglass dust may result in irritation of the skin, eyes, nose and throat. Direct contact the fiberglass yarn and dust may cause itching and temporary irritation.

Waste disposal method: Incompliance with local or government regulations.

SECTION 12: ECOLOGICAL INFORMATION

N/A

SECTION 13: DISPOSAL CONSIDERATIONS

Incompliance with local or government regulations.

SECTION 14: TRANSPORTATION INFORMATION

No special required.

SECTION 15: REHULATORY INFORMATION

N/A

SECTION 16: OTHER INFORMATION

WHMIS compliant 2015

To the best of our knowledge, the information contained herein is accurate. However, due to many and variable in its end use, it is the end users responsibility to review this information and determine if they are appropriate. No warranty, either expressed or implied, is hereby made.