



Acme Industrial Textiles

Tel: 905-487-3428

Fax: 1888-641-8018

SAFETY DATA SHEET

Acmetex Prime wool Series

Date Prepared: July. 2023

SECTION1. COMPANY AND PRODUCT AND IDENTIFICATION

- 1) Name: PrimeWool Series: including BSI-MAT Insulation blanket, PrimeWool cloth, PrimeWool Paper

Manufacturer's Or
Distributor's Name

Acmetex Inc.
Mississauga, ON. Canada
Tel: 905-487-3428

- 2) Other means of identification: Bio Soluble Fiber Products,
Low Bio-Persistence Fiber Products

SECTION2. HAZARDS IDENTIFICATION

- 1) Classification of the chemical in accordance with paragraph(d) of §1910.1200

Not classified. Please read the entire safety data sheet.

- 2) Signal word, hazard statements, symbols, and precautionary.

Precautionary Statements:

Material are physically bonded and is deemed non-hazardous.

Wear personal protective clothing and equipment as required. Personal may get inhalation of nuisance dust.

Wash thoroughly after handling

If on skin, wash with mild soap and running water to avoid itching and redness

If inhaled, stay in fresh air area, seek medical attention if irritation persists

If in eyes, flush eyes, seek medical attention if irritation persists

SECTION3. COMPOSITION / INFORMATION ON INGREDIENTS

Ingredients:

Silicate Wool consisting of silica 68%,calcia and magnesia 30%, alumina and zirconia less 2%

Common Name:

PrimeWool Bio-Soluble Fiber

Impurities and stabilizing additives

N/A

OSHA has not established a specific PEL. It is considered to be a particulated not otherwise regulated and is covered under the OSHA nuisance dust PEL's of 5 mg/m3 for the respirable dust fraction and masnufacture reg 1 f/cc, 8-hr. TWA.

SECTION4: FIRST AID MEASURES

Inhalation: Move the person to fresh air, seek medical attention if irritation persists

Skin contact: wash with mild soap and running water to avoid itching and redness

Eye Contact: flush eyes, seek medical attention if irritation persists

Ingestion: N/A

SECTION5: FIRE FIGHTING MEASURES

Flammable: No

Extinguishing media: Use and existing agent suitable for the combustible material around

Special fighting procedure: Normal smoke protection

No unusual fire and explosion hazards

SECTION6: ACCIDENTAL RELEASE MEASURES

Material is a solid products. It is fabric or Mat in a roll format, just rewind the roll or cut of the released part if accidental released.

SECTION7: HANDLING, STORAGE AND DISPOSAL

Handling: Use adequate handling equipment

Storage: No Special precaution necessary

Disposal: Incompliance with local or government regulations.

SECTION8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure control: General dilution ventilation or local exhaust and dust collection

Personal protection: Safety glasses, gloves, long sleeve clothing

SECTION9: PHYSICAL AND CHEMICAL PROPERTIES

Boiling Point: N/A
Vapor Density: N/A
Specialty Gravity: N/A
Vapor Pressure: N/A
Odor: N/A
Appearance and Color: WHITE

SECTION10: STABILITY AND REACTIVITY

Stability: Stable
Incompatibility (Conditions to avoid): None
Material to avoid: Strong oxidizing agents
Hazardous Decomposition Products: Carbon monoxide, hydrogen chloride, carbon dioxide
Hazardous Polymerization: None
Flammable Limits: LEL: N/A, WEL: N/A

SECTION11: TOXICOLOGICAL INFORMATION

Primary Routes of Exposure: Inhalation and skin contact

Inhalation of airborne fiberglass dust may result in irritation of the skin, eyes, nose and throat. Direct contact the fiberglass yarn and dust may cause itching and temporary irritation.

Waste disposal method: Incompliance with local or government regulations.

SECTION 12: ECOLOGICAL INFORMATION

N/A

SECTION 13: DISPOSAL CONSIDERATIONS

Incompliance with local or government regulations.

SECTION 14: TRANSPORTATION INFORMATION

No special required.

SECTION 15: REHULATORY INFORMATION

N/A

SECTION 16: OTHER INFORMATION

WHMIS compliant

To the best of our knowledge, the information contained herein is accurate. However, due to many and variable in its end use, it is the end users responsibility to review this information and determine if they are appropriate. No warranty, either expressed or implied, is hereby made.