Default Layout


14–08–2024 by DbSchema.com – Wise Coders

Layouts

| 1. Default Layout | |
|----------------------|---|
| Tables | |
| case2.attempts [1] | |
| case2.tasks [1] | 2 |
| case2.users [1] | 2 |

This is a layout - a diagram with tools.

- Right–click the layout to create new tables.
- Double-click table headers to edit.
- For a better understanding of the schema, create multiple layouts.
- Save the design to the model file, and deploy from 'Schema / Create into the database'.



Default Layout

| Table attempts | | | | |
|----------------|-------------------|-----------|--|--|
| Idx | Name | Data Type | | |
| * PK | id | INT | | |
| * | date_attempts | DATE | | |
| * Unq | user_id | INT | | |
| * Unq | task_id | INT | | |
| * | is_correct | BOOLEAN | | |
| * | flow_type | BOOLEAN | | |
| Indexes | | | | |
| Type | Name | On . | | |
| Pk | pk_case2 | id | | |
| Unq | unq_case2_user_id | user_id | | |
| Unq | unq_case2_task_id | task_id | | |
| Options | | | | |
| engine=InnoDB | | | | |

| Table | tasks | | | |
|--------------|---|--------------|--|--|
| Idx | Name | Data Type | | |
| * PK | id | INT | | |
| * | number | INT | | |
| * | difficulty | INT | | |
| * | answer | VARCHAR(100) | | |
| Indexe | s | | | |
| Type | Name | 0n | | |
| Pk | pk_tasks | id | | |
| Foreign Keys | | | | |
| Type | Name | 0n | | |
| | <pre>fk_tasks_case2 (id) ref attempts (task_id)</pre> | | | |
| Option | s | | | |
| engine | =InnoDB | | | |

| Table | users | | | |
|---------------|--|--------------|--|--|
| Idx | Name | Data Type | | |
| * Pk | id | INT | | |
| * | login | VARCHAR(100) | | |
| | fio | VARCHAR(100) | | |
| | years_ago | INT | | |
| Indexes | | | | |
| Type | Name | 0n | | |
| Pk | pk_студенты | id | | |
| Foreign Keys | | | | |
| Type | Name | 0n | | |
| | fk_users_case2 (id) ref attempts (user_id) | | | |
| Options | | | | |
| engine=InnoDB | | | | |