Create task with Latin letters in title and empty description

Severity **Priority Behavior** Type O Normal ↑ High Positive **Functional** Is Flaky Layer Milestone **Automation** Not set No Should be automated **Status** Actual

Steps to reproduce

Step	1
Action	Tap '+' icon
Input data	
Expected result	Screen 'New TO-DO' is opened
Step	2
Action	Type text from the Data in the 'Title' placeholder
Input data	test task
Expected result	'Title' field contains 'tesk task'
Step	3
Action	Tap button with checkmark
Input data	
Expected result	Home screen is loaded, new task is created

Create task with empty title and empty description

Severity Priority **Behavior** Type O Normal O Medium Negative **Functional** Milestone **Automation** Layer Is Flaky Not set No Should be automated Status Actual

Steps to reproduce

Step	1
Action	Tap '+' icon
Input data	
Expected result	Screen 'New TO-DO' is opened
Step	2
Action	Leave 'Title' and 'Enter your TO-DO here.' placeholders empty
Input data	
Expected result	Title and description fields contain placeholders
Step	3
Action	Tap checkmark button
Input data	
Expected result	Task is not created, toast error message 'TO DO cannot be empty' appears

Create task with Latin letters in title and in description

Severity **Priority Behavior** Type O Normal O Medium Positive **Functional** Layer Is Flaky Milestone **Automation** Not set No Should be automated Status Actual

Steps to reproduce

Step	1
Action	Tap '+' icon
Input data	
Expected result	Screen 'New TO-DO' is opened
Step	2
Action	Type text from the Data in the 'Title' placeholder
Input data	test task
Expected result	'Title' field contains 'tesk task'
Step	3
Action	Type text from the Data in 'Enter your TO-DO here.'
Input data	test
Expected result	Task description now contains text 'test'
Step	4
Action	Tap button with checkmark
Input data	
Expected result	Home screen is loaded, new task is created