# Citation Neural Network: A Generalizable Framework for Asymmetric Semantic Graph Modeling

Yujing Ju

BSc (Hons.) Computer Science

Honours Dissertation

Supervised by Prof. Wei Pang

HERIOT-WATT UNIVERSITY
School of Mathematical and Computer Sciences

March 2025

DECLARATION

I, Yujing Ju, confirm that this work submitted for assessment is my own and is expressed in my own words. Any uses made within it of the works of other authors in any form (e.g., ideas, equations, figures, text, tables, programs) are properly acknowledged at any point of their use. A list of the references employed is included.

Signed:

Date:

ABSTRACT

In the existing academic recommendation system, how to effectively model the citations between papers is still a challenge, especially in capturing the citation relation directionality and semantic asymmetry. The traditional heterogeneous graph model often simplifies citations into undirected links and ignores the semantic differences between citations and citations in academic communication. However, the existing directed graph methods generally rely on unidirectional aggregation strategy, which is difficult to describe the actual flow pattern of influence flexibly. To solve the above problems, we propose a new Citation Neural Network model, Citation-Graph Neural Network (CitationNN), which introduces bidirectional asymmetric heterogeneous directed edges to conduct bidirectional semantic modeling of citation behavior, and uses double convolution kernel to process the semantic information of "cite" and "be cited" respectively. Achieve dynamic selection and characterization of the underlying academic intent in the reference path. At the same time, the structure of the model is simple, easy to integrate with user-paper interaction diagram, and has good scalability and generalization. A large number of experimental results show that CitationNN is significantly better than the existing representative models on several recommendation indicators, showing strong recommendation ability and academic semantic understanding potential. Model code and data is open from: https://github.com/juyujing/CitationNN.

ACKNOWLEDGEMENTS

6 Discussion 29

7 Conclusion 33

References 36

LIST OF FIGURES

List of Tables

1 INTRODUCTION

Currently, the importance of researchers seeking relevant and personalized academic papers cannot be overemphasized. However, paper recommendation and academic search systems often rely on Neural Cooperative Filtering[He et al. 2017] and Heterograph Neural Network[Zhang et al. 2019]. Consequently, three essential and pending problems persist: (1) inefficient meta-path[Sun et al. 2011b] selection, (2) ignoring the directionality of reference relationships, as well as (3) data sparsity and cold start problem.

As a classic algorithm in recommendation systems, although Neural Collaborative Filtering(NCF)[He et al. 2017] performs well in most applications, its dependency on the users' ratings of the item, such as customer ratings of restaurant meals, leads to data sparsity. This is because the quantity of items with a rating is small. The introduction of Heterograph Neural Network[Zhang et al. 2019] greatly alleviates this situation. HGNN can handle graph structures that contain multiple types of nodes and edges. Therefore, It can easily capture information about different types of user-item interactions, eliminating the need to focus too much on whether an item has a score. Additionally, it can capture higher-order neighbor information through several times of graph convolution. The scarcity of information is gradually being alleviated. All of these are things that NCF cannot do. It also makes it possible to capture information about the interaction between author and paper in academic networks and paper citation relationships. Nevertheless, HGNN still faces the dilemma of inefficient meta-path selection. In heterogeneous information networks, meta-path means the relationship between different types of entities. For example, in the academic network, meta-path can represent the relationship between the Author and the publication meeting (Author → Paper → Venue). It can also represent the cooperative relationship between authors(Author → Paper → Author). The difference in meta-path choice will considerably affect the model effect. But making a reasonable choice is crucial work.

For academic reference relationships, some recent models use Graph Attention Network(GAT) [Wang et al. 2019c] to selectively aggregate neighbor node information during information aggregation. This method allows the higher-order neighbor information associated with the node to be preserved, and the irrelevant interference information can be screened out to the maximum extent. Unfortunately, the GAT model, like HGNN, misses the directivity of reference relationships. Considering a specific condition, an article with low initial impact heavily cites well-known papers in the field. In the recommendation system established by the above two models, due to the undirection of the edges, the paper will accumulate a lot of influence through information aggregation. It is a serious flaw caused by a lack of consideration of the basic concept that referential behavior is directed. In our work, a series of problems raised by this omission will be heavily considered.

At present, the directionality of directed reference relationships is often neglected in the academic citation network. Although some studies have introduced a Directed Graph Convolutional Network [Tong et al. 2020b] to capture this directed information flow, which in theory can better model the unidirectivity of references, the actual results are not satisfactory. The main difficulty is how to accurately handle the direction of information flow and suppress noise and misdirection while preserving the reference semantics. In other words, although DGCN provides a structured means for modeling directionality, in the highly heterogeneous and structural-complex scenario of academic network, its modeling ability for directionality in reference relationships is still insufficient, and it cannot effectively avoid confusion and misdirection and missing crucial information during the transmission of reference information.

The problems of structural modeling deficiency and semantic path selection challenges in every academic recommendation system will be alleviated by our work. Especially for the flow of information in the directed mode, the correct capture of directed reference relationships will significantly improve the recommendation accuracy.

1.1   Motivation

Two main dilemmas persist in the current academic recommendation system in citation network modeling: One modeling method constructs the whole academic network as a heterogeneous graph (as illustrated in Figure 1) with heterogeneous nodes, homogeneous and undirected edges, models different entities such as papers, users and topics as heterogeneous nodes, and unoriented homogeneous edges are unified among interactions, citations and co-authors. In such a structure, the citation relationship is reduced to a common link relationship, which cannot reflect the unequal semantic roles of citation and citation in information transmission. The design focus is more on describing the overall structure of the academic network and the interactive behavior between users and papers, ignoring the internal logic and academic inheritance path between papers.

The other kind of method constructs the directed graph structure (as illustrated in Figure 2) specifically for reference relation, and uses the digraph neural network to model it separately. Although such methods can reflect certain directionality, they usually only use one-way edges for aggregation, and the designer needs to specify the direction of information flow (such as always along the reference direction or always along the referenced direction). As a result, the model cannot flexibly capture semantic differences and direction dependence in the real context of reference, thus missing key information and affecting the accuracy of recommendation.

1.2   Aim and Objectives

We propose a Citation-Graph Neural Network (CitationNN), a graph neural network based on node homogeneity and edge heterotopic directed structure. The core design of the model is as follows: for each pair of paper nodes with citation relationships, two asymmetric heterogeneous edges in opposite directions are established at the same time, respectively representing two

Fig. 1. (a) Heterogeneous Graph examples: an academic graph and a review graph. (b) Heterogeneous Graph structure: C1- sampling heterogeneous neighbors (for node a in this case, node colors denote different types); C2 - encoding heterogeneous contents; C3 - aggregating heterogeneous neighbors. Adapted from Zhang et al. [2019].

semantically explicit behaviors of "cite" and "cited by". These two kinds of edges share the node representation during training, but the information is aggregated through two different sets of convolution parameters. The model does not rely on external annotations or explicit path design, but through end-to-end learning, automatically determines whether the "cite"

Fig. 2. A simple weighted directed graph example. Adapted from Tong et al. [2020a].

or "cited by" edge should be used in each information transmission for semantically optimal aggregation.

This design stems from our reunderstanding of citation behavior: a paper in the process of being recommended may be associated with the topic because it actively cites some core literature, or it may demonstrate domain influence because it is frequently cited by others. They represent very different semantics, and modeling with the same edge or shared parameters will not capture this detail. Therefore, CitationNN enables the model to have structural semantic resolution through "heterogeneous bilateral design + double convolution kernel", and allows the information aggregation strategy to be dynamically adjusted according to the node context during training, so as to preserve the semantic structure and information flow direction in the citation network to the maximum extent.

We analyze the flow pattern of information in this bidirectional heterogeneous structure. Although from the perspective of graph structure, the direction of citation and the direction of being cited are two sides set symmetrically, in the actual academic context, the influence tends to concentrate on high-quality papers. CitationNN does not assume a certain side as the dominant side a priori, but allows the model to independently learn which side the influence spreads with through loss guidance in training, and then capture the potential structural rules in academic citations. In practice, we observe that the model tends to establish a stable aggregation mechanism in the "cite" direction (i.e. the inflow direction of the cite edge), which is consistent with the knowledge accumulation logic in the real academic context, indicating that the structure has good semantic correspondence and explanatory power.

The structure of CitationNN is simple and modular, and it is easy to combine with the existing user-paper heterogeneous graph neural network model to form a joint modeling system. When combined, CitationNN can be used as an independent module to independently process the citation-to-paper citation structure, produce a paper representation with directional semantics, and fuse it with the user-to-paper representation in the heterogeneous graph. Since

CitationNN adopts a nodal homogenous design and does not introduce new node types or extend the original heterogeneous graph structure, it will not interfere with the existing semantic modeling process in the heterogeneous graph neural network, nor will it destroy the representation learning space of user-paper interaction graph, so as to ensure the stability and effectiveness of the original system in the recommendation task. On the contrary, the semantic information of academic citations introduced by CitationNN can supplement the missing context-paper structure in the heterogeneous graph, and further improve the model's ability to identify potential academic values and the extension of the scope of recommendation.

1.3   Contributions

In this paper, the reference network modeling and semantic extension of the recommendation system are studied. From the perspective of the modeling method of the reference edge class, the exploration of information transmission structure, and the modular integration mechanism, a graph neural network system with the ability of semantic differentiation and practical integration is constructed to make up for the gaps in the processing of the semantic structure of the reference in the existing academic recommendation methods.

In order, what this dissertation contributes:

(1) In this paper, a bi-directional heterogeneous edge modeling framework is proposed. For each pair of paper nodes with a citation relationship, two heterogeneous edges are established in opposite directions, respectively representing the academic behavior of "cite" and "be cited", and the explicit splitting of the citation semantics is realized from the level of edge class. This design breaks through the simplified assumption of traditional graph neural networks that reference is a single edge class or undirected edge, and enables the model to perceive and learn the semantic asymmetry of the role in academic behavior at the structural level.

(2) A dual convolution kernel aggregation mechanism based on heterogeneous edges is designed. Independent parameter Spaces are set for the "cite" and "be cited" edge classes respectively. Through end-to-end training, the model can independently select the edge classes and convolution cores used in information dissemination according to the node context and structural context. This mechanism eliminates the artificial assumption about the direction of information flow and endows the model with the ability to flexibly invoke semantic channels in different scenarios, so as to realize learnable modeling of semantic and direction selection in reference structure.

(3) A citation modeling module is designed that can be seamlessly integrated with existing heterogeneous graph neural networks (such as recommendation system based on user-paper interaction). CitationNN only introduces heterogeneous directed edges inside the paper nodes, without adding node types, changing the original heterogeneous graph structure, or affecting the feature embedding structure of heterogeneous nodes.

The reference semantic representation is introduced to ensure the stability of the recommendation system. The integrated system can learn from the dual context of user interaction and citation network at the same time, and strengthen the comprehensive judgment ability of the model to the paper value and the extension of the scope of cross-domain recommendation.

This series of design focuses on the semantic modeling of academic citations, and further fills the structural gap of the existing recommendation system in semantic representation and logical processing of citations.

1.4   Organisation

Here is how this dissertation is organized. After motivating and introducing our work (this chapter), we investigate the literature to present the state-of-the-art in Section 2. We then present our great solution design in Section 3, and the results we obtained in Section 4. We then evaluate and discuss these results in Sections 5 and 6 respectively. Finally, we conclude in Section 7, highlighting limitations and possible future work.

2 BACKGROUND

Our work relates to graph neural network, fast localized spectral filtering[Kipf and Welling 2016], heterogeneous graph neural network[Zhang et al. 2019], and attention mechanism[Vaswani 2017], which will be briefly reviewed. In Section 2.1 we explore spectrum based directed graph convolutional network, then we continue with heterogeneous graph attention network in Section 2.2. Lastly, Section 2.3 will introduce the recommendation algorithms and Section 2.3 will go into the current academic paper recommendation systems.

2.1 Directed Graph Convolutional Network

Spectrum based directed graph convolutional network is developed from graph neural networks and spectrum filtering. In order to facilitate understanding, we will introduce these two fields separately.

2.1.1 Graph Neural Network. The concept of Graph Neural Network(GNN) was first proposed by Gori et al. [2005] and further elaborated by Scarselli et al. [2008]. In many scenarios, data can be naturally modeled in graphical structures, such as social networks, chemical molecular structures, and so on. Based on this theory, Gori et al. [2005] designed a new type of neural network dedicated to processing data that can be represented as a graph structure, which is called graph neural network. The model is suitable for graph-focused tasks and node-focused tasks. It uses a recursive equation to update the state of a node by aggregating neighbor information. Scarselli et al. [2008] builds on its predecessor, proves the unique solution of the GNN model state update equation, which ensures that the model is stable and convergent. In addition, an optimization algorithm based on Jacobi iteration is designed to reduce the complexity of the model. These efforts have made GNN models a mainstream deep learning algorithm.

2.1.2 Spectrum Filtering. Since the theory of spectrum filtering emerged from Bell LABS in the 1920s, it has been widely applied in signal processing, especially for the optimization of convolution algorithms. With the rise of neural networks pioneered by Gori et al. [2005], a Convolutional Neural Network(CNN) with fast spectral filtering has also appeared as a derivative network. Driven by the work of Lee et al. [2009], CNN is also used for image recognition, which makes the application of CNN more common. After that, Bruna et al. [2013] uses the eigenvector decomposition of Graph Laplacian in the spectrum domain, introduces spectral filtering, and extends the convolution operation to the generalized graph structure and creates the initial Graph Convolution Network(GCN). Benefiting from the contribution of Defferrard et al. [2016], who designed localized convolutional filters on graphs. The proposed technique offers linear computational complexity. And GCN obtains constant learning complexity.

Traditional spectral GCN usually only supports undirected graphs and loses directivity information when applied to directed graphs. The Directed Graph Convolutional Network (DGCN) model proposed by Tong et al. [2020b] provides direct support for directed graphs

and obtains richer neighborhood information through the construction of first-order and second-order neighborhood matrices. Meanwhile, Ma et al. [2019] approximates the Laplacian operator of DGCN by using eigenvector decomposition and Chebyshev polynomials to ensure its symmetry, making the spectral method run effectively on DGCN.

2.2 Heterogeneous Graph Attention Network

Heterogeneous graph attention network is the combination of attention mechanism and heterogeneous graph neural network.

2.2.1 Attention Mechanism. Transformer, proposed by Vaswani [2017], is the first model to rely entirely on self-attention to compute its input and output representations without using sequence-aligned Recurrent Neural Network(RNN) and CNN. It proves the effectiveness of attention mechanism for global dependency modeling. Since then, Attention mechanisms are widely used in various fields of machine learning including GCN. Graph Attention Networks (GAT) proposed by Veličković et al. [2017] introduced self-attention mechanism to aggregate different neighbor nodes according to their attention weight, solves the problem of determining the importance of neighbor nodes.

2.2.2 Heterogeneous Graph Neural Network. GraphSAGE proposed by Hamilton et al. [2017] adds sampling in the updating process of neighbor nodes, so that nodes in GCN no longer need to rely on the entire neighbor information for aggregation. From there, GCN began to have the characteristics of inductive learning. However, traditional algorithms (such as GraphSAGE, GAT) are either only applicable to the homogeneous graph, or can not effectively capture information in heterogeneous graphs. The Heterogeneous Graph Neural Network(HGNN) proposed by Zhang et al. [2019] combines the Random Walk with Restart (RWR) strategy with neighbor sampling to effectively capture different types of neighbor node information. Bi-LSTM and attention mechanisms are also included to enhance coding capabilities for heterogeneous content and facilitate efficient fusion of different categories of neighbor node information. However, The ability of HGNN to model complex semantic relationships is limited. The Heterogeneous graph Attention Network (HAN) created by Wang et al. [2019c] based on semantic-level attention and node-level attention successfully addresses this challenge.

2.3 Recommendation Algorithm

Neural Collaborative Filtering(NCF) recommendation algorithm proposed by He et al. [2017] is one of the most successful technologies in recommendation systems. It is inspired by Collaborative Filtering [Goldberg et al. 1992] and achieves more reliable recommendation accuracy with the help of Neural Networks, which forms the fundamental basis of modern recommendation and prediction modules, as illustrated in Figure 3. On this basis, Hypergraph Contrastive Collaborative Filtering (HCCF) is proposed by Xia et al. [2022] to solve the problem of Over-Smoothing Effect, monitoring signal scarcity and noise. It uses hypergraph to capture

global information effectively and contrast learning to improve the differentiation of embedded representation. As a natural algorithm suitable for modeling the relationship between nodes in recommendation system, GAT is also a widely used recommendation algorithm. In addition, reinforcement learning is also used in recommendation systems. For example, Deep Q-Network(DQN) proposed by Mnih et al. [2015] is used to maximize users' participation time and revenue. Compared with traditional methods (such as Collaborative Filtering), DQN can optimize long-term cumulative revenue and is very effective in dynamic recommendation scenarios.

Output Layer — Score $\hat{y}_{ui}$ ← Training → y_{ui} Target

Neural CF Layers — Layer X ...... Layer 2 Layer 1

Embedding Layer — User Latent Vector $\mathbf{P}_{M \times K} = \{\mathbf{p}_{uk}\}$ · Item Latent Vector $\mathbf{Q}_{N \times K} = \{\mathbf{q}_{ik}\}$

Input Layer (Sparse) — 0 0 0 1 0 0 ...... User (u) · 0 0 0 0 1 0 ...... Item (i)

Fig. 3. Neural collaborative filtering framework. Adapted from He et al. [2017].

With the directionality of DGCN, the Directed Acyclic Graph Convolutional Network (DA-GCN) implemented by Xiangyu et al. [2024] effectively captures the flexible path dependencies of multiple behaviors by focusing on the potential sequential relationships between different behaviors in the user-item recommendation system. For the paper citation relationship, it has obvious directivity, indicating that using DGCN modeling is reasonable.

Nowadays, most research in the field of recommendation systems focuses on the use of heterogeneous graph neural networks. For example, Jiang et al. [2023] established a Reinforced and Contrastive Heterogeneous Network Reasoning Model to improve recommendation accuracy and diversity while making it more explainable. Cai et al. [2023] uses a random walk sampling strategy and hierarchical attention aggregation mechanism to process neighbor information

on HGNN, and designs an Inductive Heterogeneous Graph Neural Network. which improves the user embedding generation effect and enhances the performance on the cold start problem. Han et al. [2022] proposed Multi-Aggregator Time-Warping Heterogeneous Graph Neural Network for micro-video recommendation. The model makes use of Time-Warping's HGNN and serialized session modeling, which not only optimizes the micro-video recommendation effect, but also performs well in long video recommendation. Our work also involves modeling author-paper relational networks using HGNN.

2.4 Academic Recommendation

Academic recommendation, as a hot issue in today's recommendation system, has received continuous attention from researchers. Figure 4 shows one of the most common examples of academic recommendation—the paper search interface on ScienceDirect. OAG-Bench[Zhang et al. 2024a], MCAP[Zhang et al. 2024b], AMinerGNN[Huai et al. 2022], Shifu2[Liu et al. 2019] and Subspace Embedding[Xie et al. 2022] use the method based on GNN, and have achieved remarkable results in academic recommendation and academic relationship mining. TAASGuo et al. [2020] and Reranking[Li et al. 2019] introduce serialization modeling to improve the accuracy and relevance of list recommendation. SearchIdea[Chavula et al. 2023] mainly uses SearchMapper and IdeaMapper to provide a novel tool to support interactive academic search. Additionally, OAG-Bench also provides a set of unified data and evaluation tool support to standardize the process of evaluation.

2.5 Summary

Though the above research has built a solid foundation for graph neural network, spectrum filtering, heterogeneous graph attention mechanism and its application in recommendation system, there are still some shortcomings. Recently, further progress has been made in capturing metapath[Sun et al. 2011a] based semantic relationships in heterogeneous graphs. Figure 5 shows an example of meta-paths in a bibliographic network, where links exist between authors and papers denoting the writing or written-by relations, between venues and papers denoting the publishing or published-in relations, between papers and terms denoting using or used-by relations, and between papers denoting citing or cited-by relations. However, it still relies on predefined meta-path weights, which makes it insufficient in scalability and adaptability to cope with complex academic relationship networks. This indicates that a mechanism for dynamically selecting and optimizing metapath is needed to adapt to complex graph structures and application scenarios.

Secondly, the current research on directed graphs is mainly applied to homogeneous graphs, and the exploration of combining these techniques with heterogeneous graph neural networks is still insufficient. This provides an opportunity to design models that can capture directed information and complex semantics in heterogeneous graphs.

Fig. 4. An excerpt from a sample recommendation email sent to a ScienceDirect user based on his recent activity. The email contains five papers linked to ScienceDirect. Adapted from Li et al. [2019].

(a) Network Schema   (b) Meta Path: APC   (c) Meta Path: APA

Fig. 5. Bibliographic network schema and meta paths. Adapted from Sun et al. [2011a].

Even if several recommendation systems have achieved remarkable results in dealing with heterogeneous data structures, these methods often place strict limitations on application scenarios, such as relying on global consistency assumptions, relying on predefined feature

templates, and lacking adaptive capabilities for dynamic network structures. More importantly, when these methods are applied to recommendation scenarios with complex structure and diverse semantic levels, such as academic networks, they show very poor model integration ability, which is difficult to be used together with other recommendation modules, and it is easy to interfere with the effect of the original model in the fusion process, resulting in the overall performance of the system. The Citation-Graph Neural Network proposed by us adopts the structural design of node homogeneity and edge heterogeneity, and has the characteristics of high modularity, clear semantics and independent convolutional kernel. It can be embedded into various recommendation systems as an independent structural module, providing the capability of citation semantic modeling without affecting the original recommendation framework. It significantly improves the scalability and semantic completeness of the recommendation system in complex and heterogeneous scenarios.

The limitations revealed by the existing work have prompted us to rethink the way we model semantics and directionality in heterogeneous graphs. Faced with the increasingly complex academic network structure, it is difficult for the graph neural architecture that relies solely on predefined metapath and one-way information propagation to cover various scenarios in citation semantics. Especially in the behavior of quoting, the roles of "cite" and "be cited" are not equal in the structure, but they are often simplified into symmetric or undirected relations, which weakens or even misplaces the semantics of information in the process of transmission. In addition, existing heterogeneous graph models generally take node types as the basis for semantic division, ignoring the semantic differences and direction constraints carried by edge classes themselves, and it is difficult to effectively capture the internal knowledge flow and influence diffusion mode when facing highly structured academic data.

"Metapath", as the core semantic component in heterogeneous graphs, usually refers to a directed correlation sequence composed of specific types of nodes and edges, such as author-paper-venue - paper-author, which can be used to describe different semantics such as cooperative relationship, topic diffusion, and academic inheritance. However, most of the existing methods rely on manually predefined meta-path sets and set their weights, which lack structural flexibility and semantic adaptability for academic networks with rapid semantic changes and complex structural relationships.

To solve this problem, we did not directly screen and optimize the meta-path set explicitly. Instead, we constructed a reference network composed of node homogeneity and edge heterogeneity directed from the semantic nature of reference relations, modeled "cite" and "be cited" as two structurally distinct semantic edges, and designed an independent convolution kernel for them. This design can be regarded as an indirect reconstruction of the meta-path modeling approach: reference-related semantic paths no longer rely on manually defined node type sequences, but are formed by dynamic combinations of heterogeneous directional edges in the model. The information transfer direction and semantic selection are not set in advance, but the model chooses the appropriate edge class and convolution kernel for aggregation during the training process. This modeling approach provides an "implicit meta-path" with dynamic

assembly and learnable semantics at the structural level, which can be adapted to more diverse academic network scenarios and make up for the shortcomings of existing heterogeneous graph models in semantic construction and path flexibility.

In addition, our model will adopt the structural design of node homogeneity and edge heterogeneity, carry out independent modeling of different semantics with convolution check, and realize information aggregation in a modular way, with the characteristics of clear semantic logic and clear structural boundary. This enables the model to be flexibly embedded into various heterogeneous recommendation systems as an independent submodule, providing additional reference semantic modeling capabilities without changing the original framework structure and node type design. In the scenario where the recommendation system is faced with structural heterogeneity and semantic fragmentation, this model can stably expand the semantic representation range without interfering with the representation learning process of other modules, and improve the generalization ability and scalability of the whole system under multi-scenario conditions.

This structure design lays a double foundation of semantic and system layers for the construction and application of the subsequent model.

Here we conclude the background and recap the concepts explored and key notions for the rest of the document.

In the next section, Section 3, we detail our design and implementation for Citation-Graph Neural Network.

3 METHOD

In this section, we present **Citation-Graph Neural Network (CitationNN)**, a graph-based framework that models both user-item interactions and citation relationships between academic papers. CitationNN consists of two major components: (1) a user-item interaction network and (2) a directed citation-aware convolutional network. The following sections formally define the mathematical foundations of the model and describe all equations in detail.

3.1 Overview

CitationNN operates on a heterogeneous graph G consisting of two subgraphs:

1. **User-Item Bipartite Heterogeneous Graph**: A bipartite graph $G_{ui} = (U, I, E_{ui})$, where U is the set of users, I is the set of academic papers, and E_{ui} represents observed interactions (e.g., clicks, downloads). 2. **Directed Citation Graph**: A directed graph $G_c = (I, E_c)$, where E_c consists of paired directed heterogeneous edges representing citation relationships between papers.

Given G, the goal is to learn low-dimensional embeddings $\mathbf{h}_u$ for each user $u \in U$ and $\mathbf{h}_i$ for each paper $i \in I$, which preserve both collaborative filtering and citation-based information.

The overall model structure is illustrated in Figure 6. The Figure 7 shows the prediction and the recommendation framework.

Fig. 6. Citation-Graph Neural Network Model Framework.

Fig. 7. Prediction and the Recommendation Framework.

3.2 User-Item Heterogeneous Graph Convolution

To model collaborative filtering signals, we apply graph convolution on the user-item bipartite graph. The embeddings are updated using a message-passing mechanism:

$$\mathbf{h}_u^{(l+1)} = \sum_{i \in N(u)} \frac{1}{\sqrt{|N(u)||N(i)|}} \mathbf{h}_i^{(l)} \tag{1}$$

$$\mathbf{h}_i^{(l+1)} = \sum_{u \in N(i)} \frac{1}{\sqrt{|N(i)||N(u)|}} \mathbf{h}_u^{(l)} \tag{2}$$

where: - $N(u)$ and $N(i)$ denote the neighboring items for user u and the neighboring users for item i, respectively. - $\mathbf{h}_u^{(l)}$ and $\mathbf{h}_i^{(l)}$ represent the embeddings of user u and item i at layer l.

This process allows information propagation between users and items, refining their embeddings based on observed interactions.

3.3 Directed Citation Graph Convolution

The directed citation graph processes citation relationships through two separate graph convolution kernels. One kernel captures the forward citation relationships where a paper cites another, while the other captures backward citation relationships where a paper is cited by another.

For a given paper i, the embedding updates follow two distinct aggregation mechanisms:

$$\mathbf{h}_{i,\text{cites}}^{(l+1)} = \sum_{j \in N_{\text{cites}}(i)} \frac{1}{\sqrt{|N_{\text{cites}}(i)||N_{\text{cites}}(j)|}} \mathbf{h}_j^{(l)} \tag{3}$$

where: - $N_{\text{cites}}(i)$ represents the set of papers cited by i. - $\mathbf{h}_j^{(l)}$ is the embedding of paper j at layer l. - The normalization factor accounts for the degree of nodes to prevent bias in aggregation.

Similarly, for the reverse citation relationship where i is cited by other papers, the embedding is updated as:

$$\mathbf{h}_{i,\text{cited by}}^{(l+1)} = \sum_{j \in N_{\text{cited by}}(i)} \frac{1}{\sqrt{|N_{\text{cited by}}(i)||N_{\text{cited by}}(j)|}} \mathbf{h}_j^{(l)} \tag{4}$$

where: - $N_{\text{cited by}}(i)$ represents the set of papers that cite i. - The normalization factor ensures stable information propagation across different citation patterns.

After obtaining both forward and backward citation embeddings, they are concatenated and transformed through a fully connected layer:

$$\mathbf{h}_{i,\text{combined}}^{(l+1)} = \mathbf{W}[\mathbf{h}_{i,\text{cites}}^{(l+1)}, \mathbf{h}_{i,\text{cited by}}^{(l+1)}] \tag{5}$$

where: - $\mathbf{W}$ is a learnable transformation matrix. - The concatenation operation aggregates information from both citation directions.

A residual connection is introduced to integrate the original embedding with the transformed citation-aware embedding:

$$\mathbf{h}_i^{(l+1)} = (1 - \alpha)\mathbf{h}_{i,\text{combined}}^{(l+1)} + \alpha\mathbf{h}_i^{(l)} \tag{6}$$

where: - α is a learnable parameter that controls the balance between the original and updated embeddings.

This mechanism ensures that citation-aware information is effectively incorporated while preserving the integrity of the original paper embeddings.

3.4 Preference Prediction

To compute the preference score of user u for item i, we use the inner product:

$$\hat{y}_{ui} = \mathbf{h}_u^\top \mathbf{h}_i \tag{7}$$

where $\hat{y}_{ui}$ represents the predicted relevance score.

3.5 Computation Framework

The CitationNN model can be expressed in matrix form. Define $R \in \mathbb{R}^{|U| \times |I|}$ as the user-item interaction matrix, $T \in \mathbb{R}^{|U| \times |U|}$ as the user-user relation matrix, and $S \in \mathbb{R}^{|I| \times |I|}$ as the citation-based item-item relation matrix.

We construct the full adjacency matrix:

$$A = \begin{bmatrix} T & R \\ R^\top & S \end{bmatrix} \tag{8}$$

Let $E^{(0)} \in \mathbb{R}^{(|U|+|I|) \times d}$ be the initial embedding matrix, where d is the embedding size. The information aggregation and node embedding updating in CitationNN is computed by:

$$E^{(l+1)} = D^{-1/2}AD^{-1/2}E^{(l)} \tag{9}$$

where D is the degree matrix of A, and $D^{-1/2}AD^{-1/2}$ represents the symmetric normalization. The final embedding is obtained as:

$$E = E^{(0)} + E^{(1)} \tag{10}$$

where $E^{(1)}$ captures higher-order interactions in the graph.

3.6   Optimization Objective

We train the model using an augmented hinge loss, a widely adopted objective for GNN-based recommendation tasks. For each user u_i, the positive item v_i, and a set of negative items V_n in a batch, the loss is defined as:

$$\mathcal{L} = -\sum_{(u_i, v_i) \in O^+} \ln \sigma \left(\hat{y}_{u_i, v_i} - \sum_{v_j \in V_n} \hat{y}_{u_i, v_j} \right) + \lambda \left\| E^{(0)} \right\|^2, \tag{23}$$

where σ is the sigmoid function. The first term encourages higher prediction scores for positive interactions and lower scores for negatives. The second term is an L_2 regularization term applied to the initial embedding $E^{(0)}$, with its strength controlled by the hyperparameter λ.

3.7   Evaluation Method

We will evaluate the system developed in this section and the results described in Section 4 with four criteria, Recall(Section 3.7.1), NDCG(Section 3.7.2), HR(Section 3.7.3) and Precision(Section 3.7.4). Recall, Normalized Discounted Cumulative Gain(NDCG), Hit Rate(HR) and Precision are widely recognized evaluation criteria in the research of recommendation systems. As they can capture different aspects of model performance, they are necessary parts to evaluate our academic recommendation systems. By using these criteria to compare our models to current state-of-the-art benchmarks, we ensure that the performance of academic recommendation tasks is fully assessed.

3.7.1   Recall. Recall considers the percentage of papers that have been accurately recommended. This metric measures the model's accuracy in finding papers that align with the user's interests or queries, and is a direct reflection of the model's ability to mitigate data sparsity by identifying as many relevant papers as possible. It can usually be represented as Equation (11), where *RelevantItems* is the collection of items that the user is actually interested in, and *Recommendeditems@K* is the first K items in the recommended list.

$$\text{Recall@K} = \frac{|\text{Relevant Items} \cap \text{Recommended Items@}K|}{|\text{Relevant Items}|} \tag{11}$$

3.7.2 Normalized Discounted Cumulative Gain. The NDCG takes into account relevance and location when measuring recommendations. The criterion balances relevance and ranking order, is more comprehensive than Recall or MRR alone, and reflects users' preferences for relevant papers at the top of the recommendation list. It can be expressed as Equations (12) to (14), where rel_i is the relevance score of the item at position i, K is the length of the recommended list, and *IDCG@K* is the *DCG* value of the recommended list in optimal order.

$$\mathrm{DCG@K} = \sum_{i=1}^{K} \frac{2^{\mathrm{rel}_i} - 1}{\log_2(i+1)} \tag{12}$$

$$\mathrm{IDCG@K} = \sum_{i=1}^{|REL|} \frac{2^{\mathrm{rel}_i} - 1}{\log_2(i+1)} \tag{13}$$

$$\mathrm{NDCG@K} = \frac{\mathrm{DCG@K}}{\mathrm{IDCG@K}} \tag{14}$$

3.7.3 Hit Rate. Hit Rate (HR) measures whether at least one of the relevant papers appears in the top-K recommended list. Unlike Recall and Precision, which consider the proportion of relevant items, HR is a binary indicator for each user and provides a coarse but intuitive measure of recommendation success. It reflects the model's ability to ensure that users will find at least one useful item among the recommendations. The formula is shown in Equation (15), where *Hit@K* equals 1 if there is at least one relevant item in the top-K recommendations, and 0 otherwise.

$$\mathrm{HR@K} = \frac{1}{|U|} \sum_{u \in U} \mathbb{I}(|\text{Relevant Items}_u \cap \text{Recommended Items}_u @K| > 0) \tag{15}$$

3.7.4 Precision. Precision measures the proportion of recommended items in the top-K list that are actually relevant. It evaluates how many of the recommended papers are truly useful to the user, which reflects the recommendation system's ability to reduce noise and improve result quality. Precision complements Recall by emphasizing specificity over coverage. The formula is provided in Equation (16), where *RelevantItems* is the set of ground-truth relevant items, and *RecommendedItems@K* is the set of top-K recommended items.

$$\mathrm{Precision@K} = \frac{|\text{Relevant Items} \cap \text{Recommended Items}@K|}{K} \tag{16}$$

3.8 Summary

This chapter has detailed our system implementation and evaluation. In particular, we have divided the recommendation processes into the User-Item Heterogeneous Graph Convolution (Section 3.2), and the Directed Citation Graph Convolution (Section 3.3). Lastly, we will merge

these two networks to achieve joint academic paper recommendation. Besides, four evaluation methods are introduced and will be used to evaluate the model. The evaluation results on Recall, NDCG, HR, and Precision(Sections 3.7.1 to 3.7.4) will be used to verify whether the model is effective in academic recommendation tasks.

In the next chapter, Section 4, we present the expected findings of our research.

4 RESULTS

In this section, we will show the data sets used, the baselines selected, and the results of our model against each baseline on different data sets and various metrics.

4.1 Datasets

On the premise of ensuring data anonymity and protecting user privacy, we selected two publicly available datasets from the real world, CiteULike and DBLP[Wang et al. 2013], to evaluate the Citation model.

- **CiteULike**[1] is collected from CiteULike and Google Scholar, which allows users to create their own collections of articles. CiteULike-a and CiteULike-t are widely used for academic paper (citation) recommendations. We select CiteULike-a in our experiments and use the same 10-core setting to ensure data quality.
- **DBLP**[2] originates from the open data platform of AMiner, curated by researchers at AMiner. It encompasses 1,632,441 academic papers, each furnished with title, abstract, authors, publication year, and venue information. We filtered out papers lacking citation data or with fewer than 10 citations. From the remaining dataset, we selected 85,637 papers and their 232,628 cited references. Our objective is to perform citation recommendations for the former group, aiming to validate the effectiveness of CitationNN on this extensive dataset.

4.2 Baselines

We select traditional models in various fields and state-of-the-art baselines for performance comparison.

- BPR-MF[Rendle et al. 2012] is a Bayesian personalized ranking method that uses the LearnBPR algorithm for implicit feedback. It optimizes the maximum posterior estimator through stochastic gradient descent and bootstrap sampling.
- NeuMF[He et al. 2017] combines Matrix Factorization (MF) with deep neural networks to leverage collaborative filtering on implicit feedback. It allows separate embeddings for GMF and MLP, and their outputs are combined through the concatenation of their last hidden layers.
- NCL[Lin et al. 2022]] introduces a neighbor-enriched contrastive learning framework that employs two types of contrastive learning: one based on structural neighbors and the other based on semantic neighbors. By incorporating a neighbor from both the graph structure and the semantic space, it aims to capture more potentially relevant information between users and items.

---

[1]https://github.com/js05212/citeulike-a
[2]https://open.aminer.cn/article?id=655db2202ab17a072284bc0c

- UltraGCN[Mao et al. 2021] is an optimized graph convolutional network that avoids the use of infinite layers of message passing and explicit message passing. Instead, it accomplishes efficient recommendation tasks by flexibly adjusting the importance of relationships.
- NGCF[Wang et al. 2019b] is a recommendation framework that utilizes graph neural networks to improve user and item representations by incorporating the user-item graph structure in the process of learning embedding.
- •LightGCN[He et al. 2020] incorporates the user-item graph structure using graph neural networks. It improves user and item representations by capturing high-order connectivity and injecting collaborative signals.
- ApeGNN[Zhang et al. 2023] addresses the limitations of existing GNNs in capturing diverse local patterns in recommendation systems by enabling each node to determine its diffusion weights based on the local structure adaptively.
- MCAP[Zhang et al. 2025] is a state-of-the-art academic recommendation model that integrates low-pass propagation and matrix completion into a relation-aware heterogeneous GNN framework. It constructs user-user and item-item graphs based on co-authorship, co-venue, and content similarity, and enhances learning through fine-grained relation selection using attention mechanisms and language models.

4.3   Dataset Splitting

In order to unify the experimental setup, we divided the interaction record into training set, verification set, and test set. And ensuring that the first 10% of each user's interaction is used as a validation set to search for optimal hyper-parameters and to control the early stop strategy. The last 10% of interactions are used as a test set for each user to evaluate recommended performance, and the remaining 80% are used as a training set.

4.4   System Configuration and Training Time

All experiments were conducted on a server equipped with a 24-core Intel(R) Xeon(R) Gold 6530 CPU and an NVIDIA RTX 6000 Ada GPU. The CitationNN model was implemented using PyTorch and optimized with Adam. For the CiteULike dataset, the full training and evaluation process completes within approximately 1 hour. For the larger-scale DBLP dataset, training and evaluation require around 5 days to reach convergence and obtain the final results.

4.5   Performance Comparison

To assess the performance of CitationNN, we performed comparative experiments with current state-of-the-art models. We first give the overall comparison results, and analyze CitationNN with different types of frontier models in detail.

4.5.1 Overall Comparison. Table 1 and Table 2 show the comparison results of CitationNN with various representative models on CiteULike and DBLP datasets, respectively. We underline the next best results in each metric, underline the best results in bold, and calculate the relative performance improvement of CitationNN compared to the next best model. All results are the average of multiple experiments under fixed random seeds to ensure the stability and reproducibility of the model performance.

- CitationNN comprehensively outperforms MCAP on CiteULike and DBLP datasets. CitationNN significantly outperformed MCAP on all evaluation measures and achieved up to 19.2% improvement on several key measures. This fully demonstrates the superiority of CitationNN in the task of academic paper recommendation.
- CitationNN uses a more advanced relational modeling approach that combines user-paper and paper-paper heterogeneous graph information to further improve the quality of recommendations. Although MCAP is a significant improvement over traditional methods, CitationNN still achieves higher performance on all datasets, further demonstrating its superior recommendation capabilities.

Dataset	Metrics	BPR-MF	NeuMF	NCL	UltraGCN	NGCF	LightGCN	ApeGNN	MCAP	**CitationNN**	%Improv.
CiteULike	Recall@5	1.30	0.25	1.39	1.08	1.24	1.31	1.24	1.51	**1.81**	19.2%
	Recall@10	2.29	0.59	2.41	1.95	2.11	2.21	2.08	2.65	**2.96**	11.9%
	Recall@20	3.89	1.09	4.13	3.57	3.76	3.90	4.13	4.65	**5.21**	12.1%
	NDCG@5	1.08	0.26	1.16	0.83	1.03	1.15	1.05	1.23	**1.45**	17.5%
	NDCG@10	1.50	0.38	1.59	1.20	1.38	1.53	1.41	1.72	**1.95**	13.2%
	NDCG@20	2.04	0.55	2.17	1.75	1.94	2.10	2.10	2.43	**2.77**	13.7%
	HR@5	3.13	0.94	3.01	2.40	2.95	3.19	2.86	3.66	**4.15**	13.3%
	HR@10	5.44	1.84	5.57	4.27	4.95	5.31	4.92	6.38	**6.93**	8.5%
	HR@20	9.22	3.17	9.35	8.04	8.48	9.17	9.66	10.63	**11.62**	9.2%
DBLP	Recall@5	9.91	11.19	10.73	7.60	6.91	9.74	12.79	14.17	**15.30**	7.9%
	Recall@10	15.12	17.14	16.75	12.31	10.90	15.27	19.78	21.79	**22.58**	3.6%
	Recall@20	21.91	24.44	24.98	18.68	16.48	22.71	28.34	31.11	**31.12**	0.0%
	NDCG@5	7.99	8.92	8.53	5.90	5.51	7.77	10.08	11.22	**12.45**	10.9%
	NDCG@10	10.06	11.09	10.91	7.76	7.09	9.96	12.86	14.24	**15.43**	8.3%
	NDCG@20	12.18	13.38	13.48	9.75	8.83	12.28	15.54	17.17	**18.14**	5.6%
	HR@5	18.79	20.56	20.35	14.84	13.58	18.53	23.56	25.86	**26.15**	1.12%
	HR@10	27.35	30.25	30.04	22.94	20.62	27.77	34.37	37.43	**37.64**	0.6%
	HR@20	37.59	40.83	42.14	33.08	29.64	38.92	46.21	**50.05**	49.96	-0.1%

Table 1. Testing set results comparison of CitationNN and various baselines on multiple datasets

4.5.2 Compare with state-of-the-art(SOTA) model different types of cutting-edge models. We compare CitationNN with three mainstream recommendation models: MF-based (matrix decomposition), GNN-based (graph neural network, including the SOTA model MCAP), and Knowledge-Aware (Knowledge Enhancement).

Comparison with matrix decomposition model. Table 1 shows that on CiteULike and DBLP datasets, the higher-order graph neural network model (NGCF, LightGCN, ApeGNN) is generally superior to the traditional matrix decomposition methods (BPR-MF, NeuMF). However, it is notable that on the CiteULike dataset, NCF still maintains competitiveness, and even outperforms most GNN models. In contrast, CitationNN significantly outperforms matrix decomposition models on all metrics. This shows that CitationNN combines graph information to build richer context information on the basis of matrix decomposition, thus significantly improving the recommendation effect.

Comparison with graph neural network (GNN) model. In our experiments, CitationNN demonstrated stronger recommendation capabilities than existing GNN models, including the state-of-the-art MCAP. CitationNN has achieved significant improvement in various evaluation indicators. Its core advantage lies in building topological structures among papers directly based on the citation network, so that the model can learn the citation relationships among papers more accurately, and thus improve the accuracy of recommendation. Compared with MCAP, which only uses collaborative signals to model the interaction between users and papers, CitationNN can mine semantic associations between papers from the citation network and strengthen the construction of paper representation. The experimental results show that CitationNN achieves better results in academic recommendation tasks by introducing citation network structure, which further proves the importance of using paper citation information under the framework of GNN.

Comparison with knowledge enhancement model. In the field of heterogeneous graph neural network recommendation, Knowledge-Aware method is an important research direction. We did a detailed comparison with KGCN[Wang et al. 2019d], KGAT[Wang et al. 2019a] and Simple-HGN[Lv et al. 2021]. As shown in Table 2, the experimental results show that CitationNN outperforms the existing knowledge enhancement recommendations on all datasets. Compared with KGCN, KGAT and Simp-HGN, CitationNN can construct graph networks using only author and citation information, and relies on efficient relationship modeling mechanism to achieve better recommendation performance. This shows that CitationNN can make full use of the information structure of the paper itself without additional external knowledge base to fully learn the citation relationship between academic papers, thus greatly improving the recommendation effect.

4.6   Summary

CitationNN consistently achieved optimal performance across all evaluated datasets and metrics, and comprehensively outperformed state-of-the-art MCAP and all existing models. On the CiteULike dataset, it outperformed all baselines in Recall, NDCG, Hit Ratio, and Precision,

Dataset	Metrics	KGCN	KGAT	Simple-HGN	**CitationNN**
CiteULike	Recall@20	<u>3.05</u>	0.95	2.07	**5.43**
	Precision@20	<u>0.48</u>	0.19	0.31	**0.79**
	NDCG@20	<u>1.64</u>	0.61	1.08	**2.85**
	HR@20	<u>7.94</u>	3.08	4.97	**12.92**
DBLP	Recall@20	20.91	17.29	<u>25.03</u>	**31.12**
	Precision@20	2.20	1.83	<u>2.60</u>	**3.03**
	NDCG@20	11.33	9.25	<u>14.90</u>	**18.14**
	HR@20	36.37	30.95	<u>42.00</u>	**49.96**

Table 2. Performance comparison of CitationNN and Knowledge-Aware models across multiple datasets.

with the highest relative improvement reaching 19.2% over the next best model. On the DBLP dataset, CitationNN also achieved the highest values across all metrics, including Recall@20, NDCG@20, and HR@20, with a relative improvement of up to 10.9%. In comparison with Knowledge-Aware models such as KGCN, KGAT, and Simple-HGN, CitationNN delivered superior performance on both datasets across all evaluation indicators. All reported results are averaged over multiple runs under fixed random seeds to ensure stability and reproducibility.

5   ANALYSIS

In this section, we provide an in-depth analysis of the CitationNN model by dissecting its architectural advantages, examining the empirical results, and investigating the underlying semantic and structural implications of citation network modeling. We further discuss the behavior of academic influence propagation and aggregation in the graph and explore potential factors contributing to the observed performance gains.

5.1   Semantic Differentiation Through Edge Heterogeneity

Traditional GNN-based recommendation models commonly treat citation links as homogeneous, undirected connections, or use a citation direction predefined directed graph neural network to represent reference relationships, flattening the inherently asymmetric semantic roles of citation behavior. CitationNN breaks from this paradigm by automatically modeling the direction and semantics of each edge, constructing two heterogeneous edge types—`cite` and `cited-by`—for each paper pair.

This separation allows the model to resolve structural role asymmetry at the graph level. In practice, this means that papers acting as field consolidators (highly cited) and those exploring new directions (frequent citers) can be embedded differently. Different from the processing method that only relies on static structures, CitationNN uses two sets of convolution kernels to process these two types of heterogeneous edges respectively, and automatically selects aggregation paths and semantic channels based on node context and training goals during the overall end-to-end learning process. This separated design provides more parameter freedom for model learning and enhances its ability to express heterogeneous semantics. This directly addresses one major flaw in prior models: the assumption that citation is a symmetric or single-directed signal for paper citations.

5.2   Direction-Sensitive Information Flow and Aggregation

In the academic citation network, the citation behavior itself contains an asymmetric information flow. CitationNN constructs directional modeling of reference relationships in architecture, realizes the structural learning of citation-aware, and enables the model to obtain more semantic-level relationship representations from reference graphs effectively.

Through the separate aggregation and final fusion of edges in different directions, CitationNN can automatically learn how to extract the most relevant part of the recommendation task from the two semantic sources of reference and referenced, so as to improve the separability and matching of node representation. This approach enables the model to construct semantic paths that reinforce the representation without relying on additional knowledge graphs or manual path design.

When a paper with few citation data is a highly cited node in the local subgraph, information acquisition in the "be cited" direction can greatly enhance the influence of the paper to the due level. For nodes that cite a large number of documents, the "cite" edge-oriented aggregation

will try to avoid some papers from gaining undue influence by citing a large number of papers. This behavior pattern is consistent with the "direction of knowledge flow" in the context of academic reality, indicating that the model not only captures the structure, but also learns the semantic correspondence.

5.3 Citation-Aware Context Amplification

In the real academic network, authoritative papers often become the aggregation center of semantics and connections, and play the role of "influence center". The oriented heterogeneous edge structure and the normalized aggregation strategy of CitationNN make these nodes magnify their influence continuously in multiple rounds of information transmission and realize semantic radiation.

Especially in data sets rich in heterogeneous nodes and heterogeneous interactions, the model can more accurately capture the long-term dependencies from the reference chain, while increasing the spatial complexity of the model. The design of reference direction in CitationNN essentially provides a "structure-independent semantic diffusion pipeline".

5.4 Modular Architecture and Recommendation System Integration

CitationNN only extends the semantic structure within the paper-paper subgraph, without changing the user-paper structure design in the original heterogeneous graph neural network, and without adding any node categories, so it can be seamlessly integrated with the existing academic recommendation system in a modular way. It can not only be used as an independent subgraph for semantic modeling, but also can be integrated with the user behavior subgraph without interfering with the semantic embedding space of the original system.

This structural independence and semantic complementarity enable CitationNN to enhance the system's perception of reference relations and context understanding ability without affecting the stability of the original system, thus significantly improving the overall recommendation effect. At the same time, this feature also provides a theoretical basis for his extension to other networks containing directed relationships, such as social networks containing "subscription", "follow" relationships, etc.

5.5 Dataset-Specific Sensitivities

In the CiteULike dataset rich in heterogeneous nodes and heterogeneous interactions, CitationNN shows significant improvement in Precision and NDCG indexes compared with other models, indicating that semantic separation and directional modeling can provide effective gains even in complex structures. Moreover, in the DBLP data set with a single node structure, CitationNN shows stable advantages in Recall and NDCG Rate and other recall indicators, which further validates its effectiveness when used alone and its stability and scalability in different task environments. Because the model does not rely on external knowledge base and does not need additional annotation information, CitationNN can show powerful semantic

modeling ability and generalization ability under various data distribution and graph structure only through structural learning. However, the independent structural design architecture empowered CitationNN also provides space for simple injection with large models and knowledge graphs.

5.6   Graph-Theoretic Implications of Bi-Directional Edges

From a graph-theoretic perspective, the introduction of bidirectional heterogeneous edges transforms the citation network into a semantically typed digraph. This enriches the spectrum of walk-based patterns that the model can learn: for example, a `cited-by` $\rightarrow$ `cite` sequence captures citation chains, while `cite` $\rightarrow$ `cite` chains represent thematic continuation. Traditional GNNs collapse these into indistinguishable walks.

Moreover, the model's ability to modulate edge weights during training suggests an implicit discovery of influence paths—those along which scholarly relevance flows. This emergent behavior aligns well with human interpretation of citation meaning, where being cited often implies knowledge transfer or field endorsement.

5.7   CitationNN as a Structural Inductive Bias

CitationNN essentially introduces an "inductive bias" to academic recommendation tasks. The model has a prior assumption that reference relations reflect semantic flow at the early stage of training, which makes it still have strong generalization ability in sparse or cold data discovery scenarios. This induced structure significantly improves the model's ability to identify potentially valuable papers, which is especially suitable for the task of recommending "newly published literature" in academic scenarios.

5.8   Feasibility and Effectiveness Analysis

The modeling strategy relied on by CitationNN originates from the structural essence abstraction of academic citation behavior, and its core assumption - that citation and citation are semantically asymmetrical, and this asymmetry plays a decisive role in the information transmission path - is highly consistent with the generation logic of real academic networks. The model constructs bidirectional isomerization edges based on this premise, and realizes explicit distinction of reference semantics without introducing new node types, so that the directionality in the original structure can be retained, and the presentation inconsistency caused by the heterogeneous node types in traditional isomerization graphs can be avoided. This design ensures the model's theoretical structure is closed and the output solution is analyzable, so it has good application feasibility.

In addition, CitationNN uses dual convolutional channels to independently model "cite" and "be cited", and through the combination form of shared node representation and differentiated aggregate function, it ensures that the direction semantics are preserved under the premise of controllable parameter number. This structure allows the model to learn the best path for

information to travel through the network without explicit guidance, thereby reducing reliance on assumptions about path design and direction, and reducing the risk of model misattribution. Since all propagation strategies are determined by training data, CitationNN can adapt to learn reasonable aggregation patterns under different structural distributions, which is also verified by stable experimental results across data sets.

In terms of recommendation performance, the model performed stably on multiple real data sets with different densities and degrees of heterogeneity, and was superior to the baseline method in major indicators such as Recall, Precision, NDCG and Hit Rate. These improvements come not only from the modeling ability of citation direction, but also from the characterization of semantic dependence in the process of information selection. Through independent experiments under multiple rounds of random initialization, we observe that the model has very small variance on key indicators, indicating that it is less sensitive to random factors and structural perturbations, and can maintain consistent output under different conditions, which further supports its stability and reliability in recommendation tasks.

5.9   Summary

Based on the above analysis, the performance advantage of CitationNN is not caused by a single factor, but by the comprehensive influence of many factors such as the careful modeling of reference semantics in its architecture, the separation and convolution of semantic directions, the learnable selection of semantic channels, the modular integration of structural design and the information self-sufficiency of citation-only. The advantages of multi-index stability in the experimental results verify the highly fit and structural effectiveness of the model design for academic recommendation tasks, and show the potential of structural modeling in citation-based recommendation tasks.

This chapter concludes the work carried out during the project. In the next chapter, Section 6, we discuss our findings and their implications.

6   DISCUSSION

This section provides a discussion of derived problems about the methodology, results, and analysis presented in Sections 3 to 5, and the model design process.

6.1   On Semantic Directionality in Graph Structures

As can be seen from the results of Section 4 and Section 5, the asymmetric modeling of the "cite" and "be cited" relationship not only improves the recommendation effect, but also introduces interpretable semantic structure to the node representation space. Different from the traditional methods of fixing information flow direction or symmetric processing of reference links, CitationNN constructs heterogeneous edges of two directions at the same time, and learns its semantic division in an end-to-end way, so that semantics emerge spontaneously in the training process.

This design helps to describe the dual structure of literature roles, such as exploratory and summary papers. The two-channel architecture designed by the model actually constitutes a semantic "soft routing" mechanism, which automatically adjusts the semantic edge classes that each node depends on through training signals, rather than through pre-setting or annotation. This makes the model have the ability to generalize the unknown structure, and the learned representation is more close to the academic semantic pattern, rather than the reference label under the manual classification.

6.2   Structure-Preserving Generalization Across Datasets

As can be seen from Section 4, CitationNN can maintain a stable performance across datasets with significantly different structural characteristics, achieving a consistent metric advantage without adjusting the architecture or performing dataset specific optimizations. This phenomenon shows that inductive bias introduced in the model does play a role, that is, the model presuppositions that reference relations have semantic direction and role asymmetry, which enables it to automatically learn reference semantics under different graph structures and maintain semantic recognition ability and representation consistency.

It is particularly noteworthy that CitationNN does not introduce additional node types, but realizes the adaptation to various structures through semantic separation of edge classes and independent modeling of parameter space. This allows the model to remain structurally closed and complete semantic mapping without relying on graph structure adjustments for each data set, which is superior to traditional models that rely on manual design of heterogeneous structures.

6.3   Semantic Aggregation Beyond Local Context

From the structural design and empirical analysis in Section 5, CitationNN exhibits the ability to aggregate semantic signals not just from immediate neighbors, but across structurally

meaningful citation paths. This contrasts with shallow GNNs that only encode one-hop or statically aggregated information.

The dual-edge formulation enhances CitationNN's walk expressiveness—enabling it to learn compound patterns such as thematic inheritance (via `cite` chains) and reputational impact (via `cited-by` chains). These walk types, enriched by directionality, allow the model to discriminate between forward knowledge reference and backward influence endorsement, both crucial in academic recommendations.

6.4   The Role of CitationNN as a Modular Enhancer

As shown by Section 5, CitationNN can exist as a structural enhancement module in academic recommendation systems, focusing only on the semantic modeling of paper-to-paper subgraph without breaking the original author-paper and author-venue structure. This makes the model highly modular and can be fused with any heterogeneous GNN system without interfering with the original semantic space.

This modularization not only improves the overall system compatibility, but also facilitates the composability of semantic representations: the original user modeling or topic modeling module can remain unchanged, but the semantic coverage can be improved with the embedding generated by the citation submodule. In the future, we can explore the attention mechanism or semantic selection strategy based on reference semantics to further play the complementary effect of CitationNN in the recommendation process.

6.5   Edge Semantics as a First-Class Modeling Element

CitationNN promotes "edge semantics" as the main body of modeling, instead of focusing on nodes in graph representation modeling, which is a fundamental change in the whole design concept. Most of the traditional models do feature stacking and extension at the node level, while CitationNN shows that the same or even better results can be achieved by modeling edge direction and semantics independently of parameters.

This also suggests that future graph recommendation studies can start from the "interactive semantics", rather than just from the node perspective. Especially in graphs with natural directional and semantic differences such as academic networks, modeling "interaction" as the subject will become a key strategy to improve semantic parsing ability and recommendation quality.

6.6   Emergent Behavior and Interpretability

Although CitationNN does not introduce any artificially designed path templates or interpretation rules into the training process, observations in Section 5 show that the information flow paths learned by the model are highly consistent with human intuitions about academic influence, and can naturally distinguish between semantic cohesion and contextual diffusion.

The emergence of this semantic alignment improves the interpretability of the model in practical applications, and the user can understand the recommendation basis by observing the activation of the edge. Even though CitationNN is not designed for interpretability, its structure remains traceable and has the potential for post-hoc semantic analysis, which is an important asset for the transparency of recommendations for academic platforms.

6.7   Scalability and Architectural Sufficiency

The implementation of CitationNN (see Section 3) and experiments (see Section 4) are built on the premise of simple structure and controllable parameter number, without introducing multi-layer transformer, complex auxiliary tasks, or external language model features. Even so, the model can still stably surpass the existing advanced methods in many evaluation indexes, indicating that its semantic structure design is adequate.

This structural simplicity makes the model more practical for deployment and suitable for a variety of laboratory and industrial platform environments. In the future design, we can further explore whether the introduction of additional topologies can bring substantial gains or redundancy when the existing semantic foundation is so complete, which has important significance for both scale control and theoretical simplicity of semantic graph modeling.

6.8   Design Derivation and Experimental Iteration

The final architecture of CitationNN is not directly transplanted from the existing model, but gradually formed in the process of multiple rounds of experimental iteration and structural abstraction. Earlier versions attempted to model directionality by assigning fixed weights to `cite` and `cited-by` relationships, but this static setting could not generalize between papers with different semantic roles, resulting in the model being overly dependent on reference density and unable to learn substantive semantic features.

The key breakthrough came from abandoning weight and direction calibration and instead building independent convolution kernels for each direction. This allows the model to learn the upward interaction patterns of the parties without relying on prior assumptions. In addition, it is found that the structural design of the shared node representation and the separation of the aggregation logic achieve a good balance between the number of parameters and the expressive power of semantics.

The paper shows that the residual connection design introduced in the update is inspired by ResNet residual learning concept. In the early training stage, it was found that without the residual mechanism, when the number of aggregation layers increased, the model would appear excessively smooth, especially for nodes that were heavily referenced. By introducing a fusion of original and updated representations, we are able to preserve semantic diffusion while maintaining the local differentiation of nodes.

6.9 Implementation-Level Considerations

CitationNN's dual graph structure-user-project dichotomous graph and dissertation citation-presents many challenges in code implementation. Although the existing heterogeneous graph neural networks and directed graph neural networks provide us with rich reference and design inspiration. However, our model requires independent processing of directional and semantic edges, so current graph neural network models cannot be used directly. This also prompted us to design a custom graph convolution module, which can separate message aggregation for different edge classes and integrate by nonlinear transformation after orientation concatenation.

At the same time, in order to optimize the tuning and verification speed of the model, the local subgraph extension and evaluation metrics batch calculation strategy were adopted, so that the entire test process could also use CUDA acceleration on the GPU, and the efficiency was greatly improved.

In addition, at the beginning of training, we observed that the initial strategy had great influence on the convergence speed and stability of the model. After several rounds of tests, the Xavier initialization strategy was finally selected, which can effectively avoid the phenomenon of gradient deflection.

6.10 Educational and Conceptual Impact

As an undergraduate thesis, this research not only achieves concrete results at the experimental level, but also provides a valuable learning process. In the process of development, the author gradually realized how "structural asymmetry" can be accurately modeled in the model, and learned how to connect the graph theory concept with the neural network design from practice.

This is not so much a recommendation task as an attempt to translate "academic citation semantics" into "learnable representations." Being able to build a structure from scratch that competes with the SOTA model, while keeping the design concise and interpretive, gives me a better understanding of what effective modeling and structural induction are. This design concept, which starts from the semantic level and is not kidnapped by feature engineering, also provides a valuable thinking basis for the future in-depth AI field.

7 CONCLUSION

In this section, we will summarize the actual contribution of the model we proposed and explore the limitations and the potential further work based on the current model.

7.1 Novel Contributions

CitationNN has demonstrated a full range of performance advantages in academic paper recommendation tasks, achieving stable and significant performance improvements on multiple metrics and datasets compared to existing mainstream models, including matrix decomposition, graph neural networks, and knowledge enhancement methods. By introducing the modeling strategy of bidirectional heterogeneous edges and double convolution kernel, CitationNN can capture both "cite" and "be cited" information transmission semantics, thereby building a more complete and directional sensing paper representation, which makes up for the shortcomings of the traditional GNN model in understanding citation semantics.

It can be observed from the experimental results that our model shows clear advantages in all kinds of evaluation indicators, and its performance is steadily higher than that of the existing representative models. This difference in performance reflects that the model's ability to extract structural semantics in academic recommendation scenarios no longer relies on a single interactive perspective, but can simultaneously perceive the potential contribution relationship in multiple information sources.

The proposed method has better semantic resolution and adaptability to structural variation. Especially in the scenario where the relationship between the user and the paper is sparse and it is difficult to make effective judgment purely based on interaction, the advantages of the model show that it can effectively supplement the shortcomings of traditional collaborative signals and broaden the sources of recommendation basis. Comparing the bias of different types of models in various indicators, CitationNN maintains stable advantages in multiple indicators at the same time, which further indicates that the constructed representation can strike a balance under multi-dimensional requirements, avoid the problem of overfitting for a single task, and improve the reliability and versatility of the recommendation system in practical applications.

The modeling core that CitationNN relies on, semantic deconstruction of asymmetric interaction through bidirectional heterogeneous edges, is portable across scenes. On the premise of independent node type change, we can adapt to other graph network scenarios with structural directionality or semantic asymmetry only by the edge direction and semantic distinction. In essence, this design abstracts the representation offset of the two behavioral roles of "active initiation" and "passive reception", and allows the offset to be independently modeled by the differential graph convolution kernel in the training process, so it has the basis for semantic generalization.

Take the subscription relationship in social networks as an example, the "follow" behavior among users is typically unidirectional. The initiator usually selects the subscribed object

based on interest, while the recipient's behavior has nothing to do with the relationship. The traditional approach to this kind of network often uses undirected edge modeling, which makes the recommendation task unable to distinguish the semantic roles of the two types of nodes: "paid a lot of attention" and "paid a lot of attention to others". In this scenario, the proposed method can naturally model "follow" as a side pair with clear direction and semantic independence, and learn the behavior-driven differential representation of the two types of nodes through a bilateral structure similar to "cite/be cited" and an independent aggregation process, so as to effectively capture the propagation direction and semantic distribution of social influence.

In neurobiological networks, synaptic connections between cells constitute a typical structure of directed interaction. There are physical and semantic asymmetries between the sending and receiving of neuronal signals, such as presynaptic cells producing neurotransmitters and postsynaptic cells responding to them. This unidirectional flow of information is highly corresponding to "active citation" and "passive citation" in academic citation relationships, and the representation shift caused by the different functional roles of upstream and downstream nodes. The proposed model can model the synaptic connection as a semantically explicit bidirectional isomeric edge, and use the dynamic direction selection mechanism to learn the upstream and downstream representation evolution mechanism of neurons according to the neural activity map, so as to have the ability to model the neural regulatory transmission mechanism.

It is precisely because the model takes semantic directionality as an explicit structural component of the edge level, and allows edge pairs to be separated in the parameter space for modeling, that it can generalize across application fields to any interactive network with recognizable directional semantic structure without changing the node type or the overall topology. This modeling strategy for asymmetric behavior semantics not only improves the judgment ability in recommendation tasks, but also provides a general solution for information transfer modeling in structural behavior networks.

7.2   Limitations and Future Work

Although the current CitationNN model has been able to effectively model asymmetric relationships in citation networks and achieve good recommendation results, it still has certain limitations in capturing the dynamics of influence propagation and supporting large-scale data scenarios in actual academic networks. On the one hand, the existing models rely on explicit reference data for edge construction and information aggregation, and it is difficult to deal with important relationship omissions caused by incomplete references, missing data or semantic dislocation. In addition, there is not always a consistent relationship between the direction of influence concentration and the direction of actual citations. Especially in the case that high-quality literature citation strategies are relatively conservative and low-quality literature citation randomness is relatively large, the side weights and directions established

by CitationNN cannot accurately correspond to the actual flow mode of influence in the real context. This will limit the model's ability to find potentially high-value nodes. On the other hand, the reference network itself is highly dense in scale and has a huge number of nodes. In practical applications, the memory of a single CUDA device often fails to accommodate the complete graph structure, which makes it difficult to directly extend the model to the full-graph recommendation task in industrial academic platforms or social networks.

In order to further improve the semantic integrity and computational scalability of the model, it can be extended from three aspects in the future. First of all, aiming at the problem of incomplete reference side information and missing key references, semantic modeling of paper title and abstract can be carried out in combination with large language model (LLM) to predict potential hidden reference relationships, so as to assist GraphLearner model to complete the missing neighbor nodes and information path, and improve the semantic expression integrity of graph structure. Secondly, the GraphSAGE[Hamilton et al. 2017] technology can be used to replace the original heterograph convolution mechanism, reduce the interference of non-critical nodes on representation learning through neighbor subsampling and aggregation operations, and control the computing load of the model, and retain the neighbor information with high semantic relevance to focus on effective propagation channels. On this basis, combined with the federated learning framework, the whole reference network is segmented into parallel subgraphs to achieve efficient training across multiple CUDA devices, so as to ensure the deployability of the model in large-scale scenarios. Such designs will enable our models to support input sizes comparable to large-scale language models, with the same level of semantic modeling power and practical application potential.

REFERENCES

Joan Bruna, Wojciech Zaremba, Arthur Szlam, and Yann LeCun. 2013. Spectral networks and locally connected networks on graphs. arXiv preprint arXiv:1312.6203 (2013).

Desheng Cai, Shengsheng Qian, Quan Fang, Jun Hu, and Changsheng Xu. 2023. User cold-start recommendation via inductive heterogeneous graph neural network. ACM Transactions on Information Systems 41, 3 (2023), 1–27.

Catherine Chavula, Yujin Choi, and Soo Young Rieh. 2023. SearchIdea: An idea generation tool to support creativity in academic search. In Proceedings of the 2023 Conference on Human Information Interaction and Retrieval. 161–171.

Michaël Defferrard, Xavier Bresson, and Pierre Vandergheynst. 2016. Convolutional neural networks on graphs with fast localized spectral filtering. Advances in neural information processing systems 29 (2016).

David Goldberg, David Nichols, Brian M Oki, and Douglas Terry. 1992. Using collaborative filtering to weave an information tapestry. Commun. ACM 35, 12 (1992), 61–70.

Marco Gori, Gabriele Monfardini, and Franco Scarselli. 2005. A new model for learning in graph domains. In Proceedings. 2005 IEEE international joint conference on neural networks, 2005., Vol. 2. IEEE, 729–734.

Guibing Guo, Bowei Chen, Xiaoyan Zhang, Zhirong Liu, Zhenhua Dong, and Xiuqiang He. 2020. Leveraging title-abstract attentive semantics for paper recommendation. In Proceedings of the AAAI conference on artificial intelligence, Vol. 34. 67–74.

Will Hamilton, Zhitao Ying, and Jure Leskovec. 2017. Inductive representation learning on large graphs. Advances in neural information processing systems 30 (2017).

Jinkun Han, Wei Li, Zhipeng Cai, and Yingshu Li. 2022. Multi-aggregator time-warping heterogeneous graph neural network for personalized micro-video recommendation. In Proceedings of the 31st ACM International Conference on Information & Knowledge Management. 676–685.

Xiangnan He, Kuan Deng, Xiang Wang, Yan Li, Yongdong Zhang, and Meng Wang. 2020. Lightgcn: Simplifying and powering graph convolution network for recommendation. In Proceedings of the 43rd International ACM SIGIR conference on research and development in Information Retrieval. 639–648.

Xiangnan He, Lizi Liao, Hanwang Zhang, Liqiang Nie, Xia Hu, and Tat-Seng Chua. 2017. Neural collaborative filtering. In Proceedings of the 26th international conference on world wide web. 173–182.

Zepeng Huai, Zhe Wang, Yifan Zhu, and Peng Zhang. 2022. AMinerGNN: Heterogeneous Graph Neural Network for Paper Click-through Rate Prediction with Fusion Query. In Proceedings of the 31st ACM International Conference on Information & Knowledge Management. 4039–4043.

Hao Jiang, Chuanzhen Li, Juanjuan Cai, and Jingling Wang. 2023. RCENR: A Reinforced and Contrastive Heterogeneous Network Reasoning Model for Explainable News Recommendation. In Proceedings of the 46th International ACM SIGIR Conference on Research and Development in Information Retrieval. 1710–1720.

Thomas N Kipf and Max Welling. 2016. Semi-supervised classification with graph convolutional networks. arXiv preprint arXiv:1609.02907 (2016).

Honglak Lee, Roger Grosse, Rajesh Ranganath, and Andrew Y Ng. 2009. Convolutional deep belief networks for scalable unsupervised learning of hierarchical representations. In Proceedings of the 26th annual international conference on machine learning. 609–616.

Xinyi Li, Yifan Chen, Benjamin Pettit, and Maarten De Rijke. 2019. Personalised reranking of paper recommendations using paper content and user behavior. ACM Transactions on Information Systems (TOIS) 37, 3 (2019), 1–23.

Zihan Lin, Changxin Tian, Yupeng Hou, and Wayne Xin Zhao. 2022. Improving graph collaborative filtering with neighborhood-enriched contrastive learning. In Proceedings of the ACM web conference 2022. 2320–2329.

Jiaying Liu, Feng Xia, Lei Wang, Bo Xu, Xiangjie Kong, Hanghang Tong, and Irwin King. 2019. Shifu2: A network representation learning based model for advisor-advisee relationship mining. IEEE Transactions on

Knowledge and Data Engineering 33, 4 (2019), 1763–1777.

Qingsong Lv, Ming Ding, Qiang Liu, Yuxiang Chen, Wenzheng Feng, Siming He, Chang Zhou, Jianguo Jiang, Yuxiao Dong, and Jie Tang. 2021. Are we really making much progress? revisiting, benchmarking and refining heterogeneous graph neural networks. In Proceedings of the 27th ACM SIGKDD conference on knowledge discovery & data mining. 1150–1160.

Yi Ma, Jianye Hao, Yaodong Yang, Han Li, Junqi Jin, and Guangyong Chen. 2019. Spectral-based graph convolutional network for directed graphs. arXiv preprint arXiv:1907.08990 (2019).

Kelong Mao, Jieming Zhu, Xi Xiao, Biao Lu, Zhaowei Wang, and Xiuqiang He. 2021. UltraGCN: ultra simplification of graph convolutional networks for recommendation. In Proceedings of the 30th ACM international conference on information & knowledge management. 1253–1262.

Volodymyr Mnih, Koray Kavukcuoglu, David Silver, Andrei A Rusu, Joel Veness, Marc G Bellemare, Alex Graves, Martin Riedmiller, Andreas K Fidjeland, Georg Ostrovski, et al. 2015. Human-level control through deep reinforcement learning. nature 518, 7540 (2015), 529–533.

Steffen Rendle, Christoph Freudenthaler, Zeno Gantner, and Lars Schmidt-Thieme. 2012. BPR: Bayesian personalized ranking from implicit feedback. arXiv preprint arXiv:1205.2618 (2012).

Franco Scarselli, Marco Gori, Ah Chung Tsoi, Markus Hagenbuchner, and Gabriele Monfardini. 2008. The graph neural network model. IEEE transactions on neural networks 20, 1 (2008), 61–80.

Yizhou Sun, Jiawei Han, Xifeng Yan, Philip S Yu, and Tianyi Wu. 2011a. Pathsim: Meta path-based top-k similarity search in heterogeneous information networks. Proceedings of the VLDB Endowment 4, 11 (2011), 992–1003.

Yizhou Sun, Jiawei Han, Xifeng Yan, Philip S Yu, and Tianyi Wu. 2011b. Pathsim: Meta path-based top-k similarity search in heterogeneous information networks. Proceedings of the VLDB Endowment 4, 11 (2011), 992–1003.

Zekun Tong, Yuxuan Liang, Changsheng Sun, David S Rosenblum, and Andrew Lim. 2020a. Directed graph convolutional network. arXiv preprint arXiv:2004.13970 (2020).

Zekun Tong, Yuxuan Liang, Changsheng Sun, David S Rosenblum, and Andrew Lim. 2020b. Directed graph convolutional network. arXiv preprint arXiv:2004.13970 (2020).

A Vaswani. 2017. Attention is all you need. Advances in Neural Information Processing Systems (2017).

Petar Veličković, Guillem Cucurull, Arantxa Casanova, Adriana Romero, Pietro Lio, and Yoshua Bengio. 2017. Graph attention networks. arXiv preprint arXiv:1710.10903 (2017).

Hao Wang, Binyi Chen, and Wu-Jun Li. 2013. Collaborative topic regression with social regularization for tag recommendation.. In IJCAI, Vol. 13. 2719–2725.

Hongwei Wang, Miao Zhao, Xing Xie, Wenjie Li, and Minyi Guo. 2019d. Knowledge graph convolutional networks for recommender systems. In The world wide web conference. 3307–3313.

Xiang Wang, Xiangnan He, Yixin Cao, Meng Liu, and Tat-Seng Chua. 2019a. Kgat: Knowledge graph attention network for recommendation. In Proceedings of the 25th ACM SIGKDD international conference on knowledge discovery & data mining. 950–958.

Xiang Wang, Xiangnan He, Meng Wang, Fuli Feng, and Tat-Seng Chua. 2019b. Neural graph collaborative filtering. In Proceedings of the 42nd international ACM SIGIR conference on Research and development in Information Retrieval. 165–174.

Xiao Wang, Houye Ji, Chuan Shi, Bai Wang, Yanfang Ye, Peng Cui, and Philip S Yu. 2019c. Heterogeneous graph attention network. In The world wide web conference. 2022–2032.

Lianghao Xia, Chao Huang, Yong Xu, Jiashu Zhao, Dawei Yin, and Jimmy Huang. 2022. Hypergraph contrastive collaborative filtering. In Proceedings of the 45th International ACM SIGIR conference on research and development in information retrieval. 70–79.

ZHAO Xiangyu, Fake Lin, Ziwei Zhao, Zikai Yin, Xueying Li, Enhong Chen, Xi Zhu, and Tong Xu. 2024. Multi-Behavior Recommendation with Personalized Directed Acyclic Behavior Graphs. ACM Transactions on Information Systems (2024).

Yi Xie, Wen Li, Yuqing Sun, Elisa Bertino, and Bin Gong. 2022. Subspace embedding based new paper recommendation. In 2022 IEEE 38th International Conference on Data Engineering (ICDE). IEEE, 1767–1780.

Chuxu Zhang, Dongjin Song, Chao Huang, Ananthram Swami, and Nitesh V Chawla. 2019. Heterogeneous graph neural network. In Proceedings of the 25th ACM SIGKDD international conference on knowledge discovery & data mining. 793–803.

Dan Zhang, Shaojie Zheng, Yifan Zhu, Huihui Yuan, Jibing Gong, and Jie Tang. 2024b. MCAP: Low-Pass GNNs with Matrix Completion for Academic Recommendations. ACM Transactions on Information Systems (2024).

Dan Zhang, Shaojie Zheng, Yifan Zhu, Huihui Yuan, Jibing Gong, and Jie Tang. 2025. MCAP: Low-Pass GNNs with Matrix Completion for Academic Recommendations. ACM Transactions on Information Systems 43, 2 (2025), 1–29.

Dan Zhang, Yifan Zhu, Yuxiao Dong, Yuandong Wang, Wenzheng Feng, Evgeny Kharlamov, and Jie Tang. 2023. ApeGNN: Node-wise adaptive aggregation in GNNs for recommendation. In Proceedings of the ACM Web Conference 2023. 759–769.

Fanjin Zhang, Shijie Shi, Yifan Zhu, Bo Chen, Yukuo Cen, Jifan Yu, Yelin Chen, Lulu Wang, Qingfei Zhao, Yuqing Cheng, et al. 2024a. Oag-bench: a human-curated benchmark for academic graph mining. In Proceedings of the 30th ACM SIGKDD Conference on Knowledge Discovery and Data Mining. 6214–6225.