






pgAdmin 4
e Object Tools Edit View Window Help
lorer
Servers (1)
postgres/postgres@PostgreSQL 18*
postgres/postgres@PostgreSQL 18
No limit
Query
Query History
1
CREATE INDEX idx_flight ON flights(act_departure_time);
Data Output
Messages
Notifications
CREATE INDEX
Query returned successfully in 144 msec.



pgAdmin 4
File Object Tools Edit View Window Help
lorer
Servers (1)
postgres/postgres@PostgreSQL 18*
postgres/postgres@PostgreSQL 18
No limit
Query
Query History
1
CREATE UNIQUE INDEX uni ON flights(flight_id,sch_departure_time);
Data Output
Messages
Notifications
ERROR: отношение "uni" уже существует
ОШИБКА: отношение "uni" уже существует
SQL state: 42P07



pgAdmin 4
File Object Tools Edit View Window Help
Servers (1)
postgres/postgres@PostgreSQL 18*
postgres/postgres@PostgreSQL 18
No limit
Query Query History
1 CREATE INDEX idx_comp ON flights(departing_airport_id,arriving_airport_id);
Data Output Messages Notifications
CREATE INDEX
Query returned successfully in 106 msec.



pgAdmin 4
File Object Tools Edit View Window Help
Servers
postgres/postgres@PostgreSQL 18*
postgres/postgres@PostgreSQL 18
No limit
Query Query History
1 EXPLAIN ANALYZE
2 SELECT * FROM flights
3 WHERE act_departure_time >= '2023-01-01 00:00:00';
Data Output Messages Notifications
SQL
Showing rows: 1 to 7 Page No: 1 of 1
QUERY PLAN
text
1 Seq Scan on flights (cost=0.00..1.06 rows=2 width=300) (actual time=0.077..0.080 rows=5.00 loop...
2 Filter: (act_departure_time >= '2023-01-01 00:00:00'::timestamp without time zone)
3 Buffers: shared hit=1
4 Planning:
5 Buffers: shared hit=92 read=4 dirtied=2
6 Planning Time: 12.285 ms
7 Execution Time: 0.163 ms



pgAdmin 4
File Object Tools Edit View Window Help
Servers
postgres/postgres@PostgreSQL 18*
postgres/postgres@PostgreSQL 18
No limit
Query Query History
1 CREATE INDEX idx_flights_actual_departure
2 ON flights (act_departure_time);
Data Output Messages Notifications
CREATE INDEX
Query returned successfully in 279 msec.



pgAdmin 4
File Object Tools Edit View Window Help
Servers
postgres/postgres@PostgreSQL 18*
postgres/postgres@PostgreSQL 18
No limit
Query Query History
1 EXPLAIN ANALYZE
2 SELECT * FROM flights
3 WHERE act_departure_time >= '2023-01-01 00:00:00';
Data Output Messages Notifications
SQL
Showing rows: 1 to 7
Page No: 1 of 1
QUERY PLAN
text
1 Seq Scan on flights (cost=0.00..1.06 rows=2 width=300) (actual time=0.066..0.068 rows=5.00 loop...
2 Filter: (act_departure_time >= '2023-01-01 00:00:00'::timestamp without time zone)
3 Buffers: shared hit=1
4 Planning:
5 Buffers: shared hit=16 read=1
6 Planning Time: 0.999 ms
7 Execution Time: 0.097 ms



pgAdmin 4
File Object Tools Edit View Window Help
Servers
postgres/postgres@PostgreSQL 18*
postgres/postgres@PostgreSQL 18
No limit
Execute script
F5
Query Query History
1 EXPLAIN ANALYZE
2 SELECT * FROM flights
3 WHERE departing_airport_id = 1 AND arriving_airport_id = 2;
Data Output Messages Notifications
SQL
Showing rows: 1 to 6
Page No: 1 of 1
QUERY PLAN
text
1 Seq Scan on flights (cost=0.00..1.07 rows=1 width=300) (actual time=0.284..0.288 rows=1.00 loop...
2 Filter: ((departing_airport_id = 1) AND (arriving_airport_id = 2))
3 Rows Removed by Filter: 4
4 Buffers: shared hit=1
5 Planning Time: 2.222 ms
6 Execution Time: 0.423 ms



pgAdmin 4
File Object Tools Edit View Window Help
Servers
postgres/postgres@PostgreSQL 18*
postgres/postgres@PostgreSQL 18
No limit
Execute script
F5
Query Query History
1 CREATE UNIQUE INDEX idx_pass ON Pas sport_number)
Data Output Messages Notifications
CREATE INDEX
Query returned successfully in 196 msec.



pgAdmin 4
File Object Tools Edit View Window Help
Servers
postgres/postgres@PostgreSQL 18*
postgres/postgres@PostgreSQL 18
No limit
Query Query History
SELECT indexname, indexdef
FROM pg_indexes
WHERE tablename = 'passengers';
Data Output Messages Notifications
Showing rows: 1 to 2
Page No: 1 of 1
indexname name
indexdef text
1 passengers_pk... CREATE UNIQUE INDEX passengers_pkey ON public.passengers USING btree (passenge...
2 idx_pass CREATE UNIQUE INDEX idx_pass ON public.passengers USING btree (passport_number)



pgAdmin 4
File Object Tools Edit View Window Help
Servers
postgres/postgres@PostgreSQL 18*
postgres/postgres@PostgreSQL 18
No limit
Query Query History
INSERT INTO Passengers (
passenger_id,
first_name,
last_name,
date_of_birth,
gender,
country_of_citizenship,
country_of_residence,
passport_number,
created_at,
updated_at
)
VALUES (
6,
Data Output Messages Notifications
INSERT 0 1
Query returned successfully in 116 msec.



pgAdmin 4
File Object Tools Edit View Window Help
Servers
postgres/postgres@PostgreSQL 18*
postgres/postgres@PostgreSQL 18
No limit
Query Query History
updated_at
)
VALUES (
7,
'Петр',
'Петров',
'1985-10-20',
'Male',
'Russia',
'Russia',
'AB1234567', -- Тот же номер паспорта! Вызовет ошибку
CURRENT_TIMESTAMP,
CURRENT_TIMESTAMP
);
Data Output Messages Notifications
ERROR: повторяющееся значение ключа нарушает ограничение уникальности "idx_pass"
Ключ "(passport_number)=(AB1234567)" уже существует.
ОШИБКА: повторяющееся значение ключа нарушает ограничение уникальности "idx_pass"
SQL state: 23505
Detail: Ключ "(passport_number)=(AB1234567)" уже существует.



pgAdmin 4
File Object Tools Edit View Window Help
Servers
postgres/postgres@PostgreSQL 18*
postgres/postgres@PostgreSQL 18
No limit
Execute script
F5
Query Query History
CREATE INDEX idx_passengers_search
ON Passengers (first_name, last_name, date_of_birth, country_of_citizenship);
Data Output Messages Notifications
CREATE INDEX
Query returned successfully in 137 msec.



pgAdmin 4
File Object Tools Edit View Window Help
Servers
postgres/postgres@PostgreSQL 18*
postgres/postgres@PostgreSQL 18
No limit
Execute script
F5
Query Query History
1 EXPLAIN ANALYZE
2 SELECT * FROM Passengers
3 WHERE country_of_citizenship = 'Philippines'
4 AND date_of_birth >= '1984-01-01'
5 AND date_of_birth <= '1984-12-31';
Data Output Messages Notifications
SQL
Showing rows: 1 to 8
Page No: 1 of 1
QUERY PLAN
text
1 Seq Scan on passengers (cost=0.00..1.10 rows=1 width=672) (actual time=0.142..0.142 rows=0.00 loops=1)
2 Filter: ((date_of_birth >= '1984-01-01'::date) AND (date_of_birth <= '1984-12-31'::date) AND ((country_of_citizenship)::text = 'Philippines'::...
3 Rows Removed by Filter: 6
4 Buffers: shared hit=1
5 Planning:
6 Buffers: shared hit=31 read=1 dirtied=2
7 Planning Time: 3.440 ms
8 Execution Time: 0.288 ms



pgAdmin 4
File Object Tools Edit View Window Help
Servers
postgres/postgres@PostgreSQL 18*
postgres/postgres@PostgreSQL 18
No limit
Execute script
F5
Query Query History
1 SELECT indexname, indexdef
2 FROM pg_indexes
3 WHERE tablename = 'passengers';
Data Output Messages Notifications
SQL
Showing rows: 1 to 3
Page No: 1 of 1
indexname
name
indexdef
text
1 passengers_pkey CREATE UNIQUE INDEX passengers_pkey ON public.passengers USING btree (passenger_id)
2 idx_pass CREATE UNIQUE INDEX idx_pass ON public.passengers USING btree (passport_number)
3 idx_passengers_sear... CREATE INDEX idx_passengers_search ON public.passengers USING btree (first_name, last_name, date_of_birth, country_of_citize...



pgAdmin 4
File Object Tools Edit View Window Help
Servers
postgres/postgres@PostgreSQL 18*
postgres/postgres@PostgreSQL 18
No limit
Query Query History
1 DROP INDEX IF EXISTS idx_pass;
2 DROP INDEX IF EXISTS idx_passengers_search;
Data Output Messages Notifications
ЗАМЕЧАНИЕ: индекс "idx_passengers_search" не существует, пропускается
DROP INDEX
Query returned successfully in 110 msec.



pgAdmin 4
File Object Tools Edit View Window Help
Servers
postgres/postgres@PostgreSQL 18*
postgres/postgres@PostgreSQL 18
No limit
Query Query History
1 EXPLAIN ANALYZE
2 SELECT * FROM booking
3 WHERE passenger_id = 4;
Data Output Messages Notifications
Showing rows: 1 to 8
Page No: 1 of 1
QUERY PLAN text
1 Seq Scan on booking (cost=0.00..13.25 rows=1 width=282) (actual time=0.086..0.087 rows=1 loop...
2 Filter: (passenger_id = 4)
3 Rows Removed by Filter: 5
4 Buffers: shared hit=1
5 Planning:
6 Buffers: shared hit=34
7 Planning Time: 36.328 ms
8 Execution Time: 0.211 ms



pgAdmin 4
File Object Tools Edit View Window Help
Object Explorer
Servers
postgres/postgres@PostgreSQL 18*
postgres/postgres@PostgreSQL 18
No limit
Query Query History
1 CREATE INDEX idx_booking
2 ON booking (passenger_id);
Data Output Messages Notifications
CREATE INDEX
Query returned successfully in 132 msec.



pgAdmin 4
File Object Tools Edit View Window Help
Object Explorer
Servers
postgres/postgres@PostgreSQL 18*
postgres/postgres@PostgreSQL 18
No limit
Query Query History
1 EXPLAIN ANALYZE
2 SELECT * FROM booking
3 WHERE passenger_id = 4;
4
Data Output Messages Notifications
SQL
Showing rows: 1 to 8
Page No: 1 of 1
QUERY PLAN
text
1 Seq Scan on booking (cost=0.00..1.07 rows=1 width=282) (actual time=0.107..0.109 rows=1 loop...
2 Filter: (passenger_id = 4)
3 Rows Removed by Filter: 5
4 Buffers: shared hit=1
5 Planning:
6 Buffers: shared hit=16 read=1 dirtied=2
7 Planning Time: 1.424 ms
8 Execution Time: 0.195 ms



pgAdmin 4
File Object Tools Edit View Window Help
Object Explorer
Servers
postgres/postgres@PostgreSQL 18*
postgres/postgres@PostgreSQL 18
No limit
Query Query History
Execute script
F5
CREATE INDEX idx_booking_flight_com
ON booking_flight (booking_id, flight_id);
Data Output Messages Notifications
CREATE INDEX
Query returned successfully in 152 msec.
Total rows: Query complete 00:00:00.152
Query returned successfully in 152 msec.
CRLF Ln 1, Col 37
ENG
10:07
10.11.2026



pgAdmin 4
File Object Tools Edit View Window Help
Object Explorer
Servers
postgres/postgres@PostgreSQL 18*
postgres/postgres@PostgreSQL 18
No limit
Query Query History
EXPLAIN ANALYZE
SELECT f.flight_id, b.price
FROM booking b
JOIN booking_flight bf USING(booking_id)
JOIN flights f ON bf.flight_id = f.flight_id
WHERE b.price > 9000;
Data Output Messages Notifications
SQL
Showing rows: 1 to 24
Page No: 1
of 1
QUERY PLAN
text
1 Hash Join (cost=2.20..3.29 rows=2 width=18) (actual time=0.941..0.952 rows=0.00 loops=1)
2 Hash Cond: (f.flight_id = bf.flight_id)
3 Buffers: shared hit=3
4 -> Seq Scan on flights f (cost=0.00..1.05 rows=5 width=4) (actual time=0.058..0.058 rows=1.00 loops=1)
5 Buffers: shared hit=1
6 -> Hash (cost=2.17..2.17 rows=2 width=18) (actual time=0.725..0.735 rows=0.00 loops=1)
7 Buckets: 1024 Batches: 1 Memory Usage: 8kB
8 Buffers: shared hit=2
9 -> Hash Join (cost=1.10..2.17 rows=2 width=18) (actual time=0.724..0.735 rows=0.00 loops=1)
10 Hash Cond: (bf.booking_id = b.booking_id)
11 Buffers: shared hit=2
12 -> Seq Scan on booking_flight bf (cost=0.00..1.05 rows=5 width=8) (actual time=0.033..0.033 rows=1.00 loo...



pgAdmin 4
File Object Tools Edit View Window Help
Object Explorer
Servers
postgres/postgres@PostgreSQL 18*
postgres/postgres@PostgreSQL 18
No limit
Query Query History
1 CREATE INDEX idx_booking_status
2 ON booking (status);
Data Output Messages Notifications
CREATE INDEX
Query returned successfully in 170 msec.



pgAdmin 4
File Object Tools Edit View Window Help
Object Explorer
Servers
postgres/postgres@PostgreSQL 18*
postgres/postgres@PostgreSQL 18
No limit
Execute script
F5
Query Query History
1 EXPLAIN ANALYZE
2 SELECT * FROM booking
3 WHERE status = 'Departed';
Data Output Messages Notifications
Showing rows: 1 to 8
Page No: 1
of 1
QUERY PLAN
text
1 Seq Scan on booking (cost=0.00..1.07 rows=1 width=282) (actual time=0.050..0.050 rows=0 loop...
2 Filter: ((status)::text = 'Departed'::text)
3 Rows Removed by Filter: 6
4 Buffers: shared hit=1
5 Planning:
6 Buffers: shared hit=16 read=1
7 Planning Time: 1.392 ms
8 Execution Time: 0.122 ms



pgAdmin 4
File Object Tools Edit View Window Help
Object Explorer
Servers
postgres/postgres@PostgreSQL 18*
postgres/postgres@PostgreSQL 18
No limit
Query Query History
1 EXPLAIN ANALYZE
2 SELECT * FROM booking
3 WHERE status = 'Boarding';
Data Output Messages Notifications
Showing rows: 1 to 6
Page No: 1 of 1
QUERY PLAN
text
1 Seq Scan on booking (cost=0.00..1.07 rows=1 width=282) (actual time=0.126..0.127 rows=0.00 loop...
2 Filter: ((status)::text = 'Boarding'::text)
3 Rows Removed by Filter: 6
4 Buffers: shared hit=1
5 Planning Time: 0.188 ms
6 Execution Time: 0.155 ms
Total rows: 6
Query complete 00:00:00.203
CRLF
Ln 2, Col 22
ENG
10:19
10.11.2026



pgAdmin 4
File Object Tools Edit View Window Help
Object Explorer
Servers
postgres/postgres@PostgreSQL 18*
postgres/postgres@PostgreSQL 18
No limit
Execute script
F5
Query Query History
1 CREATE INDEX idx_baggage_weight
2 ON baggage (weight_in_kg);
Data Output Messages Notifications
CREATE INDEX
Query returned successfully in 153 msec.
Query returned successfully in 153 msec.
Total rows:
Query complete 00:00:00.153
CRLF
Ln 2, Col
ENG



pgAdmin 4
File Object Tools Edit View Window Help
Object Explorer
Servers
postgres/postgres@PostgreSQL 18*
postgres/postgres@PostgreSQL 18
No limit
Execute script
F5
Query Query History
1 EXPLAIN ANALYZE
2 SELECT * FROM baggage
3 WHERE weight_in_kg > 49;
Data Output Messages Notifications
SQL
Showing rows: 1 to 8
Page No: 1 of 1
QUERY PLAN
text
1 Seq Scan on baggage (cost=0.00..1.06 rows=2 width=36) (actual time=0.104..0.105 rows=0.00 loop...
2 Filter: (weight_in_kg > '49'::numeric)
3 Rows Removed by Filter: 5
4 Buffers: shared hit=1
5 Planning:
6 Buffers: shared hit=31 read=1
7 Planning Time: 2.987 ms
8 Execution Time: 0.203 ms



pgAdmin 4
File Object Tools Edit View Window Help
Object Explorer
Servers
postgres/postgres@PostgreSQL 18*
postgres/postgres@PostgreSQL 18
No limit
Execute script
F5
Query Query History
1 EXPLAIN ANALYZE
2 SELECT * FROM baggage
3 WHERE weight_in_kg > 5;
Data Output Messages Notifications
SQL
Showing rows: 1 to 5
Page No: 1 of 1
QUERY PLAN
text
1 Seq Scan on baggage (cost=0.00..1.06 rows=2 width=36) (actual time=0.083..0.088 rows=5.00 loop...
2 Filter: (weight_in_kg > '5'::numeric)
3 Buffers: shared hit=1
4 Planning Time: 0.373 ms
5 Execution Time: 0.132 ms
Successfully run. Total query runtime: 369 msec. 5 rows affected.
Total rows: 5
Query complete 00:00:00.369
CRLF
Ln 3, Col 24



pgAdmin 4
File Object Tools Edit View Window Help
Object Explorer
Servers
postgres/postgres@PostgreSQL 18*
postgres/postgres@PostgreSQL 18
No limit
Query Query History
1 EXPLAIN ANALYZE
2 SELECT * FROM airport
3 WHERE airport_name LIKE 'A%';
Data Output Messages Notifications
Showing rows: 1 to 8
Page No: 1 of 1
QUERY PLAN
text
1 Seq Scan on airport (cost=0.00..1.06 rows=1 width=492) (actual time=0.256..0.260 rows=1.00 loop...
2 Filter: ((airport_name)::text ~~ 'A%'::text)
3 Rows Removed by Filter: 4
4 Buffers: shared hit=1
5 Planning:
6 Buffers: shared hit=60 read=5
7 Planning Time: 9.523 ms
8 Execution Time: 0.309 ms
Total rows: 8
Query complete 00:00:00.192
CRLF
Ln 3, Col 30
ENG
10:23
10.11.2026



pgAdmin 4
File Object Tools Edit View Window Help
Object Explorer
Servers
postgres/postgres@PostgreSQL 18*
postgres/postgres@PostgreSQL 18
No limit
Execute script
F5
Query Query History
1 EXPLAIN ANALYZE
2 SELECT * FROM airport
3 WHERE airport_name LIKE '%Airport';
Data Output Messages Notifications
Showing rows: 1 to 5
Page No: 1 of 1
QUERY PLAN
text
1 Seq Scan on airport (cost=0.00..1.06 rows=1 width=492) (actual time=0.044..0.047 rows=5.00 loop...
2 Filter: ((airport_name)::text ~~ '%Airport'::text)
3 Buffers: shared hit=1
4 Planning Time: 0.216 ms
5 Execution Time: 0.104 ms



pgAdmin 4
File Object Tools Edit View Window Help
Object Explorer
Servers
postgres/postgres@PostgreSQL 18*
postgres/postgres@PostgreSQL 18
No limit
Query Query History
Execute script
F5
1 CREATE INDEX idx_airport_country_ci
2 ON airport (country, city);
Data Output Messages Notifications
CREATE INDEX
Query returned successfully in 225 msec.



pgAdmin 4
File Object Tools Edit View Window Help
Object Explorer
Servers
postgres/postgres@PostgreSQL 18*
postgres/postgres@PostgreSQL 18
No limit
Query Query History
Execute script
F5
1 EXPLAIN ANALYZE
2 SELECT * FROM airport
3 WHERE country = 'France';
Data Output Messages Notifications
SQL
Showing rows: 1 to 8
Page No: 1 of 1
QUERY PLAN
text
1 Seq Scan on airport (cost=0.00..1.06 rows=1 width=492) (actual time=0.028..0.028 rows=0.00 loop...
2 Filter: ((country)::text = 'France'::text)
3 Rows Removed by Filter: 5
4 Buffers: shared hit=1
5 Planning:
6 Buffers: shared hit=20 read=1 dirtied=2
7 Planning Time: 3.885 ms
8 Execution Time: 0.050 ms
Successfully run. Total query runtime: 129 msec. 8 rows affected.
Total rows: 8
Query complete 00:00:00.129
CRLF
Ln 3, Col 26



pgAdmin 4
File Object Tools Edit View Window Help
Object Explorer
Servers
postgres/postgres@PostgreSQL 18*
postgres/postgres@PostgreSQL 18
No limit
Execute script
F5
Query Query History
1 EXPLAIN ANALYZE
2 SELECT * FROM airport
3 WHERE city = 'Paris';
Data Output Messages Notifications
SQL
Showing rows: 1 to 6
Page No: 1 of 1
QUERY PLAN
text
1 Seq Scan on airport (cost=0.00..1.06 rows=1 width=492) (actual time=0.047..0.047 rows=0.00 loop...
2 Filter: ((city)::text = 'Paris'::text)
3 Rows Removed by Filter: 5
4 Buffers: shared hit=1
5 Planning Time: 0.221 ms
6 Execution Time: 0.096 ms
Successfully run. Total query runtime: 319 msec. 6 rows
Total rows: 6
Query complete 00:00:00.319
CRLF



pgAdmin 4
File Object Tools Edit View Window Help
Object Explorer
Servers
postgres/postgres@PostgreSQL 18*
postgres/postgres@PostgreSQL 18
No limit
Execute script
F5
Query Query History
1 EXPLAIN ANALYZE
2 SELECT * FROM airport
3 WHERE country = 'France'
4 AND city = 'Paris';
Data Output Messages Notifications
SQL
Showing rows: 1 to 6
Page No: 1 of 1
QUERY PLAN
text
1 Seq Scan on airport (cost=0.00..1.07 rows=1 width=492) (actual time=0.073..0.073 rows=0.00 loop...
2 Filter: (((country)::text = 'France'::text) AND ((city)::text = 'Paris'::text))
3 Rows Removed by Filter: 5
4 Buffers: shared hit=1
5 Planning Time: 0.370 ms
6 Execution Time: 0.111 ms
Successfully run. Total query runtime: 261 msec. 6 rows affected.
Total rows: 6
Query complete 00:00:00.261
CRLF
Ln 4, Col 22



pgAdmin 4
File Object Tools Edit View Window Help
Object Explorer
Servers
postgres/postgres@PostgreSQL 18*
postgres/postgres@PostgreSQL 18
No limit
Query Query History
Execute script
F5
1 CREATE INDEX idx_passengers_lower_l
2 ON Passengers (LOWER(last_name));
Data Output Messages Notifications
CREATE INDEX
Query returned successfully in 190 msec.
Total rows: Query complete 00:00:00.190
Query returned successfully in 190 msec.
CRLF Ln 2, Col
ENG



pgAdmin 4
File Object Tools Edit View Window Help
Object Explorer
Servers
postgres/postgres@PostgreSQL 18*
postgres/postgres@PostgreSQL 18
No limit
Query Query History
1 EXPLAIN ANALYZE
2 SELECT * FROM Passengers
3 WHERE LOWER(last_name) = 'irnis';
Data Output Messages Notifications
SQL
Showing rows: 1 to 8
Page No: 1 of 1
QUERY PLAN
text
1 Seq Scan on passengers (cost=0.00..1.09 rows=1 width=672) (actual time=0.064..0.064 rows=0.00 loop...
2 Filter: (lower((last_name)::text) = 'irnis'::text)
3 Rows Removed by Filter: 6
4 Buffers: shared hit=1
5 Planning:
6 Buffers: shared hit=20 read=1
7 Planning Time: 1.722 ms
8 Execution Time: 0.168 ms


pgAdmin 4
File Object Tools Edit View Window Help
Object Explorer
Servers
postgres/postgres@PostgreSQL 18*
postgres/postgres@PostgreSQL 18
No limit
Execute script
F5
Query Query History
1 EXPLAIN ANALYZE
2 SELECT * FROM Passengers
3 WHERE last_name = 'Irnis';
Data Output Messages Notifications
SQL
Showing rows: 1 to 6
Page No: 1 of 1
QUERY PLAN
text
1 Seq Scan on passengers (cost=0.00..1.07 rows=1 width=672) (actual time=0.049..0.050 rows=0.00 loop...
2 Filter: ((last_name)::text = 'Irnis'::text)
3 Rows Removed by Filter: 6
4 Buffers: shared hit=1
5 Planning Time: 0.249 ms
6 Execution Time: 0.094 ms


pgAdmin 4
File Object Tools Edit View Window Help
Object Explorer
Servers
postgres/postgres@PostgreSQL 18*
postgres/postgres@PostgreSQL 18
No limit
Execute script
F5
Query Query History
1 CREATE INDEX idx_booking_passenger_
ing
2 ON booking (passenger_id)
3 INCLUDE (price);
Data Output Messages Notifications
CREATE INDEX
Query returned successfully in 171 msec.
Total rows:
Query complete 00:00:00.171
Query returned successfully in 171 msec.
CRLF
Ln 3, Col 17


pgAdmin 4
File Object Tools Edit View Window Help
Object Explorer
Servers
postgres/postgres@PostgreSQL 18*
postgres/postgres@PostgreSQL 18
No limit
Query Query History
Execute script
F5
1 EXPLAIN ANALYZE
2 SELECT price
3 FROM booking
4 WHERE passenger_id = 5;
Data Output Messages Notifications
SQL
Showing rows: 1 to 8
Page No: 1 of 1
QUERY PLAN
text
1 Seq Scan on booking (cost=0.00..1.07 rows=1 width=14) (actual time=0.060..0.063 rows=1 loop...
2 Filter: (passenger_id = 5)
3 Rows Removed by Filter: 5
4 Buffers: shared hit=1
5 Planning:
6 Buffers: shared hit=19 read=1
7 Planning Time: 1.778 ms
8 Execution Time: 0.124 ms


pgAdmin 4
Object Explorer
Servers
postgres/postgres@PostgreSQL 18*
postgres/postgres@PostgreSQL 18
No limit
Query Query History
1 CREATE UNIQUE INDEX idx_airline_code_unique
2 ON airline (airline_code);
Data Output Messages Notifications
CREATE INDEX
Query returned successfully in 136 msec.


pgAdmin 4
File Object Tools Edit View Window Help
Object Explorer
Servers
postgres/postgres@PostgreSQL 18*
postgres/postgres@PostgreSQL 18
No limit
Execute script
F5
Query Query History
1 SELECT airline_code, COUNT(*) AS du
2 FROM airline
3 GROUP BY airline_code
4 HAVING COUNT(*) > 1;
Data Output Messages Notifications
SQL
airline_code
character varying (30)
duplicate_count
bigint
Successfully run. Total query runtime: 173 msec. 0 ro
Total rows: 0
Query complete 00:00:00.173
15°
ENG