## 18: Assisted Lab: Using Reverse and Bind Shells
PenTest+ (Exam PT0-002)

7/7

Congratulations, you passed!

Duration: 4 minutes, 41 seconds

☑ Were the words 'Test' and 'Testing' echoed to the other virtual machine?   *Score: 1*

- ◉ <u>Yes</u>
- ◯ No

Correct

☑ On which virtual machine was the 'ls -l /' command executed?   *Score: 1*

- ◯ Kali
- ◉ <u>Metasploitable2</u>
- ◯ Both virtual machines
- ◯ Neither virtual machine

Correct

☑ What user are we operating as via this command injection reverse shell?   *Score: 1*

> www-data

Correct

☑ The nc program we have been using to set up bind and reverse shells is called?   *Score: 1*

- ◉ <u>netcat</u>
- ◯ ncat
- ◯ netconnect
- ◯ nconnect

Correct

☑ In a bind shell, the listener is set up on which computer?   *Score: 1*

- ◯ The attack computer
- ◉ <u>The target computer</u>

○ Both computers
○ Between both computers

Correct

☑ In a reverse shell, the listener is set up on which computer?   *Score: 1*

  ◉ <u>The attack computer</u>
  ○ The target computer
  ○ Both computers
  ○ Between both computers

Correct

☑ What character or characters are used to break a bind or reverse shell?   *Score: 1*

  ◉ <u>Ctrl+C</u>
  ○ Esc
  ○ Ctrl+B
  ○ Pause/Break
  ○ Ctrl+]

Correct