



Jaivir Baweja <jaivir.baweja@gmail.com>

04nmgmg5e.pdf for 2026 MAZDA CX-5 DIESEL 237 lb/ft of trq JM3KFBE28K0657295

1 message

Jaivir Baweja <jaivir.baweja@gmail.com>
To: menacac@ford.com

Fri, Aug 7, 2026 at 1:25 PM

Dearest Clayton, Morris (E),

Please see the copied and pasted attachments.

Sincerely,

Garry Greene

GENERAL OWNER'S INFORMATION

Vehicle Identification Number (VIN):

J	M	3	K	F	B	E	2	8	K	0	6	5	7	2	9	5
---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---

Owner Name: MORRIS, GARY GREENE E.

Address: 13952

OWNER CHECKS AND SERVICES

It is recommended that the following basic maintenance checks and inspections be performed at the designated time intervals. See owner's guide for more information.

General Owner's
Information

Check Every Month for All Vehicles:

- ☒ Check function of all interior and exterior lights.
- ☒ Check tires for wear and proper air pressure.
- ☒ Check air pressure in spare tire.
- ☒ Check engine oil fluid level.
- ☒ Check windshield washer solvent fluid level.

Check Every Six Months for All Vehicles:

- ☒ Check lap/shoulder belts and seat latches for wear and function.
- ☒ Check that externally mounted spare tire is tight (see Owner's Guide).
- ☒ Check power steering fluid level.
- ☒ Check washer spray, wiper operation, and clean all wiper blades (replace blades as necessary).
- ☒ Check parking brake for proper operation.
- ☒ Check and lubricate all hinges, latches, door check straps (see dealer) and outside locks.
- ☒ Check and lubricate upper and lower sliding door tracks, if equipped.
- ☒ Check and clean sliding door contact switches, if equipped.
- ☒ Check and lubricate door rubber weatherstrips.
- ☒ Check and clean body and door drain holes.
- ☒ Check safety warning lamps (brake, ABS, air bag, safety belt) for operation.
- ☒ Check cooling system fluid level and coolant strength.
- ☒ Check battery connections and clean if necessary.
- ☒ Check clutch fluid level, if equipped.

Check Every Six Months for All Vehicles:

- ☒ Check lap/shoulder belts and seat latches for wear and function.
- ☒ Check that externally mounted spare tire is tight (see Owner's Guide).
- ☒ Check power steering fluid level.
- ☒ Check washer spray, wiper operation, and clean all wiper blades (replace blades as necessary).
- ☒ Check parking brake for proper operation.
- ☒ Check and lubricate all hinges, latches, door check straps (see dealer) and outside locks.
- ☒ Check and lubricate upper and lower sliding door tracks, if equipped.
- ☒ Check and clean sliding door contact switches, if equipped.
- ☒ Check and lubricate door rubber weatherstrips.
- ☒ Check and clean body and door drain holes.
- ☒ Check safety warning lamps (brake, ABS, air bag, safety belt) for operation.
- ☒ Check cooling system fluid level and coolant strength.
- ☒ Check battery connections and clean if necessary.
- ☒ Check clutch fluid level, if equipped.

Check at 5,000 Miles:

- ☒ Adjust clutch by lifting pedal.
(manual transmission Mustang only — see Owner's Guide)

MULTI-POINT INSPECTION

In order to keep your vehicle running right, it is important that you have the systems on your vehicle checked regularly. This can help identify any potential issue before there are any problems. Ford Motor Company suggests the following multi-point inspection to be performed at every scheduled maintenance as the way to ensure your vehicle keeps running great.

MULTI-POINT INSPECTION - Recommended at every visit

- ☒ Check and top up fluid levels:
 - ☒ brake
 - ☒ coolant recovery reservoir
 - ☒ manual and automatic transmission
 - ☒ power steering
 - ☒ window washer
- ☒ Inspect tires for wear and check air pressure, including spare.
- ☒ Check exhaust system for leaks, damage, loose parts and foreign material.
- ☒ Check battery performance.
- ☒ Check operation of horn, exterior lamps, turn signals and hazard warning lights.
- ☒ Check radiator, coolers, heater and air conditioning hoses.
- ☒ Inspect windshield washer spray and wiper operation.
- ☒ Check windshield for crack, chips and pitting.
- ☒ Inspect for oil and fluid leaks.
- ☒ Inspect air cleaner filter.
- ☒ Inspect half shaft dust boots, if equipped.
- ☒ Check shocks and struts and other suspension components for leaks and damage.

Quality Care
Maintenance

NORMAL SCHEDULE TRUCKS, FULLSIZE VANS & SUVs

5,000 miles

- ☒ Change engine oil and replace oil filter.
- ☒ Inspect tires for wear and rotate.
- ☒ Multi-point inspection (recommended)

DEALER VALIDATION:

Jaiwir Baveja
signed - Aug 7, 2026

RO#: P&A CODE: P2037
DATE: MILEAGE:

10,000 miles

- ☒ Change engine oil and replace oil filter.
- ☒ Inspect tires for wear. Rotation recommended for optimal tire life.
- ☒ Multi-point inspection (recommended)

DEALER VALIDATION:

Jaiwir Baveja
signed - Aug 7, 2026

RO#: P&A CODE: P2037
DATE: MILEAGE:

Normal Sched
Trucks, Fulls
Vans & SUV

15,000 miles

- ☒ Change engine oil and replace oil filter.
- ☒ Inspect tires for wear and rotate.
- ☒ Inspect automatic transmission fluid level, if equipped with dipstick.
- ☒ Inspect brake pads/shoes/rotors/drums, brake lines & hoses, and parking brake system.
- ☒ Inspect wheel ends for endplay and noise.
- ☒ Inspect engine cooling system and hoses.
- ☒ Inspect steering linkage, ball joints, suspension and, if equipped, half shafts, driveshaft and u-joints.
- ☒ Replace cabin air filter, if equipped.
- ☒ Lubricate 4X2 ball joints and steering linkage if equipped with zerk fittings.
- ☒ Inspect and lubricate 4X4 front axle shaft u-joints (F250/350/450/550 and Excursion).
- ☒ Multi-point inspection (recommended)

DEALER VALIDATION:

Jaiwir Baveja
signed - Aug 7, 2026

RO#: P&A CODE: P2037
DATE: MILEAGE:

Schedule
Fullsize
& SUVs

NORMAL SCHEDULE TRUCKS, FULLSIZE VANS & SUVs

20,000 miles

- ☒ Change engine oil and replace oil filter.
- ☒ Inspect tires for wear. Rotation recommended for optimal tire life.
- ☒ Multi-point inspection (recommended)

DEALER VALIDATION:

Jaivir Baveja
CS signed - Aug 7, 2026

RO#: P&A Code: P2037
 DATE: MILEAGE:

25,000 miles

- ☒ Change engine oil and replace oil filter.
- ☒ Inspect tires for wear. Rotation recommended for optimal tire life.
- ☒ Drain coalescent fuel filter bowl and replace filter (natural gas).
- ☒ Multi-point inspection (recommended)

DEALER VALIDATION:

Jaivir Baveja
CS signed - Aug 7, 2026

RO#: P&A Code: P2037
 DATE: MILEAGE:



Tires

When your tires need to be replaced, consider visiting your Ford or Lincoln Mercury dealership for name-brand tires and people who know your vehicle. And if you Ford or Lincoln-Mercury dealership sells the name-brand tire, they can also honor the tire manufacturer's warranty.

NORMAL SCHEDULE TRUCKS, FULLSIZE VANS & SUVs

30,000 miles

- ☒ Change engine oil and replace oil filter.
- ☒ Inspect tires for wear and rotate.
- ☒ Inspect brake pads/shoes/drums, brake lines & hoses, and parking brake system.
- ☒ Inspect wheel ends for endplay and noise.
- ☒ Inspect engine cooling system and hoses.
- ☒ Inspect exhaust system and heat shields.
- ☒ Inspect steering linkage, ball joints, suspension and, if equipped, halfshafts, driveshaft and u-joints.
- ☒ Replace engine air filter.
- ☒ Replace fuel filter (except natural gas) (see page 46).
- ☒ Replace cabin air filter, if equipped.
- ☒ Change automatic transmission fluid on all vehicles equipped with 4R100. Inspect automatic transmission/transaxle fluid level on all other vehicles, if equipped with dipstick. Consult your dealer for your particular requirements.
- ☒ Replace climate-controlled seat filters (Navigator, Expedition, and Adaptor) if equipped.
- ☒ Lubricate 4x2 ball joints and steering linkage if equipped with zerk fittings.
- ☒ Inspect and lubricate 4x4 front axle shaft u-joints (F250/350/450/550 and Excursion).
- ☒ Inspect fuel tanks (natural gas and propane only).
- ☒ Multi-point inspection (recommended)

DEALER VALIDATION:

Jaivir Baveja
CS signed - Aug 7, 2026

RO#: P&A Code: P2037
 DATE: MILEAGE:

35,000 miles

- ☒ Change engine oil and replace oil filter.
- ☒ Inspect tires for wear. Rotation recommended for optimal tire life.
- ☒ Multi-point inspection (recommended)

DEALER VALIDATION:

Jaivir Baveja
CS signed - Aug 7, 2026

RO#: P&A Code: P2037
 DATE: MILEAGE:

Normal Schedule
 Trucks, Fullsize
 Vans & SUVs

NORMAL SCHEDULE TRUCKS, FULLSIZE VANS & SUVs

40,000 miles

- ☒ Change engine oil and replace oil filter.
- ☒ Inspect tires for wear. Rotation recommended for normal tire life.
- ☐ Multi-point inspection (recommended)

DEALER VALIDATION:

Javier Deneja
(CS) signed - Aug 7, 2020

RO#:
DATE:

P&A CODE: P2037
MILEAGE:

45,000 miles

- ☒ Change engine oil and replace oil filter.
- ☒ Inspect tires for wear and rotate.
- ☒ Inspect automatic transmission fluid level, if equipped with dipstick.
- ☒ Inspect brake pads/shoes/rotors/drums, brake lines & hoses, and parking brake system.
- ☒ Inspect wheel ends for endplay and noise.
- ☒ Inspect engine cooling system and hoses.
- ☒ Inspect steering linkage, ball joints, suspension and, if equipped, half shafts, driveshaft and u-joints.
- ☒ Replace cabin air filter, if equipped.
- ☒ Lubricate 4X2 ball joints and steering linkage if equipped with zerk fittings.
- ☒ Inspect and lubricate 4X4 front axle shaft u-joints (F250/350/450/550 and Excursion).
- ☒ Multi-point inspection (recommended)

DEALER VALIDATION:

Javier Deneja
(CS) signed - Aug 7, 2020

RO#:
DATE:

P&A CODE: P2037
MILEAGE:

NORMAL SCHEDULE TRUCKS, FULLSIZE VANS & SUVs

50,000 miles

- ☒ Change engine oil and replace oil filter.
- ☒ Inspect tires for wear. Rotation recommended for optimal tire life.
- ☒ Drain coolant/fuel filter bowl and replace filter (natural gas only).
- ☒ Clean injectors (natural gas only).
- ☒ Multi-point inspection (recommended)

DEALER VALIDATION:

Javier Domínguez
Signature - Aug 1, 2023

RO#: _____
DATE: _____

P&A Code: P2037
MILEAGE: _____

55,000 miles

- ☒ Change engine oil and replace oil filter.
- ☒ Inspect tires for wear. Rotation recommended for optimal tire life.
- ☒ Multi-point inspection (recommended)

DEALER VALIDATION:

Javier Domínguez
Signature - Aug 1, 2023

RO#: _____
DATE: _____

P&A Code: P2037
MILEAGE: _____

Normal Schedule
Trucks, Fullsize
Vans & SUVs

Batteries

The technicians at your Ford and Lincoln Mercury dealership can determine the health of your vehicle's battery during any service visit. The Motorcraft Tested Tough Max Series with its "long-life" design outlasted the competitive long-life batteries by up to 200%. That's one reason why we stand behind this battery with a national 3 year, free-replacement and prorated-cost thereafter up to 100 months with unlimited mileage. Should your battery need to be replaced, consider any one of the batteries that bear the Motorcraft name.



NORMAL SCHEDULE TRUCKS, FULLSIZE VANS & SUVs

60,000 miles

- ☒ Change engine oil and replace oil filter.
- ☒ Inspect tires for wear and rotate.
- ☒ Inspect brake pads/shoes/rotors/drums, brake lines & hoses, and parking brake system.
- ☒ Inspect wheel ends for endplay and noise.
- ☒ Inspect engine cooling system and hoses.
- ☒ Inspect exhaust system and heat shields.
- ☒ Inspect steering linkage, ball joints, suspension and, if equipped, half shafts, driveshaft and u-joints.
- ☒ Replace engine air filter.
- ☒ Replace fuel filter (except natural gas) (see page 46).
- ☒ Replace cabin air filter, if equipped.
- ☒ Change automatic transmission fluid on all vehicles equipped with 4R100.
- ☒ Inspect automatic transmission/transaxle fluid level on all other vehicles, if equipped with dipstick. Consult your dealer for your particular requirements.
- ☒ Replace climate-controlled seat filters (Navigator, Expedition and Astro) if equipped.
- ☒ Lubricate 4R2 ball joints and steering linkage if equipped with zerk fittings.
- ☒ Lubricate 4R2 wheel bearings, replace grease seals, and adjust bearings (if not sealed with bearings).
- ☒ Change manual transmission fluid.
- ☒ Inspect fuel tanks (natural gas and propane only).
- ☒ Lubricate 4R4 front hub needle bearings (F Super Duty).
- ☒ Inspect and lubricate 4R4 front axle shaft u-joints (F250/F350/450/550 and Excursion).
- ☒ Multi-point inspection (recommended).

DEALER VALIDATION:

Javier Domínguez
(S) Signature - Aug 1, 2016

RO#: P&A Code: P2037
Date: Mileage:

Normal Schedule Trucks, Fullsize Vans & SUVs

65,000 miles

- ☒ Change engine oil and replace oil filter.
- ☒ Inspect tires for wear. Rotation recommended for normal tire life.
- ☒ Multi-point inspection (recommended)

DEALER VALIDATION:	
<i>Javier Dominguez</i>	
(Signature - Aug 1, 2018)	
RO#:	P&A CODE: P2037
DATE:	MILEAGE:

70,000 miles

- ☒ Change engine oil and replace oil filter.
- ☒ Inspect tires for wear. Rotation recommended for normal tire life.
- ☒ Multi-point inspection (recommended)

DEALER VALIDATION:	
<i>Javier Dominguez</i>	
(Signature - Aug 1, 2018)	
RO#:	P&A CODE: P2037
DATE:	MILEAGE:

75,000 miles

- ☒ Change engine oil and replace oil filter.
- ☒ Inspect tires for wear and rotate.
- ☒ Inspect automatic transmission fluid level, if equipped with dipstick.
- ☒ Inspect brake pads/shoes/rotors/drums, brake lines & hoses, and parking brake system.
- ☒ Inspect wheel ends for wear and noise.
- ☒ Inspect engine cooling system and hoses.
- ☒ Inspect steering linkage, ball joints, suspension and, if equipped, half shafts, driveshaft and axles.
- ☒ Replace cabin air filter, if equipped.
- ☒ Lubricate 4X2 ball joints and steering linkage if equipped with zerk fittings.
- ☒ Inspect and lubricate 4x4 front axle shaft joints (3330/3500/4500/5500 and heavier).
- ☒ Drain coolant/coolant filter bowl and replace filter (actual gas only).
- ☒ Multi-point inspection (recommended)

DEALER VALIDATION:	
<i>Javier Dominguez</i>	
(Signature - Aug 1, 2018)	
RO#:	P&A CODE: P2037
DATE:	MILEAGE:

Normal Schedule
Trucks, Fullsize
Vans & SUVs

NORMAL SCHEDULE TRUCKS, FULLSIZE VANS & SUVs

80,000 miles

- ✓ Change engine oil and replace oil filter.
- ✓ Inspect tires for wear. Rotation recommended for optimal tire life.
- ✓ Multi-point inspection (recommended)

DEALER AUTHORIZATION:

Javier Deneja
(Signature)
Aug 2, 2016

RO#: _____
DATE: _____

P&A Code: P2037
MILEAGE: _____

85,000 miles

- ✓ Change engine oil and replace oil filter.
- ✓ Inspect tires for wear. Rotation recommended for optimal tire life.
- ✓ Multi-point inspection (recommended)

DEALER AUTHORIZATION:

Javier Deneja
(Signature)
Aug 2, 2016

RO#: _____
DATE: _____

P&A Code: P2037
MILEAGE: _____



Brakes

Technicians at your Ford or Lincoln Mercury dealer can install the right brake parts for your vehicle. Ford Original Equipment and Motorcraft replacement brake pads, shoes, rotors, and drums meet the stringent standards of Ford Motor Company engineers.

In addition, all Ford Original Equipment replacement brake pads, shoes, rotors, and drums are vehicle tested for durability and noise suppression while being Federal Motor Vehicle Safety Standard (FMVSS) compliant. The right brake parts and repair work is essential to ensure your vehicle operates as it should.

NORMAL SCHEDULE TRUCKS, FULLSIZE VANS & SUVs

90,000 miles

- ☒ Change engine oil and replace oil filter.
- ☒ Inspect tires for wear and rotate.
- ☒ Inspect brake pads/shoes/brakes, brake lines & hoses, and parking brake system.
- ☒ Inspect wheel ends for endplay and noise.
- ☒ Inspect engine cooling system and hoses.
- ☒ Inspect exhaust system and heat shields.
- ☒ Inspect steering linkage, ball joints, suspension and, if equipped, belt shafts, driveshaft and u-joints.
- ☒ Replace engine air filter.
- ☒ Replace fuel filter (except natural gas) (see page 46).
- ☒ Replace cabin air filter, if equipped.
- ☒ Change automatic transmission fluid on all vehicles equipped with 4R100. Inspect automatic transmission/transaxle fluid level on all other vehicles; if equipped with dipstick. Consult your dealer for your particular requirements.
- ☒ Replace climate-controlled seat filters (Navigator, Expedition and Astro) if equipped.
- ☒ Lubricate 4X2 ball joints and steering linkage if equipped with zerk fittings.
- ☒ Inspect and lubricate 4X4 front axle shaft u-joints (F750/350/450/550 and Excursion).
- ☒ Inspect fuel tanks (natural gas and propane only).
- ☒ Multi-point inspection (recommended).

DEALER VALIDATION:

Javier Domínguez
CS Signature - Aug 7, 2018

RO#: _____
 DATE: _____

P&A Code: P2037
 MILEAGE: _____

Normal Schedule
 Trucks, Fullsize
 Vans & SUVs

95,000 miles

- ☒ Change engine oil and replace oil filter.
- ☒ Inspect tires for wear. Rotation recommended for actual tire life.
- ☒ Multi-point inspection (recommended).

DEALER VALIDATION:

Javier Domínguez
CS Signature - Aug 7, 2018

RO#: _____
 DATE: _____

P&A Code: P2037
 MILEAGE: _____

NORMAL SCHEDULE TRUCKS, FULLSIZE VANS & SUVs

100,000 miles

- ☒ Change engine oil and replace oil filter.
- ☒ Inspect tires for wear. Rotation recommended for normal tire life.
- ☒ Inspect accessory drive belts.
- ☒ Replace spark plugs.
- ☒ Change Premium Gold coolant (see exceptions page 45 and record page 46).
- ☒ Replace PCV valve on all light trucks under 6,000 Gross Vehicle Weight (except 5.4L 3V engines).
- ☒ Drain coolant fuel filter bowl and replace filter (natural gas only).
- ☒ Clean injectors (natural gas only).
- ☒ Multi-point inspection (recommended)

DEALER VALIDATION:

Janir Deneja
Signature • Aug 7, 2025

RO#: P&A Code: P2037
DATE: MILEAGE:

105,000 miles

- ☒ Change engine oil and replace oil filter.
- ☒ Inspect tires for wear and rotate.
- ☒ Inspect automatic transmission fluid level, if equipped with dipstick.
- ☒ Inspect brake pads/shoes/rotors/drums, brake lines & hoses, and parking brake system.
- ☒ Inspect wheel ends for wear/loose and noise.
- ☒ Inspect engine cooling system and hoses.
- ☒ Inspect steering linkage, ball joints, suspension and, if equipped, half shafts, driveshaft and u-joints.
- ☒ Replace cabin air filter, if equipped.
- ☒ Lubricate 4X2 ball joints and steering linkage if equipped with zerk fittings.
- ☒ Inspect and lubricate 4X4 front axle shaft u-joints (if 250/350/450/550 and Excursion).
- ☒ Multi-point inspection (recommended)

DEALER VALIDATION:

Janir Deneja
Signature • Aug 7, 2025

RO#: P&A Code: P2037
DATE: MILEAGE:

110,000 miles	
☒ Change engine oil and replace oil filter. ☒ Inspect tires for wear. Rotation recommended for normal tire life. ☒ Multi-point inspection (recommended)	DEALER VALIDATION: <i>Javier Davila</i> (Signature) - Aug 7, 2018 RO#: _____ P&A CODE: P2037 DATE: _____ MILEAGE: _____

115,000 miles	
☒ Change engine oil and replace oil filter. ☒ Inspect tires for wear. Rotation recommended for normal tire life. ☒ Multi-point inspection (recommended)	DEALER VALIDATION: <i>Javier Davila</i> (Signature) - Aug 7, 2018 RO#: _____ P&A CODE: P2037 DATE: _____ MILEAGE: _____

**Normal Schedule
Trucks, Fullsize
Vans & SUVs**



Oil & Lubricants

It is important to stick to a regular maintenance schedule for changing your vehicle's oil and lubricants. Motorcraft Oils and Lubricants meet the stringent standards set by Ford Motor Company. Motorcraft Oils are formulated to reduce engine friction, improve fuel economy, and protect against deposits and wear. The American Petroleum Industry certifies them, so you know Motorcraft oil stands up to the tests of both Ford and independent engineers.

NORMAL SCHEDULE TRUCKS, FULLSIZE VANS & SUVs

120,000 miles

- ☒ Change engine oil and replace oil filter.
- ☒ Inspect tires for wear and rotate.
- ☒ Inspect brake pads/shoes/rotors/drums, brake lines & hoses, and parking brake system.
- ☒ Inspect wheel ends for play and noise.
- ☒ Inspect engine cooling system and hoses.
- ☒ Inspect exhaust system and heat shields.
- ☒ Inspect steering linkage, ball joints, suspension and, if equipped, half shafts, driveshaft and u-joints.
- ☒ Replace engine air filter.
- ☒ Replace fuel filter (except natural gas) (see page 46).
- ☒ Replace cabin air filter, if equipped.
- ☒ Replace PCV on all light trucks over 6,000 Gross Vehicle Weight (except 5.4L 2V engine, see your dealer).
- ☒ Change automatic transmission fluid on all vehicles equipped with 4R100. Inspect automatic transmission/transaxle fluid level on all other vehicles, if equipped with dipstick. Consult your dealer for your particular requirements.
- ☒ Replace climate-controlled seat filters (Navigator, Expedition, and Arctic) if equipped.
- ☒ Change manual transmission fluid.
- ☒ Lubricate 4X2 wheel bearings; replace grease seals and adjust bearings (if not equipped with sealed bearings).
- ☒ Lubricate 4X2 ball joints and steering linkage if equipped with zerk fittings.
- ☒ Lubricate 4X4 front hub needle bearings (F Super Duty).
- ☒ Replace camshaft belt on 4 cylinder engine (2.0L Escape).
- ☒ Inspect and lubricate 4X4 front axle shaft u-joints (F250/F350/450/550 and Excursion).
- ☒ Inspect fuel tanks (natural gas and propane only).
- ☒ Multi-point inspection (recommended)

DEALER VALIDATION:

Javier Baneja
(Signature) • Aug 7, 2025

RO#: P&A CODE: P2037
DATE: MILEAGE:

Normal Schedule Trucks, Fullsize Vans & SUVs

125,000 miles

- ☒ Change engine oil and replace oil filter.
- ☒ Inspect tires for wear. Rotation recommended for optimal tire life.
- ☒ Drain condensate fuel filter bowl and replace filter (natural gas only).
- ☒ Multi-point inspection (recommended)

DEALER VALIDATION:

Jaivir Dorañiza
Signature - Aug 7, 2025

RO#: P&A CODE: P2037
 DATE: MILEAGE:

130,000 miles

- ☒ Change engine oil and replace oil filter.
- ☒ Inspect tires for wear. Rotation recommended for optimal tire life.
- ☒ Multi-point inspection (recommended)

DEALER VALIDATION:

Jaivir Dorañiza
Signature - Aug 7, 2025

RO#: P&A CODE: P2037
 DATE: MILEAGE:

135,000 miles

- ☒ Change engine oil and replace oil filter.
- ☒ Inspect tires for wear and rotate.
- ☒ Inspect automatic transmission fluid level, if equipped with dipstick.
- ☒ Inspect brake pads/shoes/rotors/drums, brake lines & hoses, and parking brake system.
- ☒ Inspect wheel ends for endplay and noise.
- ☒ Inspect engine cooling system and hoses.
- ☒ Inspect steering linkage, ball joints, suspension and, if equipped, half shafts, driveshaft and axials.
- ☒ Replace cabin air filter, if equipped.
- ☒ Lubricate 4X2 ball joints and steering linkage if equipped with zerk fittings.
- ☒ Inspect and lubricate 4X4 front axle shaft joints.
- ☒ 8750/350/450/550 and heavier.
- ☒ Multi-point inspection (recommended)

DEALER VALIDATION:

Jaivir Dorañiza
Signature - Aug 7, 2025

RO#: P&A CODE: P2037
 DATE: MILEAGE:

Normal Schedule
 Trucks, Fullsize
 Vans & SUVs

NORMAL SCHEDULE TRUCKS, FULLSIZE VANS & SUVs

140,000 miles

- ☒ Change engine oil and replace oil filter.
- ☒ Inspect tires for wear. Rotation recommended for optimal tire life.
- ☒ Multi-point inspection (recommended)

DEALER VALIDATION:

Javier Domínguez
(Signature - Aug 17, 2016)

RO#: P&A CODE: P2037
DATE: MILEAGE:

145,000 miles

- ☒ Change engine oil and replace oil filter.
- ☒ Inspect tires for wear. Rotation recommended for optimal tire life.
- ☒ Multi-point inspection (recommended)

DEALER VALIDATION:

Javier Domínguez
(Signature - Aug 17, 2016)

RO#: P&A CODE: P2037
DATE: MILEAGE:



Brakes

Technicians at your Ford or Lincoln Mercury dealer can install the right brake parts for your vehicle. Ford Original Equipment and Motorcraft replacement brake pads, shoes, rotors, and drums meet the stringent standards of Ford Motor Company engineers.

In addition, all Ford Original Equipment replacement brake pads, shoes, rotors, and drums are vehicle tested for durability and noise suppression while being Federal Motor Vehicle Safety Standard (FMVSS) compliant. The right brake parts and repair work is essential to ensure your vehicle operates as it should.

Normal Schedule Trucks, Fullsize Vans & SUVs

150,000 miles

- ☒ Change engine oil and replace oil filter.
- ☒ Inspect lines for wear and leaks.
- ☒ Inspect brake pads/shoes/rotors/drums, brake lines & hoses, and parking brake system.
- ☒ Inspect wheel ends for endplay and noise.
- ☒ Inspect engine cooling system and hoses.
- ☒ Change Premium Gold coolant (see exceptions page 45 and recent page 47).
- ☒ Inspect exhaust system and heat shields.
- ☒ Inspect steering linkage, ball joints, suspension and, if equipped, ball shafts, disc shafts and u-joints.
- ☒ Replace engine air filter.
- ☒ Replace fuel filter (see page 46).
- ☒ Replace cabin air filter, if equipped.
- ☒ Change automatic transmission/transaxle fluid and filter.
- ☒ Change rear axle lubricant on all rear wheel drive (RWD) vehicles (see pages 44 and 46).
- ☒ Replace accessory drive belts(s) (if not replaced within last 100,000 miles).
- ☒ Replace climate-controlled seat filters (Navigator, Expedition, and Atlas) if equipped.
- ☒ Inspect PCV for flow (5.4L 3V engine).
- ☒ Lubricate 4X2 ball joints and steering linkage if equipped with zerk fittings.
- ☒ Replace 4X2 wheel bearings and grease sacs, lubricate and adjust bearings.
- ☒ Inspect and lubricate 4X2 front axle shaft u-joints (F250/350/450/550 and Expedition).
- ☒ Change front axle lubricant (4X4 only).
- ☒ Change transfer case fluid (4X4 only).
- ☒ Inspect fuel tanks (natural gas and propane only).
- ☒ Drain condensate fuel filter bowl (natural gas only).
- ☒ Clean injectors (natural gas only).
- ☒ Multi-point inspection (recommended)

DEALER VALIDATION:

Javier Bonilla
(Signature - Aug 1, 2024)

RO#: P2037
DATE: MILEAGE:

Normal Schedule
Trucks, Fullsize
Vans & SUVs

NORMAL SCHEDULE CARS & MINIVANS

30,000 miles

- ☒ Change engine oil and replace oil filter.
- ☒ Inspect tires for wear and rotate.
- ☒ Inspect brake pads/shoes/brakes/drums, brake lines & hoses, and parking brake system.
- ☒ Inspect wheel ends for endplay and noise.
- ☒ Inspect engine cooling system and hoses.
- ☒ Inspect exhaust system and heat shields.
- ☒ Inspect steering linkage, ball joints, suspension and, if equipped, ball shafts, driveshaft and axles.
- ☒ Replace engine air filter (not required P2EV Forc).
- ☒ Replace fuel filter (except natural gas) (see page 46).
- ☒ Replace cabin air filter, if equipped.
- ☒ Change automatic transmission fluid on all vehicles equipped with 4F50H or 4F77F. Inspect automatic transmission/transaxle fluid level on all other vehicles, if equipped with dipstick. Consult your dealer for your particular requirements.
- ☒ Replace climate-controlled seat filters (S, Prostar and Monterey) if equipped.
- ☒ Inspect fuel tanks (natural gas only).
- ☒ Multi-point inspection (recommended).

DEALER VALIDATION:

Jaivir Baneja
CS, signed - Aug 1, 2020

ROI#: P&A Code: P2037
DATE: MILEAGE:

35,000 miles

- ☒ Change engine oil and replace oil filter.
- ☒ Inspect tires for wear. Rotation recommended for optimal tire life.
- ☒ Multi-point inspection (recommended).

DEALER VALIDATION:

Jaivir Baneja
CS, signed - Aug 1, 2020

ROI#: P&A Code: P2037
DATE: MILEAGE:

32 Scheduled Maintenance

Normal Schedule Cars & Minivans

NORMAL SCHEDULE CARS & MINIVANS

55,000 miles

- ☒ Change engine oil and replace oil filter.
- ☒ Inspect tires for wear. Rotation recommended for normal tire life.
- ☒ Multi-point inspection (recommended)

DEALER VALIDATION:

Javier Deneja
CS Signature - Aug 7, 2018

RO#: _____

P&A Code: P2037

DATE: _____

MILEAGE: _____

60,000 miles

- ☒ Change engine oil and replace oil filter.
- ☒ Inspect tires for wear and rotate.
- ☒ Inspect brake pads/shoes/rotors/drums, brake lines & hoses, and parking brake system.
- ☒ Inspect wheel ends for wear/tear and noise.
- ☒ Inspect engine cooling system and hoses.
- ☒ Inspect exhaust system and heat shields.
- ☒ Inspect steering linkage, ball joints, suspension and, if equipped, belt shafts, driveshaft and axials.
- ☒ Replace engine air filter (not required P219 Forcs).
- ☒ Replace fuel filter (except natural gas) (see page 46).
- ☒ Replace cabin air filter, if equipped.
- ☒ Change automatic transaxle fluid on all vehicles equipped with 4F50N or 4F27E. Inspect automatic transaxle fluid level on all other vehicles, if equipped with dipstick. Consult your dealer for your particular requirements.
- ☒ Replace climate-controlled seat filters (LS, Freedom, and Monterey) if equipped.
- ☒ Inspect fuel tanks (natural gas only).
- ☒ Multi-point inspection (recommended)

DEALER VALIDATION:

Javier Deneja
CS Signature - Aug 7, 2018

RO#: _____

P&A Code: P2037

DATE: _____

MILEAGE: _____

Normal Schedule Cars & Minivans

115,000 miles

- ☒ Change engine oil and replace oil filter.
- ☒ Inspect tires for wear. Rotation recommended for normal tire life.
- ☒ Multi-point inspection (recommended)

DEALER VALIDATION:

Joelir D'Amico
(Signature - Aug 7, 2025)

RO#: _____
DATE: _____

P&A Code: P2037
MILEAGE: _____

120,000 miles

- ☒ Change engine oil and replace oil filter.
- ☒ Inspect tires for wear and rotate.
- ☒ Inspect brake pads/shoes/rotors/drums, brake lines & hoses, and parking brake system.
- ☒ Inspect wheel ends for wear/tear and noise.
- ☒ Inspect engine cooling system and hoses.
- ☒ Inspect exhaust system and heat shields.
- ☒ Inspect steering linkage, ball joints, suspension and, if equipped, half shafts, driveshaft and u-joints.
- ☒ Replace engine air filter (not required P2EV Focus).
- ☒ Replace fuel filter (except natural gas) (see page 46).
- ☒ Replace cabin air filter, if equipped.
- ☒ Replace PCV on all cars over 6,000 Gross Vehicle Weight.
- ☒ Change automatic transmission fluid on all vehicles equipped with 4F50N or 4F77F. Inspect automatic transmission/transaxle fluid level on all other vehicles, if equipped with dipstick. Consult your dealer for your particular requirements.
- ☒ Replace camshaft belt on all 2.0L, 4 cylinder engines (Focus).
- ☒ Replace climate-controlled seat filters (LS, Freestar, and Montego) if equipped.
- ☒ Inspect fuel tanks (natural gas only).
- ☒ Multi-point inspection (recommended)

DEALER VALIDATION:

Joelir D'Amico
(Signature - Aug 7, 2025)

RO#: _____
DATE: _____

P&A Code: P2037
MILEAGE: _____

Normal Schedule
Cars & Minivans

SPECIAL OPERATING CONDITIONS

Special Operating Conditions

Items Needing Special Attention

If you operate your Ford/Lincoln/Mercury **primarily** in one of the more demanding "Special Operating Conditions" listed below, you will need to have some items maintained more frequently. If you only **occasionally** operate your vehicle under these conditions, it is not necessary to perform the additional maintenance. For specific recommendations, see your dealership service advisor or qualified service professional.

Towing a trailer or using a camper or car-top carrier

Every 3,000 miles or 3 months	Change engine oil and replace oil filter
Every 30,000 miles	Change automatic transmission fluid Lubricate 4X4 front hub needle bearing (F Super Duty)
Every 60,000 miles	Change transfer case fluid Change rear axle fluid if equipped with XE75W90-FFHP
As required	Change manual transmission fluid
As required	Inspect and lubricate U-joints

Extensive idling and/or low-speed driving for long distances as in heavy commercial use such as delivery, taxi, patrol car or livery

Every 3,000 miles, 3 months or 200 hours of engine operation	Change engine oil and replace oil filter
Every 3,000 miles or 3 months	Lube front lower control arm and steering linkage ball joints with zerk fittings, if equipped Inspect brake system
Every 5,000 miles	Check battery electrolyte level (Patrol Cars)
Every 15,000 miles	Replace fuel filter
Every 30,000 miles	Change automatic transmission fluid Lubricate 4X2 wheel bearings, replace grease seals, and adjust bearings
Every 60,000 miles	Replace spark plugs Change transfer case fluid
As required	Replace cabin air filter

Special Operating
Conditions &
Exceptions

EXCEPTIONS

Normal Vehicle Axle Maintenance

- ✓ Rear axles and power take off (PTO) units containing synthetic lubricant and light duty trucks equipped with Ford-design axles are lubricated for life. These lubricants are not to be checked or changed unless a leak is suspected, service is required or the axle assembly has been submerged in water. The axle and PTO lubricant should be changed anytime the axle and PTO have been submerged in water. Non-synthetic rear axle lubricants should be replaced every 3,000 miles or 3 months, whichever occurs first, during extended trailer tow operation above 21 Celsius (70 degrees Fahrenheit) ambient and wide open throttle for extended periods above 45 mph. The 3,000 mile lube change interval may be waived if the axle was filled with 75W140 synthetic gear lubricant meeting Ford specification WSL-M2C192-A, part number FITZ-19580-B or equivalent. Add four ounces of additive friction modifier CBAZ-198546-A (EST-M2C118-A) or equivalent for complete refill of Traction-Lok rear axles. The axle lubricant should be changed anytime an axle has been submerged in water.

Police and Taxi Vehicle Axle Maintenance

- ✓ Replace rear axle lubricant every 100,000 miles. Rear axle lubricant change may be waived if the axle was filled with 75W140 synthetic gear lubricant meeting Ford specification WSL-M2C192-A, part number FITZ-19580-B or equivalent. Add four ounces of additive friction modifier CBAZ-198546-A (EST-M2C118-A) or equivalent for complete refill of Traction-Lok rear axles. The axle lubricant should be changed anytime an axle has been submerged in water.

E and F 450 and 550 Series Axle Maintenance

- ✓ Replace rear axle lubricant every 100,000 miles under normal driving conditions on all E and F 450 and 550 series applications. For E and F 450 and 550 series vehicles operated at or near maximum Gross Vehicle Weights, the rear axle lubricant should be replaced every 50,000 miles. In addition, this 50,000 mile schedule should be observed when the vehicles are operated under the Special Operating Conditions, where noted, on pages 43-44.

California Fuel Filter Replacement

- ✓ If vehicle is registered in California, the California Air Resources Board has determined that the failure to perform this maintenance item will not nullify the emission warranty or limit recall liability prior to the completion of the vehicle's useful life. *Vis, however, urge that all recommended maintenance services be performed at the indicated intervals and the maintenance be recorded.*

Additional Information Available on the Web

To learn more about the importance of routine and dealer performed maintenance on your vehicle, please visit the Ford Customer Service website. You'll also find important warranty information, customer assistance, technical expertise, frequently asked questions and much more. The website location is at: www.ford.com/ then go to the service pick at the site.