




# Ansible for Network Automation

## Gathering Information from Devices

Josh VanDeraa

 vanderaaj

 jvanderaa

 #jvanderaa

# Session Overview

At the end of this session you will be able to:

# Session Overview

At the end of this session you will be able to:

- Know where to find information about Ansible Network Modules

# Session Overview

At the end of this session you will be able to:

- Know where to find information about Ansible Network Modules
- Review the common network playbook management keys and values
  - vars:

# Session Overview

At the end of this session you will be able to:

- Know where to find information about Ansible Network Modules
- Review the common network playbook management keys and values
  - vars:
  - connection:

# Session Overview

At the end of this session you will be able to:

- Know where to find information about Ansible Network Modules
- Review the common network playbook management keys and values
  - vars:
  - connection:
  - hosts:

# Session Overview

At the end of this session you will be able to:

- Know where to find information about Ansible Network Modules
- Review the common network playbook management keys and values
  - vars:
  - connection:
  - hosts:
- Update an Ansible config file to manipulate folder wide playbook settings and behavior

# Session Overview

At the end of this session you will be able to:

- Know where to find information about Ansible Network Modules
- Review the common network playbook management keys and values
  - vars:
  - connection:
  - hosts:
- Update an Ansible config file to manipulate folder wide playbook settings and behavior
- Gather data from various devices using command modules
  - IOS
  - NXOS
  - cli\_command
  - Other network devices




# Session Overview

At the end of this session you will be able to:

- Know where to find information about Ansible Network Modules
- Review the common network playbook management keys and values
  - vars:
  - connection:
  - hosts:
- Update an Ansible config file to manipulate folder wide playbook settings and behavior
- Gather data from various devices using command modules
  - IOS
  - NXOS
  - cli\_command
  - Other network devices
- How to use ios\_facts to gather IOS specific facts from a device

# Network Diagram



## Ansible Network Modules

The whole list of Network modules and their corresponding requirements can be found with your favorite search engine on term of "Ansible Network Modules" - which will take you to this link: [https://docs.ansible.com/ansible/latest/modules/list\\_of\\_network\\_modules.html](https://docs.ansible.com/ansible/latest/modules/list_of_network_modules.html)

This will be included on the notes for this.

# Ansible Network Modules Page

Let's take a look at those modules

# Gathering Data from Cisco IOS Devices

Today's demo: We are going to take a look at a couple of the modules used for gathering information from Cisco IOS devices.

# Gathering Data from Cisco IOS Devices

Today's demo: We are going to take a look at a couple of the modules used for gathering information from Cisco IOS devices.

- **cli\_command**

# Gathering Data from Cisco IOS Devices

Today's demo: We are going to take a look at a couple of the modules used for gathering information from Cisco IOS devices.

- **cli\_command**
- **ios\_command**

- This is used when working with Cisco IOS devices connecting with SSH



- This is used when working with Cisco IOS devices connecting with SSH
- One of the original network modules introduced with Ansible for networking devices

- This is used when working with Cisco IOS devices connecting with SSH
- One of the original network modules introduced with Ansible for networking devices
- Has evolved over time, original playbooks you will see a key **provider:** included, this is legacy

Let's take a look!



- cli\_command
- ios\_command

# IOS Facts

Key	Returned	Description
<code>ansible_net_all_ipv4_addresses</code> <small>list</small>	when interfaces is configured	All IPv4 addresses configured on the device
<code>ansible_net_all_ipv6_addresses</code> <small>list</small>	when interfaces is configured	All IPv6 addresses configured on the device
<code>ansible_net_api</code> <small>string</small>	always	The name of the transport
<code>ansible_net_config</code> <small>string</small>	when config is configured	The current active config from the device
<code>ansible_net_filesystems</code> <small>list</small>	when hardware is configured	All file system names available on the device
<code>ansible_net_filesystems_info</code> <small>dictionary</small>	when hardware is configured	A hash of all file systems containing info about each file system (e.g. free and total space)
<code>ansible_net_gather_subset</code> <small>list</small>	always	The list of fact subsets collected from the device
<code>ansible_net_hostname</code> <small>string</small>	always	The configured hostname of the device
<code>ansible_net_image</code> <small>string</small>	always	The image file the device is running
<code>ansible_net_interfaces</code> <small>dictionary</small>	when interfaces is configured	A hash of all interfaces running on the system
<code>ansible_net_istype</code> <small>string</small>	always	The operating system type (IOS or IOS-XE) running on the remote device
<code>ansible_net_memfree_mb</code> <small>integer</small>	when hardware is configured	The available free memory on the remote device in Mb
<code>ansible_net_memtotal_mb</code> <small>integer</small>	when hardware is configured	The total memory on the remote device in Mb
<code>ansible_net_model</code> <small>string</small>	always	The model name returned from the device
<code>ansible_net_neighbors</code> <small>dictionary</small>	when interfaces is configured	The list of CDP and LLDP neighbors from the remote device. If both, CDP and LLDP neighbor data is present on one port, CDP is preferred.

# Summary

To review what we accomplished today:

- We reviewed the playbook management keys and values

# Summary

To review what we accomplished today:

- We reviewed the playbook management keys and values
- Covered how to change settings within the Ansible configs, that are helpful for Network Engineers

# Summary

To review what we accomplished today:

- We reviewed the playbook management keys and values
- Covered how to change settings within the Ansible configs, that are helpful for Network Engineers
- Gathered data from IOS and NXOS devices, using multiple methods

To review what we accomplished today:

- We reviewed the playbook management keys and values
- Covered how to change settings within the Ansible configs, that are helpful for Network Engineers
- Gathered data from IOS and NXOS devices, using multiple methods
- Detailed where to get more information about network modules on the Ansible documentation pages



To review what we accomplished today:

- We reviewed the playbook management keys and values
- Covered how to change settings within the Ansible configs, that are helpful for Network Engineers
- Gathered data from IOS and NXOS devices, using multiple methods
- Detailed where to get more information about network modules on the Ansible documentation pages
- Used regex to find the number of interfaces on a device

You can find me and more contacts on the Packet Pushers Slack Channel.

#jvanderaa