KAP Contraception Exploratory

Sep 22, 2019

Demographics

Table 1: Summary descriptives table

[ALL] N=220 1.1 (7.6) 3 (7.3%) 8 (49.1%) 6 (43.6%)	N 220 220 220
1.1 (7.6) 6 (7.3%) 8 (49.1%) 6 (43.6%)	220
6 (7.3%) 8 (49.1%) 6 (43.6%)	220
8 (49.1%) (43.6%)	
8 (49.1%) (43.6%)	220
(43.6%)	220
,	220
(0.004)	220
(0.004)	
(0.9%)	
(16.8%)	
1 (82.3%)	
,	220
5 (84.1%)	
(15.9%)	
8.8(7.7)	185
,	218
4 (56.9%)	
(19.7%)	
(2.8%)	
\ /	
	(16.8%) (182.3%) (182.3%) (15.9%) (15.9%) (20.2%) (19.7%)

Knowledge and Attitude

Table 2: Summary descriptives table

	[ALL]	N
	N=220	
Subject's knowledge whether pregnancy can be prevented by choice: 1, Yes	212 (96.4%)	220
Subject's knowledge on rhytm method as type of contraception: 1, Yes	$79 \ (100.0\%)$	79
Subject's knowledge on barrier method as type of contraception: 1, Yes	$193\ (100.0\%)$	193
Subject's knowledge on oral contraceptive pill as type of contraception: 1, Yes	$184 \ (100.0\%)$	184
Subject's knowledge on IUCD as type of contraception: 1, Yes	$143\ (100.0\%)$	143
Subject's knowledge on Implants as type of contraception: 1, Yes	5 (100.0%)	5
Subject's knowledge on Injection as type of contraception: 1, Yes	$26 \ (100.0\%)$	26
Subject's knowledge on Other types of contraception	•	0
Subject's knowledge on sterilisation as Type of contraception: 1, Yes	$63\ (100.0\%)$	63
Subject's knowledge on Abstinence as type of contraception	•	0
Subject's knowledge on type of contraception as none	•	0
Subject's attitude on willing to use contraception: 1, Yes	62 (32.8%)	189
Subject's practice on contraception used before: 1, Yes	56~(28.4%)	197
Subjects' ease with acceptability of IUCD: 1, Yes	159 (77.6%)	205
Subject's satisfaction with the contraceptive method used: 1, Yes	$41 \ (70.7\%)$	58
Subject's preference for IUCD: 1, Yes	$68 \ (100.0\%)$	68
Subject's preference for condoms: 1, Yes	$60 \ (100.0\%)$	60
Subject's preference for natural methods: 1, Yes	27 (100.0%)	27
Subject's digital app usage for tracking safe days: 1, Yes	14 (100.0%)	14
Subject's digital app knowledge for tracking safe days: 1, Yes	9 (100.0%)	9
Subject's wish to create awarness for contraception: 1, Yes	$15\ (100.0\%)$	15
Subject's counselled for Yuwa Clinic's: 1, Yes	9 (100.0%)	9
Subject's concern about family/husband's decision on contraception important: 1, Yes	10 (100.0%)	10

IUCD vs Pill

Table 3: Summary descriptives table

	[ALL] N=167	N
Subject's practice on contraceptive method used before: OCP=1: 1, Yes	30 (52.6%)	57
Subject's practice on contraceptive method used before: I pill=2: 1, Yes	5 (8.8%)	57
Subject's practice on contraceptive method used before: IUCD=3: 1, Yes	28 (49.1%)	57
Subject's practice on contraceptive method used before: Injection=4: 1, Yes	1 (1.8%)	57
Subjects' misconception with IUCD or Pill: migration=1: 1, Yes	1 (0.6%)	156
Subjects' misconception with IUCD or Pill: failure=2: 1, Yes	12(7.7%)	156
Subjects' misconception with IUCD or Pill: cancer=3: 1, Yes	3 (1.9%)	156
Subjects' misconception with IUCD or Pill: bleeding=4: 1, Yes	18 (11.5%)	156
Subjects' misconception with IUCD or Pill: infection=5: 1, Yes	16 (10.3%)	156
Subjects' misconception with IUCD or Pill: pain=6: 1, Yes	11 (7.1%)	156
Subjects' misconception with IUCD or Pill: afraid of using contraceptives=7: 1, Yes	3 (1.9%)	156
Subjects' misconception with IUCD or Pill: Don't know=8: 1, Yes	103 (66.0%)	156
Subjects' misconception with IUCD or Pill: wt loss=9: 1, Yes	1 (0.6%)	156
Subject's concern with use of IUCD: wt gain=1: 1, Yes	16 (48.5%)	33
Subject's concern with use of IUCD: hormonal imbalance=2: 1, Yes	5 (15.2%)	33
Subject's concern with use of IUCD: mood swings=3: 1, Yes	4 (12.1%)	33
Subject's concern with use of IUCD: fertility problems=4: 1, Yes	8 (24.2%)	33
Subject's concern with use of IUCD: sleeping problems=5: 1, Yes	1 (3.0%)	33
Subject's concern with use of IUCD: UTI=6: 1, Yes	1 (3.0%)	33
Subjects' concern with acceptability of IUCD: safety=1: 1, Yes	153 (91.6%)	167
Subjects' concern with acceptability of IUCD: efficacy=2: 1, Yes	22 (13.2%)	167
Subjects' concern with acceptability of IUCD: cost=3: 1, Yes	4(2.4%)	167
Subjects' concern with acceptability of IUCD: service delivery=4: 1, Yes	37 (22.2%)	167
Subjects' concern with acceptability of IUCD: accessibility for FU=5: 1, Yes	3 (1.8%)	167
Subjects' preference with timing of IUCD: Soon after delivery=1: 1, Yes	12 (30.8%)	39
Subjects' preference with timing of IUCD: 2m after delivery=2: 1, Yes	3(7.7%)	39
Subjects' preference with timing of IUCD: far apart from delivery=3: 0, No	39 (100.0%)	39
Subjects' preference with timing of IUCD: no specific timings=4: 1, Yes	21 (53.8%)	39
Subjects' preference with timing of IUCD: with CS=5: 0, No	39 (100.0%)	39
Subject's reasons for preference of pills: Safe=1: 1, Yes	17 (38.6%)	44
Subject's reasons for preference of pills: Easy to consume=2: 1, Yes	26 (59.1%)	44
Subject's reasons for preference of pills: Easily available=3: 1, Yes	3 (6.8%)	44
Subject's reasons for preference of pills: Not painful=4: 1, Yes	2(4.5%)	44
Subject's reasons for preference of tubal ligation: TL done=1: 1, Yes	15 (34.9%)	43
Subject's reasons for preference of tubal ligation: May opt TL=2: 1, Yes	19 (44.2%)	43
Subject's reasons for preference of tubal ligation: After 2nd child=3: 1, Yes	4 (9.3%)	43
Subject's reasons for preference of tubal ligation: Arter 2nd cmid=3. 1, Tes Subject's reasons for preference of tubal ligation: Once family is complete=4: 1, Yes	1 (2.3%)	43
Subject's reasons for preference of tubal ligation: Came for TL=5: 1, Yes	4 (9.3%)	43
oubject 5 reasons for preference of tubal figation. Came for Th=9. 1, 168	4 (3.370)	40