
			Plate	D	
d	L	ym	m	run	rise
0.000125	3.8	-0.093	-5	-19	-1.1625E-05
0.000125	3.8	-0.0765	-4	-15.2	-9.5625E-06
0.000125	3.8	-0.0575	-3	-11.4	-7.1875E-06
0.000125	3.8	-0.038	-2	-7.6	-4.75E-06
0.000125	3.8	-0.0195	-1	-3.8	-2.4375E-06
0.000125	3.8	0.019	1	3.8	2.375E-06
0.000125	3.8	0.0365	2	7.6	4.5625E-06
0.000125	3.8	0.0575	3	11.4	7.1875E-06
0.000125	3.8	0.076	4	15.2	9.5E-06
0.000125	3.8	0.0935	5	19	1.16875E-05


WaveLength - D



slopenanometers6.20514E-07620.51


			Plate	E	
d	L	ym	m	run	rise
0.00025	3.8	-0.1045	-11	-41.8	-2.6125E-05
0.00025	3.8	-0.094	-10	-38	-2.35E-05
0.00025	3.8	-0.0835	-9	-34.2	-2.6125E-05
0.00025	3.8	-0.0755	-8	-30.4	-2.35E-05
0.00025	3.8	-0.066	-7	-26.6	-2.0875E-05
0.00025	3.8	-0.056	-6	-22.8	-1.8875E-05
0.00025	3.8	-0.047	-5	-19	-1.65E-05
0.00025	3.8	-0.038	-4	-15.2	-1.4E-05
0.00025	3.8	-0.028	-3	-11.4	-1.175E-05
0.00025	3.8	-0.0195	-2	-7.6	-9.5E-06
0.00025	3.8	-0.01	-1	-3.8	-7E-06
0.00025	3.8	0.0095	1	3.8	2.375E-06
0.00025	3.8	0.019	2	7.6	4.75E-06
0.00025	3.8	0.028	3	11.4	7E-06
0.00025	3.8	0.0375	4	15.2	9.375E-06
0.00025	3.8	0.047	5	19	1.175E-05
0.00025	3.8	0.057	6	22.8	1.425E-05
0.00025	3.8	0.067	7	26.6	1.675E-05
0.00025	3.8	0.077	8	30.4	1.925E-05
0.00025	3.8	0.086	9	34.2	2.15E-05
0.00025	3.8	0.096	10	38	2.4E-05
0.00025	3.8	0.1055	11	41.8	2.6375E-05





slope nanometers 6.7977E-07 679.77

			Plate	F	
d	L	ym	m	run	rise
0.00025	3.8	-0.108	-11	-41.8	-2.7E-05
0.00025	3.8	-0.0985	-10	-38	-2.4625E-05
0.00025	3.8	-0.088	-9	-34.2	-2.7E-05
0.00025	3.8	-0.079	-8	-30.4	-2.4625E-05
0.00025	3.8	-0.068	-7	-26.6	-2.2E-05
0.00025	3.8	-0.0585	-6	-22.8	-1.975E-05
0.00025	3.8	-0.049	-5	-19	-1.7E-05
0.00025	3.8	-0.038	-4	-15.2	-1.4625E-05
0.00025	3.8	-0.029	-3	-11.4	-1.225E-05
0.00025	3.8	-0.019	-2	-7.6	-9.5E-06
0.00025	3.8	-0.01	-1	-3.8	-7.25E-06
0.00025	3.8	0.0095	1	3.8	2.375E-06
0.00025	3.8	0.0195	2	7.6	4.875E-06
0.00025	3.8	0.0295	3	11.4	7.375E-06
0.00025	3.8	0.0395	4	15.2	9.875E-06
0.00025	3.8	0.0495	5	19	1.2375E-05
0.00025	3.8	0.06	6	22.8	1.5E-05
0.00025	3.8	0.0705	7	26.6	1.7625E-05
0.00025	3.8	0.0805	8	30.4	2.0125E-05
0.00025	3.8	0.09	9	34.2	2.25E-05
0.00025	3.8	0.101	10	38	2.525E-05
0.00025	3.8	0.1105	11	41.8	2.7625E-05



slope nanometers 7.10195E-07 710.19