

md2pdf test

me

December 14, 2021

0.1 DataFrame

```
using DataFrames
using PrettyTables
using Latexify
```

```
df = DataFrame("a" => 1, "b" => 2, "c" => 3)
```

	a	b	c
	Int64	Int64	Int64
1	1	2	3

0.2 Latexify

```
latexify(df)
```

a	b	c
1	2	3

0.3 PrettyTable

```
df |> pretty_table
```

a	b	c
Int64	Int64	Int64
1	2	3

0.3.1 Default

```
pretty_table(df, tf=PrettyTables.tf_latex_default)
```

```
\begin{table}
  \begin{tabular}{rrr}
    \hline\hline
    \textbf{a} & \textbf{b} & \textbf{c} \\
    \texttt{Int64} & \texttt{Int64} & \texttt{Int64} \\
    1 & 2 & 3 \\
  \end{tabular}
\end{table}
```

a	b	c
Int64	Int64	Int64
1	2	3

0.3.2 Simple

```
pretty_table(df, tf=PrettyTables.tf_latex_simple)
```

```
\begin{table}
  \begin{tabular}{rrr}
    \hline
    \textbf{a} & \textbf{b} & \textbf{c} \\
    \texttt{Int64} & \texttt{Int64} & \texttt{Int64} \\
    1 & 2 & 3 \\
  \end{tabular}
\end{table}
```

0.3.3 Book Tabs

```
pretty_table(df, tf=PrettyTables.tf_latex_booktabs)
```

```
\begin{table}
  \begin{tabular}{rrr}
    \toprule
    \textbf{a} & \textbf{b} & \textbf{c} \\
    \texttt{Int64} & \texttt{Int64} & \texttt{Int64} \\
    1 & 2 & 3 \\
    \bottomrule
  \end{tabular}
\end{table}
```

0.4 Alternative

Reproducing issue: [Incorporating LaTeX output from code chunk](#).

0.4.1 Latex Backend

```
pretty_table(df, backend = :latex)
```

0.4.2 Markup Backend

```
pretty_table(df, backend = :markup)
```

0.4.3 Function

Another alternative solution offered from issue: [Visualizing a table in weave report?](#).

```
function latextable(df)
  io = IOBuffer();
  show(io, MIME("text/latex"), df; eltypes = false);
  print(String(take!(io)));
end
```

```
latextable (generic function with 1 method)
```

Test the function latextable.

Table 1: My Title

A	B	C
1	2	3

```
latexable(df)
```

	a	b	c
1	1	2	3

0.5 New

```
pretty_table(  
    df;  
    title = "My Title",  
    title_alignment = :c,  
    header = ["A", "B", "C"],  
    backend = :latex,  
)
```