



Quarto Rutgers theme

Port of the ru_xaringan theme using quarto markdown

Joseph V. Casillas
Rutgers University
2023-04-01

The basics

- Similar to `xaringan`, `revealjs` uses `#` for headers
- One difference is that they automatically generate a new slide
 - Two (`##`) for a level two header at the top of a slide
 - One (`#`) is centered vertically (good for a section divider)
- All other basic markdown syntax works the same:

Incremental slides

To make an ordered or unordered list incremental you have to use css

```
::: {.incremental}
- First this one
- Then this one
:::
```

- First this one
- Then this one

```
::: {.incremental}
1. First this one
2. Then this one
:::
```

1. First this one
2. Then this one

Multiple columns

You can make multiple columns of any width using css as well

```
:::: {.columns}
```

```
::: {.column width="40%"}
```

Left column

```
:::
```

```
::: {.column width="60%"}
```

Right column

```
:::
```

```
::::
```

Left column

Right column

Long slides?

You can use css to make text smaller with `{.smaller}`

```
## Slide Title {.smaller}
```

- this
- is
- ideal
- for
- really
- long
- slides
- but
- it's
- usually
- better to avoid that

Long slides? (again)

Another option is to make the individual slide scrollable using `{.scrollable}`

- this
- is
- ideal
- for
- really
- long
- slides
- but
- it's
- usually
- better

Don't forget your speaker notes

You can get your speaker notes all set up using

```
::: {.notes}  
Speaker notes go here.  
:::
```

Click “s” to see some notes

Asides

You can include asides, but they are kind of weird.

```
::: aside  
This is an aside  
:::
```

This is an aside

Footnotes

I think footnotes are probably more useful ¹

You can make them endnotes (ew) like this:

```
---  
format:  
  revealjs:  
    reference-location: document  
---
```

Custom footers

You can add a custom footer to any slide using

```
::: footer  
This is my footer  
:::
```

IPA symbols work in unicode

- /ʃæ.ˈrɪŋ.gæn/
- /θɔ̃szʃʒsɛzɕjʌLəθəʒ/

Word	Phonology	Phonetics
casa	/ˈka.sa/	[ˈka.sa]
taco (Sp.)	/ˈta.ko/	[ˈta.ko]
taco (Eng.)	/ˈta.ko/	[ˈt ^h a.ko]

Standard slide with R code

- You can highlight code using `code-line-numbers` in the knitr chunk options
- If you include pipes, e.g., `code-line-numbers: "|5|"` they will be highlighted incrementally (nice!)
- Using `output-location:` (fragment, slide, column, column-fragment) controls when and where the output of the code is displayed

```
1 library("tidyverse")
2 ggplot(cars) +
3   aes(x = dist, y = speed) +
4   geom_point() +
5   geom_smooth(method = 'lm', formula = y ~ poly(x, 2)) +
6   theme_bw(base_family = "Palatino", base_size = 20) +
7   theme(
8     panel.grid.major = element_line(colour = 'grey90', size = 0.15),
9     panel.grid.minor = element_line(colour = 'grey90', size = 0.15)
10  )
```

Standard slide with R code




Figure 1: Example caption.

Tabsets

You can use tabsets pretty easily

```
::: {.panel-tabset}
```

```
### Tab A
```

```
Content for `Tab A`
```

```
### Tab B
```

```
Content for `Tab B`
```

```
:::
```

(example on next slide)

Code

Output

```
1 plot_tabs <- mtcars |>
2   ggplot() +
3   aes(x = drat, y = mpg) +
4   geom_point() +
5   geom_smooth(method = lm, formula = "y ~ x") +
6   theme_bw(base_family = "Palatino", base_size = 20) +
7   theme(
8     panel.grid.major = element_line(colour = 'grey90', size = 0.15),
9     panel.grid.minor = element_line(colour = 'grey90', size = 0.15)
10  )
```


Backgrounds

This is the final slide

you can add your email, twitter, github, etc. info here

Here is an example:

joseph.casillas@rutgers.edu

jvcasillas.com / ru_xaringan / slides

@jvcasill

@jvcasillas

