sked-it
Data Design Document

Submitted to:

Asst. Prof. Ma. Rowena C. Solamo
Faculty Member
Department of Computer Science
College of Engineering
University of the Philippines, Diliman

Submitted by:
Dela Sierra, Joshua Joseph Riki V.
Garcia, Patric Charles M.
Granda, Justin Tristan Gabriel

In partial fulfillment of Academic Requirements
for the course
CS 191 Software Engineering I
of the
1st Semester, AY 2019-2020

Unique Reference:

The documents are stored in the https://github.com/jvdelasierra/sked-it/tree/master/03-Design%20Engineering.

https://github.com/jvdelasierra/sked-it/tree/master/03-Design%20Engineering/sked-it%20-%20Data Design.pdf

Document Purpose:

The purpose of this document is to formalize the idea of the data model of the application "sked-it"

Target Audience:

The target audience of this document would be the developers of sked-it and anyone who is interested in our process of building an application.

Revision Control

History Revision:

Revision Date	***Person Responsible***	***Version Number***	***Contribution/Modification***
10/22/2019	Joshua V. Dela Sierra	1.0	Initial Document
10/23/2019	Patric Charles M. Garcia	2.0	Added Content to all the tables.
10/24/2019	Justin Tristan Gabriel R. Granda	3.0	Added Logical Database Design
10/24/2019	Patric Charles M. Garcia	4.0	Added persistent class lists
10/24/2019	Joshua V. Dela Sierra	5.0	Data Design Diagram
10/24/2019	Patric Charles M. Garcia	6.0	Added other attributes to Schedule in Logical Database Design
10/24/2019	Joshua V. Dela Sierra	7.0	Fixed the constraints of the Logical Database Design and Finalized the document

Data Design:


java.sql
DriverManager
ResultSet
Connection
Statement
<<dbClass>>
DBSchedule
private Schedule a
private Connection con
private Statement sqlStmt
private ResultSet rs
private String prepareSelectStmt(String searchCriteria)
private String prepareInsertStmt(Schedule a)
private String prepareUpdateStmt(Schedule a)
private String prepareDeleteStmt(Schedule a)
public int editSched(Schedule a)
public int addSched(Schedule a)
public int deleteSched(Schedule a)
<<PersistentClassList>>
PCLSchedule
public void addSched(Schedule a)
<<PersistentClass>>
Schedule
private String eventID
private String date
private String time_start
private String time_end
private String description
private String groupPrivacy
// set and get methods
<<dbClass>>
DBIndividual
private Individual a
private Connection con
private Statement sqlStmt
private ResultSet rs
private String prepareSelectStmt(String searchCriteria)
private String prepareInsertStmt(Individual a)
private String prepareUpdateStmt(individual a)
private String prepareDeleteStmt(Individual a)
public int addUser(Individual a)
public int editUser(Individual a)
public int deleteUser(Individual a)
<<PersistentClassList>>
PCLIndividual
public void addUser(Individual a)
<<PersistentClass>>
Individual
private String userID
private String email
private String password
private Schedule schedules
// set and get methods
<<dbClass>>
DBGroup
private Group a
private Connection con
private Statement sqlStmt
private ResultSet rs
private String prepareSelectStmt(String searchCriteria)
private String prepareInsertStmt(Group a)
private String prepareUpdateStmt(Group a)
private String prepareDeleteStmt(Group a)
public int addGroup(Group a)
public int editGroup(Group a)
public int deleteGroup(Group a)
<<PersistentClassList>>
PCLGroup
public void addGroup(Group a)
<<PersistentClass>>
Group
private String groupCalendarID
private Individual individual
private String nameOfLeader
// set and get methods

Data Access Object (DAO) or DBClasses:

Class Name	**Description**
DBIndividual	This data access object is responsible for getting Individual data from a database.
DBGroup	This data access object is responsible for getting Group data from a database.
DBSchedule	This data access object is responsible for getting Schedule data from a database.

TransferObject or Persistent Classes:

Class Name	**Description**
Individual	This persistent class is responsible for holding a single athlete record
Schedule	This persistent class is responsible for holding a schedule record
Group	This persistent class is responsible for holding a single group record
PCLIndividual	This persistent class list is responsible for holding a list of Individual records.
PCLSchedule	This persistent class list is responsible for holding a list of Schedule records.
PCLGroup	This persistent class list is responsible for holding a list of Group records.

Database Name: GangStore Inventory Database
Description: This is the database that contains the players needed for the application's key functionalities. The following are the list of tables:

Tables	Descriptions
Individual	It contains the details of all the individual users in the sked-it app.
Group	It contains the details of all the groups in the sked-it app.
Schedule	It contains the schedules of all the users in the sked-it app

Logical Database Design:

Individual

userID	email	password	eventID
BIGINT	VARCHAR(50)	VARCHAR(50)	BIGINT
9999999999	X(50)	X(50)	9999999999
PK, SA	**NN**	**NN**	**FK**
1000	Juan	theone	3000
1001	Dela	liano	3001
1002	Cruz	soma	3002

Group

groupID	name	userID (leader)	userID (members)	scheduleID
BIGINT	VARCHAR(50)	BIGINT	BIGINT	BIGINT
9999999999	X(50)	9999999999	9999999999	9999999999
PK, SA, NC	**NN**	**FK**	**FK, NN**	**FK**
2000	PartyGroup	1000	1000,1003	4000
2001	ACM Org	1001	1001, 1004	4001
2002	WSG	1002	1002, 1005	4002

SCHEDULE

eventID	date	time_start	time_end	description	groupPrivacy
BIGINT	DATE	TIME	TIME	VARCHAR(256)	VARCHAR(15)
9999999999	max_date_val	23:59:59	23:59:59	X(256)	X(15)
PK, SA,NC	**UA**	**UA**	**UA**	**UA**	**UA**
3000	2018-01-01	08:00:00	09:00:00	Party	Private
3001	2019-01-01	08:00:00	10:00:00	Homework	Public
3002	2020-01-01	08:00:00	11:00:00	Routine	Secret