



"Though this be madness, yet there is method in't."
Shakespeare: Hamlet: Act 2 Scene 2

The Hodgkin-Huxley neuron model V2.0



June 2, 2026



Version *0.0.1*

Prepared using L^AT_EX ML

Contents

Foreword	3
1 Electricity for neurons	5
1.1 Membrane's electricity	6
1.1.1 Condenser	7
1.1.2 Resistor	7
1.1.3 Electrolytes	9
1.1.4 Thermodynamic field	10
1.1.5 One segment	13
1.1.6 Two segments	14
1.1.7 Bridging the micro- and macro views	21
1.1.8 Ionic currents in a cell	22
1.1.9 Imitating slow currents	25
1.2 Forming membrane's potential	28
1.2.1 States	29
1.2.2 Controlling states	38
1.2.3 Goldman-Hodgkin-Katz potential	44
1.3 The Action Potential	45
1.3.1 The physical process	45
1.3.2 The oscillator model	46
1.3.3 Mathematics of the ActionPotential	51
2 Thermodynamics for neurons	53

Contents

Foreword

The importance of Hodgkin and Huxley's classic (V1.0) "model", which fundamentally changed our ideas about the physiology of neurons and which has served as the basis for describing the functioning of neurons for several decades, can hardly be overestimated; it is truly the crown jewel of neuroscience. However, its authors, quite realistically, assessed that the physical picture behind the observations they mathematically formulated could be partially incorrect. Already in their original communication, they drew attention to the fact that their equations did not fully describe their observations. Later they added that there exists observed evidence that does not fit into the picture. Due to the lack of certain knowledge, they were forced to formulate ad hoc assumptions and they admitted that the formalism of the equations could describe more than one physical process. Some of the assumptions proved to be a brilliant vision, but in quite a few cases it turned out that they did not always put the right physical background behind their observations which were generally correctly described mathematically, and that their model designed for mechanical computers had obvious limitations. Already at the time of the introduction of the model, doubts arose as to whether the purely electrical model could fully describe the observations known up to that time, and later, as the accuracy, directionality and detailedness of the observations increased, it became necessary to introduce more and more ad hoc assumptions in order to maintain the consistency of the model assuming purely electrical operation.

In the past decades, numerous (V1.0x) models have been created, modifying and supplementing this purely electrical, disciplinary, original model with more or less success (which ultimately became a model due to the activities of Hodgkin and Huxley (HH)'s followers). There have also been (V1.y) models that try to model the neuron within the framework of an entirely different discipline, mainly interpreting its thermodynamic, mechanical, optical, etc. phenomena. The common feature of all these models is that they cannot provide a complete model (describing all observations without contradiction). There are also models that do not even strive to describe a physical operating mechanism; they are satisfied with providing a mathematical formalism that shows behavior that is consistent with experience in some context; without even trying to answer the questions 'why' and 'by what mechanism'.

Due to the lack of the needed expertise in physics, biophysics introduced the idea of the "whatnot" [12] protein mechanisms for the unexplainable forces that

totally misguided physiology and neuroscience. Biology has no laws of motion in the sense as physics has Newton's laws. The many speculative hypotheses hyde that science can describe living matter, but needs a different approach. Claims such as "pumps [by using protein mechanisms] . . . transport ions *against their electrical and chemical gradients*" [1], page 101, or "the flux of ions through ion channels is passive, requiring *no expenditure of metabolic energy* by the channels." [1], page 107, are as scientific as in the pre-Newtonian age, there was a notion related to Aristotelian philosophy. This concept gave credence to the "theory" that the celestial spheres and, later on, the planets were pushed or moved by celestial movers, celestial intelligences, or angels against physical forces, without continuously investing energy. Inventing the universal gravitational law made the complex interplay of those spheres obsolete, although, for the first look, it seemed to be unrelated.

Describing life science is still in the pre-Newtonian age: it has a lot of "spheres" described by complicated theories that contradict each other, and does not have its laws of motion, in the sense as Newton's Laws in physics. What is worse, it did not invent and test the laws describing living matter. Instead, it borrowed the disciplinary laws of physics, without recognizing that its different discipline has different conditions and requires different approximations; that is similar, but differently used laws. Without questioning the merits of the V1.0 model, the experimental experience accumulated in recent decades, the dizzying development of technology and instrumental measurements, and the ever-increasing demand for the results of neuroscience have made it necessary to develop the (V2.0) model. The model is necessarily cross-disciplinary; no single physical discipline alone allows for a complete and consistent interpretation of the phenomena of the living organism.

Quotation:

" *Though this be madness, yet there is method in't.*"
Shakespeare: Hamlet: Act 2 Scene 2

Chapter 1

Electricity for neurons

The excellent textbook [1] (of course, having HH V1.0 in mind) separates the neuron membrane's states into resting and transient states. The statement that "the resting membrane potential results from the separation of charge across the cell membrane" is only half the truth; we tell the second half in section 1.1. We refine their statement "by discussing how resting ion channels establish and maintain the resting potential" [1], page 126. As we show in section 1.2, two different physical mechanisms operate in the resting and the transient states. A primary reason for misleading neurophysiology was projecting the mechanism of the resting state to the transient state.

The book [1] asks the central questions, "How do ionic [i.e., electrical and chemical] gradients contribute to the resting membrane potential? What prevents the ionic gradients from dissipating by diffusion of ions across the membrane through the resting channels?" However, it leaves them essentially open by giving only a qualitative answer, discussing only membrane permeability without explaining how the resting potential is created and regulated through charging and polarization. We demonstrate in section 1.2 that classical methods of electricity enable us to calculate the membrane's potential. Our results underpin that "the crucial system in biology isn't a molecule or a molecular class whatsoever, but the interface created by biomolecules in water" [2]. However, we add that mainly physical processes and speed gradients control the processes. More precisely, inseparable thermodynamic and electrical processes keep the potential set by the inseparable electrical and thermodynamic backbone defined by the lipid/protein structure of the cell. It is one of the frequent cases when one effect implements a functionality (the backbone closely defines the frames of the operation), and the other (in this case, combined thermodynamics and electricity) corrects it when it implements a complex operational (dynamical) functionality: "stimulated phase transitions enable the phase-dependent processes to replace each other ... one process to build and the other to correct" [3].

1.1 Membrane's electricity

The importance of the subject was correctly estimated decades ago [4]: "For the past forty years, our understanding and our methods of studying the biophysics of excitable membranes have been significantly influenced by the landmark work of HH. Their work has had a far-reaching impact on many different life science sub-disciplines where concepts of cell biology have come to be important. The ionic currents and electrical signals generated by neuronal membranes are of obvious importance in the nervous system." To fix the flawed and incomplete hypotheses has a similar importance. Recall that if you have the HH model in mind, and measure with a voltmeter, you will surely measure voltage and current, and nothing more (no other quantity). This way the accompanied other changes can remain hidden.

Concerning the origin of the membrane's resting potential, we disagree that "the resting membrane potential is the result of the [low intensity] passive flux of individual ion species through several classes of resting channels" [1]. This claim cannot be true: the flux is not passive (to move the ions, energy required), furthermore, no setpoint is defined, so some (low) current flows due to the interplay of the electrostatically set setpoint and the reversal potential of the ions inside and outside. The claim was already question-marked whether the membrane permeability is a primary property for the membrane potential generation, for a review, see [5]. That interpretation leads to causality issues [6].

It was already stated that the membrane's resting potential is, of course, of electrostatic origin [7, 8, 9, 5, 10]. Paper [11] stated correctly "that separation of charges produces a potential" and derived the thermodynamic part in two different ways, but did not account for the electrical potential. However, the classical electrical potential is only a small part of the actual potential; the rest is contributed by the polarization of the electrolyte's dipoles. Moreover, *the closed volume of the neurons drastically differs from the infinite space. The charges attract and repel each other, but since they experience the counterforce of the limiting surface (the membrane), a static mechanical pressure (furthermore, a shock wave, if the amount of charge on the membrane suddenly changes) are also created, which naturally connect the electrical and mechanical effects, as well as the electrical, mechanical, and thermodynamic theories of operation.* That is, the 'net electrical' model implies the effects from We must discuss them in a cross-disciplinary way; furthermore, we must cross the borderline between particle-based and continuous points of view of nature. Moreover, the features of living matter may change while being measured in physics laboratories as usual: "the construction is different from anything we have yet tested in the physical laboratory" [12].

When the balanced state is perturbed, the system attempts to find a new balanced state, using temporal processes. In this scenario, the 'carrier' - the ion - can be influenced by two interactions. We discussed elsewhere that those phenomena in living matter need deriving and applying 'non-ordinary' laws of science [13], and the time course of those processes can be described by the laws of motion of biology. Fundamentally, due to the mixing of interaction speeds,

considering only one of the interactions (the disciplinary way) leads to incorrect conclusions and theoretical interpretations.

1.1.1 Condenser

Cell biochemistry sufficiently well describes the lipid bilayers that constitute the membrane [14, 15]. The negative and positive ends of the lipids that constitute the membrane, in an electrolyte solution, attract and bind ions, forming a charged layer on the membrane surfaces. In this way, the membrane in electrolytes acts as a condenser, comprising two charged sheets on its surfaces, with ill-defined parameters. Their boundaries, thicknesses, and compositions depend on the operating state (unlike conducting plates with well-defined sizes and boundaries). The condenser is not ideal: the charged sheet comprises ions with attached aqueous constituents from the electrolyte, so its thickness is far from the ideal zero thickness of classical electricity. Furthermore, in its wall, it inseparably comprises ion channels (from an electrical point of view: resistors), and the condenser plates are in polarizable electrolyte solutions.

Cell science does not establish the membrane's electrical phenomena; instead, it attempts to elucidate complex protein activities that explain charge transfer, resting and transient potentials, and explains the entire *biological operation using mathematical formulas without a realistic physical background*. Electrophysiology combines currents of electrons and ions, and *uses Ohm's Law for its admittedly non-Ohmic systems*. It introduces foreign (clamping) currents into biological systems, attributing their effects to changes in membrane conductance without explaining how *voltage and current can be independent of charge carriers*.

1.1.2 Resistor

Ions differ from electrons we used to in physical electricity in many features. Their conduction mechanisms are entirely different, and they are not necessarily present in the discussed medium (say, when the medium is surrounded by a charged surface, the field moves free ions out of the volume). They may be produced by biological mechanisms, and they are slow (have a couple of m/s speed, creating the illusion of 'delayed current'). Both disciplines provide an atomic level description, but unfortunately they use the same words for their concepts, although their meaning can be entirely different.

In solids, as the Drude model describes, electrons constantly bounce among heavier, stationary crystal ions, that make up the structure of the material. With each collision, though, the electron is deflected in a random direction *with a speed that is much larger than the speed gained by the electric field*. The net result is that electrons take a zigzag path due to the collisions, but generally drift in a direction along the electric field. Important, that *the collisions are inelastic*, so the electrons lose (most of) their energy. The solid's gridpoints absorb the energy, which later is released in form of heat. The process is irreversible.

In biological matter, ions convey electricity. So called ion channels are used for the transfer. Here diffusion and electromigration takes place, by orders of magnitude different speeds. The process is mostly reversible. The resistance is interpreted as the interaction of charge carriers with the particles in the material that are transported by a driving force (that can comprise also a force of chemical origin). In solid state, the volume considered is "infinitely large" (that is, the field is homogeneous and the propagation is isotropic), and the charge carriers are uniform that is only one type of interaction is present. In biological objects, the volume is more or less limited (is finite), there may be charged objects present that make the propagation non-isotropic. Furthermore, the charge carriers are non-uniform that introduces thermodynamic interaction in addition to the electrical interaction. Ions, under the electrical/thermodynamic field (and maybe mechanical constraints) accelerate to the Stokes-Einstein speed (see Eq.(1.28)), move against a friction in the electrolyte. The ions suffer (essentially elastic) collisions with neutral molecules and transfer their momentum (and so: energy) to them. From the point of view of ions, the process is energy loss and momentum loss. From the point of neutral molecules, the process is energy gain and momentum gain. In a free space, the energy and momentum quickly distribute in the entire volume, so the process is finally irreversible.

If the acceleration occurs in a narrow tube such as an ion channel, the wall prevents gaining momentum in the direction perpendicular to the direction of acceleration. Given that the collisions are elastic, no energy dissipates; so, in principle, the process is reversible. Strangely enough, this way the electrical force accelerates also the neutral molecules; furthermore, their momentum (using an elastic membrane) can fully contribute to the operation of neuron (forms the Action Potential (AP)).

In a narrow tube (such as an ion channel) the momentum exchange is limited to one direction. If the ions are accelerated through the channel, due to the frequent collisions, they can entirely transfer their energy to a large number of neutral molecules. Those accelerated molecules having the same speed may represent a significant "impact force", sufficient to cause significant mechanical changes throughout biological systems. The momentum transfer by collisions is a two-way process, it is reversible also in the practice. If a small amount of ionized particles is present in the tube, under an external electrical field, the charged particles can accelerate the neutral ones. Vice versa, if the bulk of the particles are moved mechanically (say, when an ultrasound wave presses the neuron or a rush-in process transfers electric energy to the membrane), the one-directionally moving neutral molecules transfer momentum to the charged particles, this way producing measurable electrical waves (such as an AP).

The secondary electric quantities can be derived from the primary quantity: the bulk of the undissociated molecules 'resist' transferring ions under the effect of an electric field (the liquid must be pressed through the tube). One can measure potential and current along the ion channel (and so, to calculate resistance), but the behavior of the resistance/conductance is drastically different. One has a pneumatic system instead of a voltage generator and the resistance originates in viscosity. Most of the energy is converted to mechan-

ical energy instead of heat, making the process (mostly) reversible. The AP initially produces an impulse force that compresses the membrane. The compressed membrane, while performing a damped oscillation, pushes and pulls the incompressible electrolyte that contains a small amount of dissociated ions, this way (per definitionem) creating an observable current and voltage wave. In the positive and negative half periods of the elastic oscillation, due to opposite elastic/pneumatic forces, the current and voltage change their sign. Given that the charges move at their Stokes-Einstein speed, the voltage-, current- and pressure waves are synchronized, as observed. The different experimental observations measure the same effect by using their disciplinary measuring devices. The energy of the ions cannot dissipate; instead, the neutral and charged particles share it, and convert between kinetic and elastic energies (the electric energy is much smaller). That is, the neuron can produce heat in the positive phase of the elastic oscillation (the electrolyte is compressed), and can reabsorb heat in the negative phase (decompression), in full accordance with the correctly interpreted laws of physics. This way, by introducing the correct interpretation of "resistance" for ion channels, the seven-decades-old contradiction [16] between the electrical and thermodynamic observations are finally resolved, furthermore, the conflicting theories can be naturally unified.

1.1.3 Electrolytes

Specific chemical substances can naturally hold either a positive or negative electrical charge and react to their micro-, macro-, and electrical/mechanical/thermodynamic environments. A molecule has internal electrical forces that keep its ions in place, so it has two charge centers (dipoles). When another dipole or a macroscopic external electrical field (which can be of electrical, magnetic, mechanical, or chemical origin) appears near the molecule, its perturbing effect can affect the relation of the ions to each other. The two charge centers initially increase their distance (the molecule polarizes). When that disturbance is strong enough, the ions can entirely separate (the molecule ionizes). The local electrical field fluctuates, so their state is dynamic: molecules dissociate, and free ions recombine. Furthermore, the process also plays an important role in the energy supply of neurons: the strong electric field near the membrane hydrolyzes Adenozine Triphosphate (ATP) molecules, and moves ions to the "condenser plates", thereby accumulating "potential energy". (The claim that the ions pass through ion channels by using the "downhill method" does not use energy, is wrong: they are accelerated by the condenser's field and consume energy in that way.) Depending on their environment, substances can exist in base, ionized, and polarized states (and exhibit corresponding behaviors).

(In physics, the term 'polarization' is reserved for the redistribution of charges in multiply charged systems without generating an external current. Changes in the membrane's potential difference are a consequence of complete charge separation (and the movement of slow charges), even though, unfortunately, physiology refers to it as polarization. As discussed below, true polariza-

tion is also present, which confuses the description. External currents contribute to the changes of potential.)

In biological cells, in a resting state, a small (approximately 10^{-3}) fraction of the molecules dissociates (i.e., ions separate from their counterparts with opposite charges) and moves freely within the volume. In other words, an electrolyte liquid can conduct electricity (under the effect of an electrical or thermodynamic field) because the positive and negative ions are mobile. The remaining molecules can be more or less polarized, allowing for the possibility of generating an internal electrical field in the solution. In a transition state, all components (including ions, molecules, and ATP) have gradients, and they move towards their balanced state.

1.1.4 Deriving the "thermodynamic electrical field"

In a segmented electrolyte, electrical charges are typically globally balanced; however, they may become locally unbalanced due to physical factors. The Nernst-Planck electrodiffusion equation in a balanced state

$$\frac{d}{dz} V_m(z) = -\frac{RT}{q * F} \frac{1}{C_k(z)} \frac{d}{dz} C_k(z) \quad (1.1)$$

describes in one dimension the mutual dependence of the *spatial gradients* of the electrical and thermodynamic fields on each other. In good textbooks (see, for example, [17], Eq (11.28)), its derivation is exhaustively detailed. In the equation, z is the spatial variable across the direction of the changed invasion parameter, R is the gas constant, F is the Faraday's constant, T is the temperature, q the valence of the ion, $V_m(z)$ the potential, and $C_k(z)$ the concentration of the chemical ion. The two sides are the derivatives of the equation

$$V_m = \frac{RT}{q * F} \ln \left(\frac{C_k^{ext}}{C_k^{int}} \right) \quad (1.2)$$

known as *Nernst equation*. In other words, Eq.(1.1) and Eq.(1.2) are the differential and integral formulations of the same knowledge. The limits of the integration are chosen arbitrarily (by choosing the reference concentration C_k^{int}). Hence, the derived potential inherently comprises an additive term (a potential difference), so they must not be compared directly if they use a different reference C_k^{int} (furthermore, it is nonsense to combine quantities from the intracellular and extracellular sides additively, whether concentrations, mobilities, or Nernst voltages, as it happens in the Goldman-Hodgkin-Katz (GHK) equation (see section 1.2.3). The derivatives are spatial derivatives; the temporal derivatives (needed for describing the time course) of the concentration(s) and voltage are derived in [13]. In 'ordinary' physics, where the charge and mass are independent, changing one side changes the other in the opposite direction. In 'non-ordinary' physics [18], valid for electrolytes, the two differentials must change in the same direction, given that ions' charge and mass cannot be separated (BTW: this is why Eq. (1.2) results in a negative potential difference).

(The derivation in 'ordinary physics', such as [17], Eq.(11.30), is wrong, at least because of two reasons: the same speed is assumed for mass and charge transport; furthermore, the used partial derivatives are not independent; the details are discussed throughout the paper.)

It is a common fallacy in physiology that the applied potential U generates a current. Instead, its gradient ($E = U/d$) has the effect, where d is the distance, for example, between the clamping point and the membrane or the Axon Initial Segment (AIS). We assume that, in a balanced state, the concentrations on the two sides of the membrane are C_k^{ext} and C_k^{in} , respectively; furthermore we assume that

$$\frac{dC_k}{dz} \approx \frac{C_k^{ext} - C_k^{in}}{d}$$

To simplify the math writing, we neglect the change caused by considering the difference (maybe we should apply a near-unity factor); we use the larger concentration value instead. Using the constants and $T = 300$, we can derive the "equivalent thermodynamic electrical field" for the case of a permeable ion channel in the membrane

$$E_{thermal}^{C_k} = -\frac{RT}{q * F} \frac{1}{C_k^{ext}} \frac{C_k^{ext} - C_k^{in}}{d} \approx -\frac{RT}{q * F} \frac{1}{d} \quad (1.3)$$

It does not depend on concentration, but rather is linear in temperature and inversely proportional to membrane thickness (given in nm). Furthermore, it is valid separately for all C_k

$$E_{thermal}^{C_k}(d) = -2.585 * 10^{-2} \frac{1}{d} \left[\frac{V}{m} \right] \quad (1.4)$$

Figure 1.1 depicts the field's dependence on the membrane's width and how it compares to the charge-generated electrical field. The figure illustrates the setpoint(see section 1.2.2), the boundaries of the changes, and the interesting phenomena that occur within the shaded cross-section. The figure is an illustration, but its figures are not far from the true ones. For a 5 nm membrane thickness, it results in $5.17 * 10^6 \frac{V}{m}$, which compares well to the value provided by Eq. (1.18). (Notice that the membrane's thickness may change during the action potential, see [19]: the rush-in extra charge compresses the membrane. Similarly, the concentration of the electrolyte in proximity to the membrane also changes.) Correspondingly, by using that $U = E * d$,

$$U_{thermal}^{C_k}(5) = -25.85 \left[mV \right] \quad (1.5)$$

In simple words, the Nernst-Planck equation states that the changes in concentrations of ions create changes in the electrical field (and vice versa), and in a stationary state, they remain unchanged. Notice that in the case of an ion mixture, *joint charge-generated electrical fields exist, and they are equal, per ion, to the concentration-generated "electrical fields"*, see section 1.2.1.




Figure 1.1: The thermodynamic "electrical field" depends on the membrane's thickness; see Eq.(1.4). The electrical gradient depends on the charged layer's concentration and thickness; see Eq.(1.18). The dots mark measured data shown in Table 1.1.

In the steady state, some other forces also contribute to the mentioned forces. To discuss how nature restores the steady state when a microscopic change happens in a balanced state of a biological solution, we write the well-known Nernst-Planck equation (see Eq.(1.1)) in a slightly extended form:

$$0 = \underbrace{e_{el} * E_{Gap}^{Total}(c, \Delta z)}_{\text{Electrical force}} + \underbrace{e_{el} * E_{thermal}^{C_k}(d)}_{\text{Thermodynamic force}} \underbrace{(+F_{ext}(z))}_{\text{Constraint}} \underbrace{(+F_{Transp}(z))}_{\text{Transport force}} \quad (1.6)$$

We multiplied the usual two terms by the elementary charge, so its terms are expressed as forces, plus we added a transport-related external force (its role is discussed below). Furthermore, changing one force triggers a corresponding counterforce and/or causes the ion to move in a viscous fluid. (An excellent summary of the possible biology-related forces is given in [20], with a lot of cited references.) This equation, expressing Newton's first law, has no place for effects such as "Pumps that maintain ion gradients ... transport ions *against their electrical and chemical gradients*" [1], page 101. It implies some *new force* that moves ions, confronting Schrödinger's science-based opinion: "And that not on the ground that there is *any 'new force'* or whatnot, directing the behaviour of the single atoms within a living organism" [12]. Biophysics still did not provide either the origin of the 'new force' or the reason why Newton's laws are not valid

for ions in living matter, which undermines the credibility of those protein-based mechanisms.

Expressed differently

$$-F_{constraint} = Eq.(1.18) + Eq.(1.4) + Eq.(1.30) + External \quad (1.7)$$

That means when describing an ionic transfer process, *we must not separate the electrical current from the mass transfer* (in other words, to discuss electrical or thermodynamic models in a disciplinary way): they happen simultaneously and mutually trigger each other. Notice that *the thermodynamic term is ion-specific while the electrical term is not*. To be entirely balanced, the system must be balanced to all elements. This way, changing one concentration implicitly changes all other concentrations and the electrical field.

Notice the special role of the constraint force by the closed volume represented by the membrane's wall. The thermodynamic contribution also means a pressure from the colliding particles, and the electrical repulsion exerts a force on the membrane's wall. Those disciplinary forces act simultaneously and inseparably.

1.1.5 One segment

For the discussion below, we assume that the segment has a two-dimensional surface boundary, and we discuss the gradients along a line perpendicular to that plane's surface. We neglect the electrokinetic and surface-related electrical effects connected to membranes and nanopores [8] and focus on the balanced state of membranes in ionic solutions. We compose the segments from such layers (sheets), (x, y) parallel plates, and describe the gradients in the direction of z . We introduce the concept of a 'thin physical layer' parallel to the membrane, characterized by a finite width.

In the calculations below, we require the 'surface charge density' (interpreted as an 'infinitely thin layer' in physics, expressed in $C * m^{-2}$). We can derive (assuming singly-charged ions) the *volume charge density*

$$\sigma_V(c) = c * N_A * e_{el} = c * 6.023 * 10^{20} * 1.602 * 10^{-19} = 96.5 * c \left[\frac{C}{mM * m^3} \right] \quad (1.8)$$

where N_A is the number of ions in a *millimol* and e_{el} is the elementary charge. Notice that all ions contribute to the charge density, so simply $c = \sum_k C_k$.

Here, we run into a conflict between the 'infinitely thin' layer of physics and the biologically implemented (finitely) 'thin physical layer', so we use a thickness parameter Δz . By assuming an arbitrary 'physical layer thickness' Δz , we can calculate the *surface charge density*

$$\sigma_A(c, \Delta z) = 96.5 * c * \Delta z \left[\frac{C}{m^2} \frac{1}{mM * nm} \right] \quad (1.9)$$

We interpreted classical physics' notions from the theory of 'continuous' electricity, interpreted for 'infinite' cases, for the finite world of biological objects




Figure 1.2: The electrical field of a disc of charge can be found by superposing the point charge fields of infinitesimal charge elements. This field can be facilitated by summing the fields of charged rings. “From Hyperphysics by Rod Nave, Georgia State University”. ©hyperphysics.phy-astr.gsu.edu/hbase/

and the quantized atomic world. Our idea is similar to Boltzmann’s for connecting the continuous medium to particles. When ions are present in an electrolyte having concentration c in a ‘conducting layer’ of thickness Δz on an isolating surface, they produce a field

$$E_z(c, \Delta z) = \frac{\sigma_A(c, \Delta z)}{\epsilon_o} = 10.89 * 10^3 * c * \Delta z \left[\frac{V}{m \text{ nm} * mM} \right] \quad (1.10)$$

1.1.6 Two segments

Now, we split the volume into two segments and compose them from ‘thin physical layers’ (sheets) with different potentials (and concentrations). We consider the immediate environment of the neuron’s membrane as adjacent parallel (x, y) plates and find the electrical field’s z component of those plates in the points as shown in Fig. 1.2. In classical electricity, the charge remains on the surface of the conducting layer, and the distribution is homogeneous (although the charge is concentrated on the surface and the electrical field is zero inside the conducting layer). Hence, the electrical field contributions cancel each other. In electrolyte segments, (a tiny fraction of) the molecules decompose into an ionized state (dissociate), and the created ions interact with a bounding membrane using a not entirely understood mechanism [21]. The rest of the dipole molecules become polarized but do not dissociate, forming virtual charges that allow the electrolytes to contain electrical fields. Although not explicitly stated, we assume that electrical double layers are present near the membrane, and ions from the dispersion medium are adsorbed onto the particle’s surface, depending on the medium’s chemical properties.

Correspondingly, the theory non-equivocally explains the potential near the membrane surface; see the discussion and review in [22], mainly their Figure 1. That model considers a symmetrical condenser, that is, both plates contain charges of the same sign. The Donnan function is a (discontinuous) step-like potential. Its continuous version introduces a mathematically smooth, non-physical function at the boundary of the charged layer. One must describe a physically discontinuous layer (electrolyte, ion layer on the membrane's surface, and isolating membrane) with a single continuous function and gradients (potential and concentration) with physical meaning.

The behavior near the boundary layers is problematic, primarily because the layers themselves are ill-defined. Physically, they are not ideally plain and well-defined surfaces; the layer thicknesses are limited by the size of the ions/molecules and their associated ions; the layers do not necessarily satisfy the ideal requirements of the respective physical laws. Mathematically, a single 'universal' function that spans all regions surely cannot accurately describe the behavior of the physical model. So, we chose a piecewise description where the pieces seamlessly fit at the boundaries. We assume that between the surfaces of the membrane, classical electricity describes the electrical field; the charged layer and the electrolyte jointly produce the electrical field; we have a uniformly charged layer from separated charges on the surface and a polarized electrolyte outside them.

Unlike in the classical theory, the electrolyte segment next to the surface layer contains dipole molecules that have more or less balanced charges (the polarization also depends on the external electrical field), so they have much less mobility than the dissociated ions: their size and mass are bigger, and their charge is a fraction of that of the ions. Their virtual charge becomes apparent only in the appropriate environment, yet it generates an electrical field similar to that of a real charge. The final reasons for creating virtual charges are real charges and/or external fields, so an electrical field due to virtual charges can also exist inside dielectric matter. We assume the membrane is transparent for the electrical interaction (the electrical field affects the ions in the other segment on the other side of the membrane) but not for their masses (mechanically separate the segments). The membrane does not need to generate any counterforce (except for collisions).

Charge layers in segments

As we show, the finite thickness will result in a lack of balance (introducing inhomogeneity and creating a voltage and concentration gradient) proximal to the surfaces of the membrane, even if the concentrations on the two sides are the same. Changing the bulk concentration or potential in one of the segments creates a corresponding gradient across the separating membrane, increasing the inhomogeneity proximal to the membrane. The ions will experience an extra force due to the gradient; however, the mechanical counterforce of the membrane will keep them back in the segment. The *concentration and potential, inseparably and having the same time course*, will change across the two sides

of the membrane, just because of the gap's physical features the membrane represents.

We consider that the segment is composed of electrically conducting discs (the ions are free to move on the surface), and the charged discs' contribution to the electrical field at point P (see Fig. 1.2) can be calculated as known from the theory of electricity. Due to the symmetry in the z direction, in a homogeneous solution, the resulting electrical field in the plane perpendicular to the z direction is zero, as we have contributions of equal magnitude with opposite signs.

Notice that here we used the abstraction of an infinitely thin "charged sheet", and there is a step-like gradient in the electrical field in the gap. The physical reality is that the charge is carried by ions, which simultaneously carry mass. In equilibrium, the forces due to the voltage and concentration gradients must be counterbalanced by an external force.

Simple conducting sheet (a physical condenser)

First, we consider a condenser that obeys the laws of classical electricity and has the geometrical size of a biological neuron. We apply the physics terms to that pseudo-biological object and test whether the values we derive are consistent with physiological phenomena. A tiny (according to [23], page 12, about $2 \cdot 10^{-3}$) portion of the positive ions leaves their negative counterions behind and forms a thin positively charged ion layer on the surface of the membrane (of course, the same happens on the opposite side with negative ions). Experience shows that – also in biology – two skinny layers of ions are formed on the two sides of the membrane of finite width, see the caption of figure (Fig. 11.22 in [24]): "The ions that give rise to the membrane potential lie in a thin ($< 1 \text{ nm}$) surface layer close to the membrane" (As shown below, these ions give rise only to part of the potential, and the dipoles in the electrolyte contribute the rest). A sub-nanometer-thick conducting layer covers the two surfaces at the top of a 5 nm -thick insulator. So, we model the cell with two finite-width "conducting sheet" layers. These layers represent an electrical condenser (so we can calculate the internal electrical field between the plates) and counterbalance each other's electrical field outside the condenser. We may assume that the solid surface provides the needed counterforce to keep the charges at rest.

We cannot expect geometrically flat surfaces, as some biological objects of up to 1 nm in size are present on the surface. So, we must assume a physical 'uniformly charged sheet' with an average thickness $\Delta z = 0.5 \text{ nm}$ on the surface. For the sake of simplicity, we assume a step-like function for the electrical field. It is zero in the segment outside the "conducting sheets" (the 'bulk' portions) and inside the sheets. Between the sheets, it jumps to the value of the electrical field of a charged sheet with surface density σ_A (see Eq.(1.9)). (In this picture, we see a jump in the value of the electrical field on the two sides of the physical layer. The physical layer emulates the well-defined boundary on the side opposite to that proximal to the membrane. Here, we still assume that a mechanical counterforce due to the surface's roughness keeps the charges inside the charged

layer.)

We assume that all unbalanced (dissociated) ions are in the layer, and the rest contains no dissociated ions; furthermore, the ion concentration is unchanged in the segment. In the case of a 400 mM solution and a 0.5 nm 'thin physical layer' Eq.(1.10) evaluates to an electrical field

$$E_{Classic}^{Gap}(400, 0.5) = 0.22 * 10^7 \left[\frac{V}{m} \right]$$

and at a 5 nm membrane thickness, the voltage across the plates becomes

$$U_{Classic}^{Gap}(400, 0.5, 5) = E_{Classic}^{Gap}(400, 0.5) * 10^{-3} * d = 10.84 [mV] \quad (1.11)$$

Our simple model seems to be a strong oversimplification. The number of uncompensated ions needed for the cell, using the method in [23], is $0.88 * 10^7$. The calculated values are about a factor of 5 lower than the experimentally derived values. "An electrical potential difference about 50 – 100 mV ... exists across a plasma membrane only about 5 nm thick, so that the resulting voltage gradient is about 100,000 V/cm" [24]. "The number of uncompensated ions needed for the cell is $4.7 * 10^7$ " [23]. We are in the correct order of magnitude, but we arbitrarily assumed a layer thickness, a non-dielectric medium, and a physically unreasonable step-like electrical field. The deviation from the expected values suggests that dipoles in the electrolyte bulk significantly alter the achievable electrical field and potential across the plates.

A usual parallel plate condenser (shown in Fig. 1.3) can be derived with such a model. We have two infinite conducting sheets and an insulator layer between them. The magnitude of the opposite charges on the two plates must be the same as in the classical picture. *Given that the amount of surface charge densities is concluded from the ionic concentration in the segment (in a balanced state), the sum of ionic concentrations of the neuron must be the same in the segments.* A constant electrical field is present inside the membrane (across the plates of the condenser), and there is zero electrical field inside the parallel conducting plates and outside the condenser. In this ideal picture, the charges are aligned along the boundary between two (infinitely thin) conducting layers and cannot move. The attractive force between them and the opposite charges on the other plate keeps them fixed in the direction of z , and the repulsive force between the charges with the same sign, the surface density in the (x, y) plane remains uniform: the infinitely thin plates are equipotential. This picture illustrates the equilibrium state of charges, consisting of infinitely small non-dissociating charge carriers and perfectly smooth surfaces.

Condenser in dielectric material

In its integral form, Gauss's flux theorem states that the flux of the electrical field out of an arbitrary closed surface is proportional to the electrical charge enclosed by the surface, irrespective of how that charge is distributed. The surface layer represents a steep potential and concentration gradient. Above,




Figure 1.3: The oppositely charged parallel surfaces of the membrane are treated like conducting plates (infinite planes, neglecting fringing), then one can use Gauss's law to calculate the electrical field between the plates. Presuming the plates are at equilibrium with zero electrical fields inside the conductors, the result from a charged conducting surface can be used. "from Hyperphysics by Rod Nave, Georgia State University". ©<http://hyperphysics.phy-astr.gsu.edu/hbase/>

we assumed that the counterforce that keeps the charges in their place against their electrical attraction on the membrane's surface is a mechanical force: the ions cannot pass through the membrane. However, such a counterforce does not exist on the side toward the 'bulk' part of the segment. The charges on the plates do not generate an electrical field toward the bulk, but the concentration they represent does, according to the Nernst-Planck equation, provided there are charge carriers in the bulk. We hypothesize that virtual electrical charges exist in the electrolytes, and their field provides the missing electrical field.

When explaining the effect of dielectricity, we must explicitly consider the duality of ions that they obey laws of electricity and thermodynamics *simultaneously*; furthermore, the complexity of the electrical structure of the solution and that the charge carriers have finite size (see "electron size" vs. "dipole size"). According to the theory of electricity, the free charge carriers (the dissociated ions) are located on the surfaces where they form powerfully charged thin layers (condenser plates) in the segments separated by a membrane on the two surfaces of the membrane; two proximal charge layers on the surfaces of the membrane. We assume that those ions behave as point charges, i.e., due to the attraction from the opposite charges on the opposite plate, they do not produce an electrical field toward the side of the bulk of the electrolyte layers. In the classical picture, those layers represent step-like gradients in the electrical field along the z axis, and the constraint that ions must not enter the membrane provides the necessary counterforce.

From a thermodynamic point of view, a driving force acts as long as a concentration gradient between neighboring layers exists. From an electrical point of view, the layers are simple parallel-plate condensers that produce no electrical field outside their closed volume and are connected serially; plus, the top layer has free ions. The electrical field is proportional to the bulk concentration in the layer. Changes in the local electrical gradient may also alter the degree of dissociation and polarization, producing a graded local electrical field. These two driving forces have opposite directions and in a balanced state, the same magnitude. The counterforce acts in a way that constrains the molecules to stay in their layers; it adapts (also compensates for the different interaction speeds) while the gradients are changing. It presses the proximal layer against the membrane and the neighboring layers against each other.

Due to the membrane's finite width and surface roughness, the conducting layer is also finite. The electrical field is homogeneous within the layers. The rest of that electrical field toward the bulk layer directs the dipoles proximal to the neighboring dipole layer, and their polarization increases; in other words, they "produce" an electrical field. The final effect is that a dipole layer is attracted to the charged layer, and it forms another layer that shows a charged layer toward the bulk. The process repeats and results in a decaying electrical field based on the distance from the membrane's surface.

In our model, we build the volume of the electrolyte from thin layers of directed dipole molecules (the size of molecules limits the thinness Δz) in the volume, separated into two segments with electrolytes by a membrane with a finite thickness d (that is, a point's distance in the electrolyte from the two disks will be z and $z + d$, respectively). The contributing potential of an infinitesimal volume on the axis at point z due to the charged sheet is

$$dU(c, \Delta z, z) = \underbrace{E_{Classic}^{Gap}(c, \Delta z) * z}_{\text{Potential from sheet}} * \frac{1}{z^2} = E_{Classic}^{Gap}(c, \Delta z) \frac{1}{z}$$

The total potential due to all elements dz from the left side is (in the mathematical formulas below, we express the distance in units of $\frac{z}{d}$, so here z is dimensionless).

$$U_{left}(c, \Delta z, d) = E_{Classic}^{Gap}(c, \Delta z) * d \int_{-\infty}^0 \frac{1}{z} dz = E_{Classic}^{Gap}(c, \Delta z) * d \left[\ln |z| \right]_0^{\infty} \quad (1.12)$$

In the case of a single-segment volume, within the segment, a similar potential with an opposite sign is generated by the charges on the neighboring sides of the considered charged sheet, counterbalances the potential described by Eq.(1.12). However, when a membrane with thickness d separates the segments (with no charges in the gap), the potential on the right side will be

$$U_{right}(c, \Delta z, d) = E_{Classic}^{Gap}(c, \Delta z) * d * \left[\ln |z + 1| \right]_1^{\infty} \quad (1.13)$$

We can write the electrical field in the form

$$E(c, \Delta z, d) = E_{Classic}^{Gap}(c, \Delta z) * \ln\left(\frac{z}{z+1}\right) \quad (1.14)$$

That is, the gap sets the potential difference across the membrane to

$$U(c, \Delta z, d) = E_{Classic}^{Gap}(c, \Delta z) * d * \left(\left[\ln |z| \right]_{-\infty}^0 - \left[\ln |z+1| \right]_1^{\infty} \right) \quad (1.15)$$

We use the approximation that $\ln(\infty) \approx \ln(1 + \infty)$, and we arrive at that

$$U(c, \Delta z, d) = E_{Classic}^{Gap}(c, \Delta z) * d * \left[\ln\left(\frac{z}{z+1}\right) \right]_0^1 \quad (1.16)$$

describes the potential across the plates; that is, the classical potential shall be multiplied by the result of the integral. It was experimentally confirmed [25] that the potential of the membrane is proportional to the logarithm of the distance from the membrane.

Given that the same number of charged ions must be present on the two sides of the membrane, their resultant surface density σ_A must be the same. Notice that the effect is purely electrostatic, resulting in an asymmetric ion distribution; in that balanced state, no permeability is needed. If the membrane is (slightly) permeable, ions will move across the membrane until equilibrium is reached. The resulting potential difference is directly proportional to the concentration difference.

The classical condenser has an electrical field, as the blue dashed line shows in Fig. 1.4. No field is outside the condenser or inside the condenser plates (see Fig. 1.3). There is a sudden jump in the field on the conductor's surface (the armatures) and a constant field between the plates. (The charged layer can be ideally thin if electrons are sitting on the surface, but is of finite thickness on the opposite side where ions are on the surface. This latter effect is not discussed in classical electricity.)

The biological condenser behaves differently; see the red diagram line. An electrolyte (instead of an insulator) outside the condenser significantly alters the field's structure. The electrical field on the surface and between the plates changes by a factor of 3-4. Outside the plates, the polarization creates a field that changes logarithmically. An ion layer with finite thickness is built near the membrane's surface. It is uniformly charged, so the field inside it is linear. At the internal surface of the condenser, it takes the field value calculated for the gap; on the other side of the layer, it takes the logarithmic field value at that position. The dashed line represents the gap field, the continuous line represents the charged layer's field, and the dotted line represents the electrolyte's field. We observe the "correspondence principle": discrete and continuous fields join seamlessly; furthermore, as the electrolyte's polarizability decreases toward zero, the field approaches the classical value.

1.1.7 Bridging the micro- and macro views

We assumed that the function can be interpreted for regions $(-\infty, 0)$ and $(1, +\infty)$. However, we have arrived at the boundary between particles and continuous electricity. We use a trick similar to the one Boltzmann used in his famous equation, except that we calculate the number of charge carriers from geometrical instead of statistical assumptions. The minimal thickness of layers is limited, at least by the size of ions. Furthermore, the membrane's surface is not flat; there are structures (mainly proteins/lipids) with sizes of up to 1 nm, so it is likely realistic to consider a layer thickness of 0.5 nm as we did above (on our mathematical scale $0.1 = \frac{0.5 \text{ nm}}{5 \text{ nm}}$), for which a multiplier of 1.7 between the classical and the electrolytic fields exists. A similar calculation using a layer thickness of 0.1 nm (on our mathematical scale, 0.02) results in a multiplier of 3.2; so we use a multiplier of value 3 (that corresponds to a layer thickness of 0.125 nm (the radius of a Na^+ ion is 0.116 nm)). Correspondingly, we assume an electrical field

$$E_{Dielectric}^{Gap}(c, \Delta z) = 3 * E_{Classic}^{Gap}(c, \Delta z) \left[\frac{V}{m \text{ nm} * mM} \right] \quad (1.17)$$

due to the dielectric properties of the segment. This contribution arises from the dielectricity in the segment (for simplicity, we have neglected the relative permittivity). It is to be added to the value of the classical contribution, the field generated by the conducting plates, so the final multiplier is 4. (The experience is known in technical electricity: the electrolytic capacitors *achieve several times higher charge storage capacity by using (pseudocapacitance)*. Using "roughened anode foil" increases the electrolyte thickness, and the roughening provides the necessary mechanical support. A thicker electrolyte layer wraps the condenser plates, and the dipoles in the thicker electrolyte provide an additional charge storage facility.)

Correspondingly,

$$E_{Gap}^{Total}(400, 0.5) = 4 * E_{Classic}^{Gap}(400, 0.5) = 8.8 * 10^6 \left[\frac{V}{m} \right] \quad (1.18)$$

and at a 5 nm membrane thickness, the voltage across the plates becomes

$$U_{Gap}^{Total}(400, 0.5, 5) = E_{Gap}^{Total}(400, 0.5) * (5 * 10^{-9}) = 45 \text{ [mV]} \quad (1.19)$$

"The plasma membrane of all cells, including nerve cells, is approximately 6 to 8 nm thick and consists of a mosaic of lipids and proteins." [1], page 71. Using such a value for the membrane's thickness may yield a thickness up to 60% higher. Furthermore, the usual concentration is also up to 10% higher. Hodgkin, in 1964, measured molarity values in squid axons for ions K^+ , Na^+ , and Cl^- , (400,50,40-150) inside and (20,440,560) outside, and they provided potential values 55–75 mV [23]. Given that we used a plausible but ad hoc "charged layer thickness" and gap distance, we cannot expect a better agreement. However, our qualitative conclusions remain valid and can be adjusted quantitatively to the results of dedicated measurements.




Figure 1.4: The neuronal membrane's *electrical field* in the function of the distance from the membrane's surface. The thickness of the 'atomic layers' proximal to the membrane's surfaces are also shown. The electrical field is linear inside the uniformly charged atomic ion layer on the surface and is described by Eq.(1.14) in the electrolyte. For visibility, a layer thickness 0.5 nm is assumed. For illustration, a simple capped ion channel in the membrane's wall is also displayed.

We have the boundary conditions that we know the electrical field at the membrane's surface through the volume charge density, and the Nernst-Planck equation delivers the change of the electrical field due to the change in concentration. The physical constraint is that the layer thickness cannot be infinitely small. If we use a parameter for layer thickness equal to that of the surface layer, the calculated electrical field distribution will be scalable.

1.1.8 Ionic currents in a cell

On a microscopic scale, a charge generates a potential field that acts on other charges. It is a common fallacy in physiology that a "potential field travels": neither potential nor current changes without a physical movement of charges. In a conducting wire filled with ions (the solids have a different current transfer mechanism), there are free charges; their number per unit volume is given by n , and q is the amount of charge on each carrier. If the conductor has a cross-

section of A , in the length dx of the wire, we have charge $dQ = q * n * A * dz$. If the charges move with a macroscopic speed $v = \frac{dz}{dt}$, at the macroscopic level, we define the current I as the charge moved per unit of time as

$$I = \frac{dQ}{dt} = q * n * A * v \quad (1.20)$$

The effect was hypothesized at the very beginning: "it seems difficult to escape the conclusion that the changes in ionic permeability depend on the movement of some component of the membrane which behaves as though it had a large charge or dipole moment." "it is necessary to suppose that there are more carriers and that they react or move more slowly" [26]. The charged ions, attracted by the opposite charges on the other plate and repelled toward the single exit point AIS, really move slowly and behave as if they were a component of the membrane.

Notice that if any of the factors is zero, the macroscopic current I is zero. *Microscopic carriers must be present in the volume*, and have charge, the cross section must not be zero, and the charge carriers must move with a potential-assisted speed, which needs an electrical field generated by the system, see Eq.(1.7). When there is no constraint force, the thermodynamic and electrical forces will produce an effective force that moves the ions. That is, the ions can move without an external electrical field, as experienced in biological systems. One of the fundamental mistakes by HH was neglecting the Coulomb force in ion-electrical interactions and assuming that diffusion processes or ideal electrical batteries create the electrical potential.

In biological systems, where ions represent the "current", it is either a native current (without an external potential) or an artificially injected current or potential generating a current. This way, the current is consistently accompanied by a change in concentration gradient, as the moving ions represent both mass and charge transfer simultaneously (also, the repulsion leads to a "skin effect": in electrical wires and axons, the charge travels near the outer surface). The potential and current are connected through the features of the medium (material) that hosts our measurement.

According to Stokes' Law, to move a spherical object with radius a in a fluid having dynamic viscosity η , we need a force

$$F_d = 6 * \pi * \eta * a * v \quad (1.21)$$

(drag force) acting on it. A (microscopical) electrical force field $\frac{dV}{dz}$ inside the wire would accelerate the charge carriers continuously

$$F_{electric} = k * E(z) * q \quad (1.22)$$

with a constant speed v . It is not the *drift* speed because of the electrical repulsion, it is a *potential-assisted* or *potential-accelerated* speed that can be by orders of magnitude higher. The medium in which the charge moves shows a (macroscopic, speed-dependent) counterforce F_d , which in steady state equals $F_{electric}$, that is :

$$I = \frac{k * q^2 * A}{6 * \pi * \eta * a} * n * E(z) \quad (1.23)$$

We extend the original idea by using

$$E(z) = E_{electric} + E_{thermal} + E_{external} \quad \text{in electrolytes}$$

that is, for living matter

$$E(z) = \frac{\Delta V}{\Delta z} \quad \text{in linear potential} \quad (1.24)$$

$$= \frac{dV}{dz} \quad \text{in graded potential} \quad (1.25)$$

$$= E_{electric} + E_{(thermal)} (+E_{(external)}) \quad \text{in electrolytes} \quad (1.26)$$

The amount of current in a wire is not only influenced by the electric force field (specific resistance) but also by the number of charge carriers n . While the latter is commonly considered constant and part of the former, this is not necessarily the case for biological systems with electrically active structures inside. The medium's internal structure ("the construction) introduces significant modifications. Applying an electric field to a biological wire can generate varying amounts of current as the number of charge carriers changes due to biological effects. For axons, we use a single-degree-of-freedom system, a viscous damping model, so the *ions will move with a field-dependent constant velocity in the electrical field*; so it takes time while they appear on the membrane. The activity of potential-controlled ion channels in its wall may change n in various ways; furthermore, that change can result in 'delayed' currents during measurement, for example, in clamping, as physiological measurements witness.

If we have a concentration $C(z)$, in the volume $A * dz$, we have $dQ = C(z) * A * dx * q$ charge, resulting in another expression for the current

$$I = \frac{C_k(z) * A * dz * q}{dt} = C_k(z) * A * q * v \quad (1.27)$$

By combining equations (1.23) and (1.27):

$$v(z) = \frac{k * q}{C_k(z) * \eta * 6 * \pi * a} * E(z) \quad (1.28)$$

The higher the resulting space derivative (gradient) and the fewer ions that can share the task of providing a current, the higher the speed. We hypothesized (it needs a detailed simulation) that in the case of this charged fluid, the electrical repulsion plays the role of 'viscosity' [13]. The higher the charge density, the stronger the force equalizing the potential; so η is the lower, the higher the charge density (proportional to C_k). For the sake of simplicity, we assume that the speed is proportional to the space gradient of the local concentration and potential. Recall that *our equations refer to local gradients only. The electrical gradient can propagate only with the speed of the concentration gradient*, given that only the chemically moved ions can mediate the electrical field [13]. *The lower interaction speed limits the other interaction speed if the interactions generate each other.*

The dependence of the diffusion coefficient on the viscosity can be modeled by the Stokes-Einstein relation:

$$D = \frac{k * T}{6 * \pi * \eta * a} \quad (1.29)$$

so we can express the speed with the diffusion coefficient D and temperature T

$$v(z) = \frac{D}{T} * \frac{q}{C_k(z)} * E(z) \quad (1.30)$$

We introduce a *time-dependent speed gradient* $v(z, t)$ which plays a vital role in the processes that occur in living matter.

It is important to remember for alternating current experiments: the different ions will move at different speeds under the effect of the same $E(z, t)$, which is the function of the local concentrations and the frequency of the alternating current. The conduction speed sensitively depends on the temperature, and through it, the shape parameters [27] of the AP and especially the length of the "relative refractory" period [28].

1.1.9 Imitating slow currents

At the dawn of finding methods for describing neuronal operation, HH published high-precision measurements [26] enabling detailed testing of theories explaining the observed physiological behavior. *Their good physical model that "movement of any charged particle in the membrane should contribute to the total current" lacked considering the mutual repulsion and finite speed* of those particles (they are about 50,000 times heavier and a million times slower than the electrons, and they move in a closed space segment). Furthermore, they have started from the commonly used wrong assumption that conductance is a primary electrical entity. They could "find equations which describe the conductances with reasonable accuracy and are sufficiently simple for theoretical calculation of the AP and refractory period". The "reasonable accuracy" and the need for a simple calculation method (performed on a mechanical calculator) obscured the fact that the laws for electrons are not the same as the laws derived for ions.

As discussed in connection with Eq. (1.20), the current depends linearly on the number of charge carriers n . The physical processes changing the number of charge carriers also define the intensity of the currents, providing a way to imitate slow currents by fast currents (by using current generators using special function shapes), where the spatiotemporal time course of the physical process of producing ions in the system modulates the number of charge carriers.

As an example, we discuss the case of slow current traveling in an axon. The ions travel a finite distance with a finite speed, so there must be a delay between their entry and exit times. The case of switching a clamping voltage on, to some measure, is analogous to the arrival of a spike. Initially, the axon contains no ions. In the classical picture, the axonal current flows into the membrane with

capacity C_m and increases the membrane's voltage V_m with a time constant

$$\frac{dV_m}{dt} = -\frac{1}{C_m} I_{axon}; \quad V_m(t) = \frac{I_{wall} * (1 - e^{-\alpha * t})}{C_m} \quad (1.31)$$

that generates a change in the membrane current

$$\frac{dI_m}{dt} = \frac{1}{R_m} \frac{dV_m}{dt}; \quad I_m^{on}(t) = g_m(V) V_m(t) \quad (1.32)$$

where $g_m = \frac{1}{R_m}$ is the conductance of the membrane. That is, the measurable current equals the product of the conductance and the clamping voltage. Eqs.(3)-(5) in [26] express this relation. *If we assume that the axonal current is "fast", we arrive at the wrong conclusion that the conductance is voltage- or time-dependent.* In contrast, if we assume that the axonal current is "slow", we naturally conclude that Ohm's Law is correct and valid also for biology: *the conductance/resistance is constant, but the number of charge carriers changes*, see section 1.1.8.

There is no voltage-dependent conductance [29]. Instead, the finite speed of ions and the wrong assumption that conductance is a primary entity mislead physiological research. *With wording that "conductance changes", one states that charge carriers appear/disappear/reappear; that is, the charge and mass conservation are not fulfilled.* Claims such as "the current cannot disappear, it has to go somewhere" [17], page 9, are wrong: *there is no conservation law for current, which is the derivative of charge with respect to time.* The correct physics background behind the early phenomenon [30] is that the number of charge carriers, at the cross section where the measurement is carried out, changes as a wave of ions with variable intensity moves slowly along the axon (they are apparently "created" for the static measurement arrangement). The changing conductance is a fallacy stemming from the idea of "fast current", which is valid for electrons but not for slow ions.

In contrast, when the clamping voltage is switched off, the axon is still filled with charge carriers. The resting potential reaches the end at the membrane "instantly" (in this situation, the conduction mechanism is similar to that in metals). The driving force disappears, the ion stream stops, and the ions discharge into the membrane. The lack and the presence of ions in the axon when switching clamping on and off, respectively, produce the difference that "*conductances [actually, currents] increase with a delay when the axon is depolarized but fall with no appreciable inflexion when it is repolarized*" [26]. The potential is equalized by the AIS current, producing a net exponential decay:

$$I_m^{off} = I_{Wall} * e^{(-\frac{\alpha}{R_m C_m} * t)} \quad (1.33)$$

During the regular operation of a neuronal membrane, after opening the ion channels, a vast amount of ions flows into the intracellular space from the extracellular space, somewhat similar to the effect of switching a clamping voltage. The essential difference is that the ions arrive through the axon to the




Figure 1.5: The measured current, instead of conductance, (Fig. 2 from [26]), demonstrating that two different physical effects result in the rising and falling edge of the measured current.

joining point in clamping. In contrast, through the membrane's ion channels, they directly contribute to the current on the membrane's entire surface. The membrane's size is finite, so with a finite current speed, it takes time until the charges on the membrane's surface arrive at the AIS, as discussed for the axonal current. Fig. 1.5 shows the measured rising and falling edges of the clamping experiment performed by HH [26]. The continuous lines show the diagram lines fitted to the experimental data (notice again that the fitted polynomial significantly differs from the correct exponential function around the time 0.5 msec); the dashed line shows the expected result of the rising edge, calculated with the time constant of the falling edge. The number of charge carriers follows a saturating curve, which decreases the current in the axon. HH measured that their time constants differ far outside their experimental error, which would not be possible if they were the result of the charge-up and discharge of the same oscillator circuit. The measured rising edge corresponds to a charge-up process where the charge-up current is a saturating curve due to the change in the number of charge carriers in the axon; see Eq.(1.23).

The *slow* input currents (although due to slightly differing physical reasons for the different current types) are described by the following analytic form valid for *fast* currents:

$$I_{in} = I_o * (1 - \exp(-\frac{1}{\alpha} * t)) * \exp(-\frac{1}{\beta} * t) \quad (1.34)$$




Figure 1.6: The PSP shape measured by [31] and fitted by function forms given by Eq.(1.34).

where I_o is the current amplitude per input, and α and β are timing constants for current in- and outflow, respectively. They are (due to geometrical reasons) approximately similar for the synaptic inputs and differ from the constants valid for the rush-in current. To implement such an analog circuit with a conventional electronic circuit, voltage-gated current injectors (with time constants around 1 msec) are needed. For example, see in Fig 1.6 the PSP measured function shape published in [31], fitted with our theoretical function Eq.(1.34). The corresponding voltage derivative is as follows:

$$\frac{dV_{in}}{dt} = \frac{I_o}{C} * \left(\frac{1}{\alpha} * \exp\left(-\frac{1}{\alpha} * t - \frac{1}{\beta} * t\right) - \frac{1}{\beta} * \exp\left(-\frac{1}{\beta} * t\right) * \exp\left(1 - \exp\left(-\frac{1}{\alpha} * t\right)\right) \right) \quad (1.35)$$

1.2 Forming membrane's potential

In this section, we model the neuron as an electrical circuit that comprises an electrolyte condenser implemented by its membranes, surrounded by two electrolyte segments. The membrane comprises low-transmission-capacity ion channels in its wall and high-transmission-capacity channels toward its axon; it also uses slow ions rather than electrons. The condenser produces a potential (that depends on the membrane's thickness and the concentrations in the two segments, as discussed above). Furthermore, the two electrolyte segments produce Nernst voltages that are combined to yield a single voltage. According to

Kirchhoff's Voltage Law, in a balanced state, the sum of those voltages between the intracellular and extracellular segments must be zero. However, one must take into account the effects of the "slow current" (emulated by "fast current" with a plausible time course in the simulator). We omit biological regenerative processes (such as ATP production via hydrolysis, ion pumps and channels functioning, and so on) and discuss only the most important physical primary processes. In light of our findings, we must reconsider several key concepts in neurophysiology.

The electrical processes are inseparable from the corresponding thermodynamic processes [13], which we discuss by deriving an "equivalent thermodynamic electrical field" in section 1.1.4. The other minor effect is a low-intensity "passive flux" produced by the "resting channels". They are different from the ion channels in the AIS [32, 33, 34, 35, 36]. The "resting current" is about two orders of magnitude lower [37, 38] than HH assumed at the time of writing their papers; correspondingly, its role is much smaller in the transient state, and it even drastically changes the electrical model used in producing an AP which we discuss elsewhere [?].

1.2.1 States

Figure 1.1 shows, in the function of the membrane's thickness, the electrical field across the membrane due to electrical charges (it does not depend on the thickness of the membrane), for different physically plausible assumptions; furthermore, the thermal electrical field. The two electrical fields show significantly different dependencies on the neuron's parameters. Recall that although the parameters we used are biologically plausible, they are only estimations from non-dedicated, incomplete measurements. The qualitative conclusions, however, remain valid.

The balanced state is set where the thermodynamic and electrical "electrical field" diagram lines cross each other; around 5 nm ; the value we assumed in evaluating our equations. On the other hand, we can check the electrical field's dependence on the summed-up concentration of the ions in the segment (see Fig. 1.7) (dehydration, for example, changes the setpoint through changing concentrations). Here, the thermodynamic electrical field is constant but different at different width parameters. The field of the classical condenser does not provide a reasonably balanced state (a matching line). The dielectric diagram line seems to provide a realistic estimation when using biologically reasonable parameters. One can describe the neuron as a balanced system at the intersection of the sloping and the horizontal lines. In the resting state, only minor deviations (fluctuations) from this state exist in both the electrical field and the chemical concentration.

In the transient state, if we assume that a charge transfer causes a significant potential change around 100 mV in the layer of width 10 nm , it means a $10^7 [\frac{\text{V}}{\text{m}}]$ jump in the electrical field that is caused by a $100 [\text{mM}]$ jump in the concentration (for only a short time and only in the mentioned layer, but not in the bulk; see also Fig. 1.9). One can infer that a neuron can minimize its




Figure 1.7: The electrical and the thermal "electrical fields" at different concentrations, see Eq.(1.18). The thermal electrical field varies with the thickness parameter and depends on the concentration; see Eq.(1.4). Balanced states are where the sloping lines cross the horizontal ones. The dot marks where HH provided measured data.

offset voltage (and so: its energy) by either decreasing its membrane's width, the sum concentration of the electrolyte, the electrical field, or by a process with a temporal course that changes their combination, thereby implementing a true multi-physics phenomenon. During issuing an AP, the system finds its way back to the crossing point (the path in the phase space is not simple: concentrations on both sides of the membrane and the electrical field in the mentioned layers change, all having different speeds; electrical, thermodynamic, mechanical and so on, changes happen; the process is a relaxation (a waving), as it is seen in the shape of an AP).

We can imagine how the electrical process occurs in this controlled system (for visibility, the positions of the marks are not proportional to the mentioned numbers). The system is in a balanced state at a crossing point. The two circles connected by bent arrows represent that when an excitation begins at the point with lower concentration and higher potential (the cytoplasm side and negative resting potential), ions rush into the surface layer, so the ion concentration increases, which increases the electric field; this is seen that the membrane potential suddenly increases. (We note here that, due to ions' repulsion, the pressure also increases proportionally with the potential.) The increased poten-

tial starts a current, but the current is slow, and the intensity of the current through the channels in the membrane's wall is much lower than the current of the drain (AIS) so the system issues an AP as it returns to its (balanced) starting point. Given that it receives a large amount of Na^+ ions, its primary effort is directed to get rid of them (the electrical gradient cannot distinguish the electrical charges by their chemical nature), so the output current through the AIS comprises mainly Na^+ ions. The system will move along a line, with the restriction that it is a movement in phase space (the change in concentration is not proportional to time), and the different points on the membrane's surface may have different potentials at different times (spatiotemporal behavior). Due to the capacitive current, the local potential may temporarily drop below the setpoint (as observed in physiology, this phenomenon is known as hyperpolarization). The time course of the processes is described by the laws of motion of biology [13] (the time derivatives of the Nernst-Planck equation). The simplified model operates as described in section 4 of [39] and its computational details are provided in [40].

Based on the correct physical model, we can get closer to understanding and reducing the effects of neurological diseases [41, 42], which is not possible while having a wrong model in mind, with batteries and autonomously changing resistors inside the neuron. The change in parameter values potentially leads to neurological diseases as suspected: "Structural alterations of the AIS are likely to have an impact on normal neuronal activity" [41]. When lipid debris accumulates on the surface of the neuron membrane [41], the thickening of the layer Δz reduces the electric field strength (i.e., changes the neuron's 'setpoint'). In that case, the resting potential (and the threshold potential) may change, which weakens AP generation. The elongated shape of the neuron means that the resistance of the AIS increases that changes the parameters of the AP; see Eq.(1.48). "In brain tissue from Alzheimer's disease patients ... the most common changes were a proximal shift or a lengthening of the AIS" [41]. Also, as [43] observed, the setpoint changes with temperature (the "thermodynamic electrical field" changes with the temperature, while the "electrical electrical field" does not, so their crossing point changes), reflected in the dynamics of the AP.

Resting state

In the resting state, the goal is to provide stability with slow, less intense currents. As [1] discusses, there are 'holes' (non-controlled ion channels) in the membrane where the counterforce is missing, so the difference in the electrical and thermodynamic forces could accelerate ions until the Stokes-Einstein speed (see Eq.(1.30)) is reached. Given that the deviation from the setpoint is slight, the current's intensity and speed are low. The slow ion transport delivers both charge and mass, so the gradients permanently direct the process control variable toward the reference point. Given that the 'resting channels' are scattered on the surface of the membrane and it takes time for the gradients delivered by slow ions to reach the entrance of an ion channel, some slight variations




Figure 1.8: The mechanism for controlling neuronal operation is the same in all cases shown in Table 1.1. It appears that the thicker membrane produces a higher membrane electrical potential, requiring a higher thermal potential to compensate. However, it can solve the task using a lower salt concentration, since the electrical membrane potential accelerates ion flow through the membrane channels, thereby speeding up the operation. The electrical fields for the different species have similar values, as shown in Fig. 1.1. Furthermore, the total concentration decreases as the membrane thickness and potential increase.

in the actual value of the membrane's potential necessarily exist. Given that the AIS comprises non-gated ion channels with much higher density than those in the membrane, the variations and the control ("leaking") are marginal, and the current flows mainly through the ion channels in the membrane's walls, as observed in experimental physiology.

In Fig. 1.8, the electrical voltage contribution is unidirectional. In contrast, the two-component thermodynamic contributions, which depend on the concentrations, are bidirectional. If choosing the zero potential at the middle of the electrical potential, we can interpret that the concentration combinations maintain their ionic concentrations (and so also thermodynamic voltage contributions) independently on both sides, starting from a zero potential level. They generate potentials autonomously in the segments proximal to the opposite membrane surfaces. The electrical charge on the membrane generates an additional voltage independently. However, that voltage must fit between the two thermodynamic voltages. Any deviation in potential between the intracellular and extracellular sides initiates a current that drives the concentrations and voltages toward a balanced state. The process is complex: the sum of surface concentration of ions must be the same on both sides for the condenser, and the

ratios on the intracellular and extracellular sides must be adjusted to satisfy the conditions

$$U_{internal}^{K^+, Na^+} = -U_{electric} + U_{internal}^{K^+} + U_{internal}^{Na^+} \quad (+U_{internal}^{invasion}) \quad (1.36)$$

$$U_{external}^{Cl^-, Ca^{2+}} = U_{electric} - U_{external}^{Cl^-} - U_{external}^{Ca^{2+}} \quad (+U_{external}^{invasion}) \quad (1.37)$$

In a balanced state, the left sides are zero: at the contact point between the electrolyte and the membrane, there are no potential differences, while in a perturbed state, they are non-zero and so they represent driving forces for restoring the balance. (Recall that the ions are slow and that the local electrical and concentration gradients control the local potentials.) From the derivation, it follows that

$$U_{electric} = -2 * (U_{internal}^{K^+} + U_{internal}^{Na^+}) \quad (1.38)$$

$$U_{electric} = -2 * (U_{external}^{Cl^-} + U_{external}^{Ca^{2+}}) \quad (1.39)$$

$$U_{electric} = U_{internal}^{K^+} + U_{internal}^{Na^+} = -(U_{external}^{Cl^-} + U_{external}^{Ca^{2+}}) \quad (1.40)$$

Our statement is the precise mathematical formulation of that "Thus ions are subject to two forces driving them across the membrane: (1) a *chemical driving force*, a function of the concentration gradient across the membrane, and (2) an *electrical driving force*, a function of the electrical potential difference across the membrane." [1], page 129. Fig. 1.8 quantitatively underpins that "action potential generation in nearly all types of neurons and muscle cells is accomplished through mechanisms similar to those first detailed in the squid giant axon in early research by HH" [44]. *In all species, the chemical and thermodynamic processes keep a balance in the cells of different construction in both resting and transient states.*

According to the above derivation, we consider three characteristic segments in the neuron. In the middle, we have an electrostatically charged isolator plate with positive and negative charge carriers on its two surfaces and none inside, so it has a homogeneous electrical field. The magnitude of the field depends only on the total concentration of the corresponding ions in the segments. On both sides are ionic solutions of different compositions. If the membrane is permeable for the ions, they can move from one segment to the other as the resultant field dictates, until the fields get balanced.

The membrane's electrical potential defines the resting potential, and the "electrical" and "thermodynamic" potentials work together to control neuronal operation. The anatomically defined "electrical" membrane potential, combined with the vast number of ions in the extracellular space, provides a stable concentration that serves as a solid reference point (a setpoint). In the resting state, the membrane potential is balanced by the presence of always-open "resting ion channels". When ions flow into the membrane, the "resting ion channels" can keep the balance: the internal K^+ and Na^+ concentrations are adjusted as the Na^+ flows in.

Figure 1.8 also shows that in its native state, the neuron is electrically balanced: in the internal and external segments, the resulting thermodynamic and

electrical forces are equal. Any foreign invasion into the neuron's life (chemical, mechanical, or electrical, including clamping) changes the left-side reference value to an externally set value. The neuron must adjust its Na^+ and K^+ concentrations to reach a new balance while the invasion persists. That is, any invasion ("testing in the physical laboratory") changes the concentrations and voltages inside the cell. In addition, the internal biological processes can trigger internal processes that contribute (from the measurement's point of view) foreign currents or processes, see also section 1.2.1. The feedback from the clamping methods introduces a compensating current. Even a simple conductance-measuring device is active: it applies a test voltage that generates a test current, which can sensitively affect the ionic composition of the neuron (recall that concentrations may differ by up to six orders of magnitude). Although modern electronic devices attempt to conceal this effect, they subtly influence biological operation.

From our result, it follows that for more chemical elements, a per-element coupled set of equations exists, plus the sum concentration agreed electrical fields that are valid simultaneously and define the process variable (aka membrane potential) of the neural regulatory circuit. In a more symmetrical form

$$0 = \frac{U_{electric}^{Total}(c, \Delta z, d)}{2} + \sum_k U_{thermal}^{C_k}(d) + invasion \quad \text{for all } k; \text{ inside and outside} \quad (1.41)$$

$$c = \sum_k C_k^{ext} = \sum_k C_k^{int} \quad (1.42)$$

In the classical measurement by HH, the sum of the concentrations of K^+ and Na^+ in the cytoplasm and extracellular fluid (in mM) is 380 and 390, respectively, while the concentration of the Cl^- are 450 and 460; practically all equal, as our analysis has derived. The deviations are well within the uncertainty of the measured values.

That is, we have an unidirectional electrical potential difference and oppositely directed thermal voltages. In the balanced state, the two potentials must be equal. When changing, say, one concentration, the other concentration on the same side, and the surface charge density of the condenser, changes accordingly. The changed electrical voltage re-adjusts the thermodynamic voltage and, consequently, the concentrations in the other segment. There is no simple way to express, say, $[Na^+]_i$ in the function of $[K^+]_i$ or vice versa, and similarly for the other ions. Everything moves. The size matters: the amount of ions in the external segment is many orders of magnitude higher, and the gradients are inversely proportional to that amount.

As the figure suggests, an external invasion, typically an electrical voltage on the intracellular side, changes the balanced state, and due to the parameters being linked, changes all concentrations. When moving the system out of its balanced state, in any way, a driving force appears that moves the system towards finding a new balanced state. However, recall that the ions are slow, so




Figure 1.9: The mechanism of producing AP (using numbers referring to the case of squid shown in Table 1.1). In the resting state, the inside thermal potentials follow the green paths. When the rush-in of Na^+ ions suddenly increases the internal concentration to [200], the potential on the internal side of the membrane increases to +90 mV. The neuron must decrease its concentrations to restore the resting potential, mainly by releasing an action potential through the AIS.

the changes are not instant.

Table 1.1 shows our results for three different famous published cases (Table 2.1 in [23]). It looks like the calibration of the concentration of negative and positive ions needs scaling, and the measurement of Ca^{2+} comprises issues (the Ca^{2+} concentration in all cases is inaccurate and had to be corrected).

When calculating the values in Table 1.1, we used $\Delta z = 1.05$ and employed the membrane thickness data from various publications to demonstrate that our theoretical approach is correct and that using the correct data can yield even the absolute values of the membrane potential. The higher-than-expected value of Δz may suggest that the ions and the membrane's double layers in the electrolyte may also play a role. Dedicated, complete investigations can reveal the details.

Transient state

In a special type of invasion, when suddenly a large amount of Na^+ rushes in (i.e., the trigger is external, but the ions derive from a biological process), the current throughput of the "resting ion channels" is not sufficient anymore: the internal Na^+ concentration in the proximal layer drastically increases, and so does the membrane's potential. At that point, the neuron is out of balance:

Table 1.1: The summary data table for equilibrium (Data from Table 2.1 in[23])

Ion	Inside [mM]	Outside [mM]	$U_{therm} \frac{RT}{zF} \log\left(\frac{[C]_o}{[C]_i}\right)$ [mV]	U_{electr}^{theor} [mV]	U_{electr}^{exper} [mV]	U_{membr} [mV]	Width [nm]	E_{membr} [MV/m]
Squid (HH) T=293 K^o							3	14.0
K^+	400	20	$-75.5 = 58 \log\left(\frac{20}{400}\right)$	41.9	41.4	-62.0		
Na^+	50	440	$+54.8 = 58 \log\left(\frac{440}{50}\right)$					
Cl^-	40	560	$-66.5 = 58 \log\left(\frac{560}{40}\right)$	41.9	42.0	63.0		
Ca^{2+}	0.27*	10	$+45.5 = 29 \log\left(\frac{10}{0.27}\right)$					
* used for the published value 0.4								
Frog muscle (Conway) T=293 K^o							8	9.61
K^+	124	2.25	$-101 = 58 \log\left(\frac{2.25}{124}\right)$	88.9	83.6	-125.4		
Na^+	10.4	109	$+59.2 = 58 \log\left(\frac{109}{10.4}\right)$					
Cl^-	1.5	77.5	$-99.4 = -58 \log\left(\frac{77.5}{1.5}\right)$	88.9	82.7	124.1		
Ca^{2+}	0.021*	2.1	$+58.0 = 29 \log\left(\frac{2.1}{0.021}\right)$					
* used for the published value 4.9								
Typical mammalian cell T=310 K^o							6	11.1
K^+	140	5	$-89.7 = 62 \log\left(\frac{5}{140}\right)$	57.7	57.3	-85.8		
Na^+	15	145	$+61.1 = 62 \log\left(\frac{145}{15}\right)$					
Cl^-	4	110	$-89.2 = -62 \log\left(\frac{110}{4}\right)$	57.7	56.9	85.9		
Ca^{2+}	0.04*	5	$+60.8 = 31 \log\left(\frac{5}{0.04}\right)$					
* used for the published value 0.0001								
Na^+ ions only [11] T=310 K^o							6	10.0
Na^+	12	145	$+66.6 = 62 \log\left(\frac{145}{12}\right)$	60.7	66.6			

although most of the Na^+ ions can flow out through the AIS, the system also changes its K^+ concentration through the limited capacity "resting ion channels" until the balanced state is regained. This latter effect must not be confused with the capacitive current, which (owing to its reversed direction) causes the phenomenon known as "hyperpolarization".

Compare the figure to Fig. 7.2 in [1]. Notice the two-sided negative feedback effect: a change in the value of the "command potential" or "command concentration" (the "setpoint" in the language of control theory) changes the other value. In the case of voltage invasion, the ion concentration ratio also changes. In this case, the feedback amplifier is represented by the delicate balance of the electrical and thermodynamic force fields. In the case of clamping, another (electrical) feedback amplifier is introduced into the system, and they work against each other. The neuron attempts to restore its balance without external potential (it cannot distinguish the foreign potential from its membrane potential), and changes its concentrations accordingly. A vital difference is the *speed* of the feedback amplifier. The electrical one operates at electrical speed (not considering the electrolyte electrodes), while the thermodynamic one operates at a speed several orders of magnitude lower. When switching (or changing) the external ("command") voltage, the neuron must first get into its "steady state". It takes time. "The command potential, which is selected by the experimenter and can be of any desired amplitude and waveform" [1]. However, if the measured data readings are not from a steady state, the measurement is wrong: the different amplifier speeds (different current speeds) surely distort the measured value.

Figure 1.9 shows the schematic course of potentials and concentrations during issuing an AP. Follow the green path: the concentration ratio of Na^+ and K^+ ions define a thermodynamic contribution in the intracellular segment. Follow the blue path: the Cl^- and Ca^{2+} ions define a thermodynamic contribution in the extracellular segment. On the left side, two positive ions are in the solution, and the membrane potential (due to charge separation) rises toward the outside segment; the ions cannot go "uphill". Similarly, the Cl^- ions cannot go uphill (due to their negative charge, the same potential is also rising for them). This single membrane potential keeps all ions in their segments. However, the Ca^{2+} ions can travel "downhill". Calcium pumps are needed: although in minimal concentration, Ca^{2+} ions flow into the intracellular segment, and they must be pumped out (BTW: this is likely also the reason why measuring Ca^{2+} concentration is inaccurate).

As discussed above, the concentrations and voltages in the extracellular segment, with their vast amount of ions, remain unchanged in resting and transient states. Follow the red path: Na^+ ions rush into the intracellular segment. They increase the concentration from [50 mM] to (say) [200 mM] (from point (Rest) to point (AP)). This sudden change increases the thermal contribution of Na^+ potential to [-20 mV], but because the total charge on the membrane significantly increases, the resulting voltage on the intracellular side of the membrane increases to [90 mV]. The neuron could decrease its potential to the resting value if it could decrease the K^+ concentration to [100 mM]. However, the

ion-delivery capacity of the "resting ion channels" is insufficient: they are sized to maintain the resting state. (Furthermore, the electrical contribution appears instantly, while the thermodynamic one, due to the finite speed of ions, only with some delay [13].) Follow the dashed orange path: the large amount of rush-in Na^+ ions drastically increases the surface concentration on the membrane, so the potential suddenly changes to $[90\text{ mV}]$. Follow the dotted orange path: the electrical field across the membrane suddenly changes its direction from positive to negative (see the slopes of the solid and dotted orange lines) so that the excess positive ions can move "downhill" out of the intracellular space through the high-conductance ion channel array (AIS) at the end of the neuron. Its internal end is at the high membrane potential, while the external end is at the low potential of the extracellular segment.

The setpoint on the extracellular side remains fixed. On the intracellular side, at the beginning of the AP, the actual voltage is above that of the setpoint on the extracellular side, so at the two ends of the AIS, a positive driving force moves the ions toward the downstream neuron. Given that positive Na^+ ions leave the intracellular segment, its potential continuously decreases. At some point, *the voltage drops below the setpoint of the extracellular side, and the electrical field across the membrane reverses*. The driving force also decreases, and a low-intensity current restores the balanced state to the previous setpoint. When measuring at the AIS, one observes that the potential rises suddenly, then decreases below the setpoint (hyperpolarizes the membrane), then a decreasing current (flowing in the opposite direction due to the changed slope of the resulting potential, the changed electrical field across the membrane, but comprising the originally rushed-in Na^+ ions) slowly restores the resting potential. Here comes the finite speed of ions again. The ions can follow the potential changes with a delay due to their finite speed, causing an apparent delay in the time course of the AP's current.

Models in neuroscience (as reviewed in [45]) almost entirely ignore these aspects. In our physical model, we see that the measurable membrane potential and current change in the function of the ions' speed, the concentration, and its time derivative. Furthermore, all mentioned quantities depend on the effective potential. As Eq. (1.3) shows, the "thermodynamic electrical field" increases as the temperature increases, and raises the setpoint. As Eq.(1.30) shows that the current decreases as the temperature increases, in line with the experimental evidence [27, 46]. The amplitude of the action potential is decreased, given that the setpoint has increased, and its duration is reduced, given that the current decreases.

1.2.2 Controlling neuronal stages

From control theory, it is known that the goal of a controlled system is to govern the application of system inputs to drive the system to a desired state while minimizing delay and overshoot, steady-state error, and ensuring control stability. The neuron implements a controller that monitors the controlled process variable (membrane voltage) and compares it with the reference or setpoint (resting

potential). Recall that the geometry and the composition and concentration of electrolytes define the setpoint. The difference between the process variable's actual and desired values, known as the error signal, represents the actual offset potential. It is applied as feedback to generate a control action that brings the controlled process variable to its setpoint.

Neuron as a PID controller

Biology uses a simple Proportional-Integral-Derivative (PID) controller with proportional, integral, and derivative components. In simple words, it means that the output of the system (the output voltage measurable on the AIS) depends on the input voltage (the present: input current if the resistance is constant), the integrated input current(s) (the past), and their derivatives (the future). Notice that calculating the derivatives of the interdependent parameters needs care, as discussed in [47]. The sum of those summands defines the resulting output voltage. The biological case is more complicated than the technical one because biology works with slow ions, and the components have their temporal dependence (applying the laws created for fast currents requires emulation, as discussed in section 1.2). Furthermore, the summands have several constituents, and the neurons handle those current-related constituents autonomously. That is, unlike what is assumed in classical physiology, the output voltage is not necessarily a simple function of the mentioned input variables. Furthermore, it is not sufficient to consider the "present" of the system. The classical models all omit the derivatives' contributions (a direct consequence of using 'clamping': in that "frozen" state, the "future" cannot be interpreted) except that of the capacitive current, which is the passive consequence of the input currents. Furthermore, the 'Integrate and Fire'-type models consider the integrated currents only in the 'charge-up' ('Computing') period of operation, and they entirely omit that different physical processes are going on in different stages of operation. That is, *even the best classical models can not describe neuronal operation completely and correctly.*

The gradients are used to adjust the process variable through their positive and negative contributions (corresponding to rising and falling edges), and the different speeds of the thermodynamic and electrical interactions minimize the delay (i.e., provide the maximum operational speed, vital for survival). The steady-state error is minimized by setting the process variable to the reference point using long-term stable parameters (geometry and overall concentration). The low-intensity current through the always-open resting ion channels provides dynamic stability in the steady state.

We considered that the neuron has a stable base state. On the one side, this resting state must be dynamically stabilized for little perturbations using as little energy as possible (and to provide a mechanism when the cell grows, divides, or ages). On the other side, it must be able to restore the state after rough perturbations as quickly as possible, causing short-time transients (when restoring the membrane's potential after issuing a spike). In both the resting and transient states, the system attempts to return to its balanced state, though




Figure 1.10: A block diagram of a PID controller in a feedback loop. $r(t)$ is the desired process variable (PV) or setpoint (SP), and $y(t)$ is the measured PV. (Wikipedia)

the mechanisms required differ.

In its excited state, the system aims to provide an intense output that informs the downstream neurons. This overshoot is initiated by a large number of voltage-gated ion channels (distinct from the non-gated ion channels used to maintain the resting potential) distributed in the neuron's membrane. The overshoot current flows through those persistently open ion channels, which are concentrated in AIS (which has about two orders of magnitude higher channel density than the wall). The intense slow current produces a condenser-like behavior (capacitive current); the phenomena called "polarization" and "hyperpolarization" (not polarization; instead, a movement of completely separated charge in the surface layer of the electrolyte) of the membrane provide the necessary positive and negative error signals for the controller in the transient state by moving the actual potential value of the membrane above and below the resting potential value. The potentials and the electrical field's magnitudes depend on the concentration and the geometry (the finite size of the membrane). The ions' chemical nature comes into play only if the polarizability can differ for different molecules.

The time course of the overall control function $u(t)$ of the general PID controller in function of the error variable $e(t)$ in Fig. 1.10 is described by

$$u(t) = K_p \left(e(t) + \frac{1}{T_i} \int_0^t e(\tau) d\tau + T_d \frac{de(t)}{dt} \right) \quad (1.43)$$

where $T_i = \frac{K_p}{K_i}$ is the time integration constant, $T_d = \frac{K_d}{K_p}$ is the derivative time constant (notice the independent time constants). That is, in the world of a

neuron, the "theory of everything" is

$$V_M^{OUT}(t) = K_p \left(\underbrace{\overbrace{V_M^{IN}(t)}^{\text{proportional}}}_{\text{clamping, synaptic}} + \underbrace{\frac{1}{T_i} \int_0^t V_M^{IN}(\tau) d\tau}_{\text{integral (parallel RC) membrane's wall}} + \underbrace{\frac{dV_M^{IN}(t)}{dt}}_{\text{derivative (serial RC) AIS, synaptic}} \right) \quad (1.44)$$

The first term represents the constant effect of the external world (including synaptic inputs, clamping, and excitatory effects on brain tissue). The second term represents the time-averaged contribution, such as charging up the membrane, including clamping current. The voltage is mainly due to current through ion channels in the membrane's wall; it represents a parallel RC circuit. The third term represents the sum of the gradients due to all effects (the external world, the internal processes, and the outflow through the AIS) and constitutes a serial RC circuit. The underbraces of the equation identify which components of the neuron contribute the terms of the PID equation. The presence of some terms depends on the neuron's actual stage; furthermore, the R values in the parallel and serial RC circuit differ (resulting in different time constants).

One can reformulate the HH's famous Eq. (1) in [26] to the form of the PID equation

$$\underbrace{I \times R_{AIS}}_{V_M^{OUT}} = \underbrace{I_i \times R_{AIS}}_{\text{proportional ionic}} + \underbrace{\frac{1}{C_M \times R_{AIS}} \int_0^t \cancel{(I_{bio} - I_{clamp})(\tau)} d\tau}_{\text{integral, clamping cancels this } T_i} + \underbrace{C_M \times R_M \frac{dV_M}{dt}}_{\text{derivative, capacitive } T_d} \quad (1.45)$$

The proportional term comprises the ionic (and external) currents. At the time when Eq. (1.45) was set up, AIS was not yet known, so HH assumed that in the proportional term, the resistance is identical to the membrane's resistance implemented by the ion channels in the wall (leading to the ideas of "leakage current" and "resting potential", misleading physiological research.) The experimental conditions canceled the integral term entirely: the negative feedback from clamping precisely counterbalances the neuron's internally generated current, so the current integrates to zero. (BTW: the "integrate and fire" type models artificially revive the forgotten integral term.) The derivative term assumes that all currents are constants, so the voltage changes only due to the capacitive current. It entirely forgets that gradients are needed to operate an electrical system (leading to the ideas of constant-voltage batteries and magically operated resistors in the equivalent circuits). Although it was known from the beginning that the APs comprise relatively steep rising and falling edges, it was forgotten that a non-constant current contributes a gradient to the derivative term. HH's formalism describes only the 'present' (as can be expected when freezing the state), has no predictive power, nor can it give an account of neuronal memories.

HH considered only the proportional term, plus in the derivative term, the voltage gradient due to the condenser (but not the capacitive current itself,

directly leading to the wrong ad-hoc hypothesis of the presence of K^+ for explaining hyperpolarization). Given that clamping obscures the presence of gradient-like changes in the system, they missed that *the input currents also produce a voltage gradient and that the output current through the AIS also produces a gradient*. Furthermore, the equation shows that external currents (e.g., the rising and falling edges of step functions) also cause significant changes in the output voltage. Similarly, a "foreign" invasion (changing mechanically the positions of charges by pressure, ultrasound, magnetic pulse, changing the concentration in one of the segments, and so on) generates a change in the position of charges on the neuronal membrane. This way, it generates a voltage gradient (along with pressure and other gradients), which may trigger neuronal spikes. As discussed in section 1.3.1, subthreshold excitations provide direct experimental evidence that the description of the resting state includes both serial and parallel contributions.

From a control theoretical point of view, the condenser geometry and the ion concentrations set the 'always the same' value (the setpoint; see also Figure 1.1) and the currents serve to keep or restore that value. After introducing a finite-width membrane into an electrolyte, a potential difference between the two membrane surfaces is created; see Eq. (1.19). When adjusting the membrane's potential, we must consider its ground and excited states separately, given that the perturbations in these two cases are vastly different. Nature employs various mechanisms to maintain the ground state and recover it after generating a spike. Although nature's tools are remarkably similar (channels and pumps; here, for discussing 'downhill' channels, we must consider the charge-up of different components), the significant difference in current intensity warrants a separate discussion.

When comparing Eq. (1.46) describing the operation of a simple serial RC oscillator taken from the theory of electricity, Eq. (1.45) describing HH's differential equation (having PID in mind), and the complete Eq. (1.43) describing PID in general, one can see that they describe the same process in different (experimental and mathematical) approximations. As experience shows, Eq. (1.46) describing the 'net electric' model provides a sufficiently accurate description of the AP, proving that the dominating effect comes from the derivative term and that the thermodynamic term is linearly proportional to the electrical one. Furthermore, as we emphasized by discussing the physical processes and the mathematical terms, to some measure, the "parallel RC circuit" is also present in the process, although its current amplitude is by two orders of magnitude lower than that of the "serial RC circuit". Furthermore, the time constants of the two circuits are also largely different, making the effect of the parallel circuit unnoticeable. The slow current also plays a role here: the ion currents are 'local'. Given that the channels in the membrane's wall are always open, the current on its way towards the AIS may flow out through a nearby ion channel, so only a fragment of the 'resting current' reaches the AIS. Eq. (1.43) provides a high-accuracy description of the process, but for most practical applications using Eq. (1.46) provides sufficiently good results, while Eq. (1.45) is based on an incorrect 'physical model' and requires a series of incorrect ad-hoc hypotheses to

describe observations. Note that the forces have both electrical and thermodynamic components, but they are proportional to each other. That is, although the absolute values of the coefficients in the equations are not accurate, their effects are. Surely, the description of the processes is complicated, but appropriate approximations give sufficiently precise and computationally reasonable results.

Robustness of the control circle

An exciting thought experiment is discussed in [11]. "First, we consider a hypothetical membrane that is permeable only to Na^+ ions. Suppose that $[Na^+]_o$, the outside or extracellular sodium concentration, is 145 mM, and $[Na^+]_i$ is 12 mM. Moreover, suppose that initially, there is no membrane potential. The diffusion gradient for Na^+ favors Na^+ entry into the cell, and the initial Na^+ influx carries a charge that builds up on the inside of the cell. This produces a potential (recall that separation of charge produces a potential) across the membrane that impedes further Na^+ ion movement because the positive charges repel the positively charged Na^+ ion."

The paper correctly explains that in the case of Na^+ only, the potential is set up to 66.6 mV. (We quietly add that plus a layer of the corresponding Cl^- ions on the other segment, in a similar concentration ratio, builds up; so also, the attraction between positive and negative charges contributes to the effect.) In the absence of our argumentation, it cannot explain *why* that potential builds up; only why that concentration ratio establishes: the Nernst law alone does not explain the effect. Furthermore, the statement is valid only for a well-defined semipermeable membrane. We can add that the same concentrations develop if initially identical concentrations are present on both sides. The finite width of the membrane creates an electrical potential, a consequence of charge separation, as stated. If there are no ions initially inside, then no charge separation occurs, and therefore, no ion transport begins due to the membrane's electrical potential. However, the thermal driving force exists, and the started ion transport quickly builds the electrical layer, which effectively helps to establish the resting potential.

This robustness also explains why, during replication (cell division), cells also inherit their operating ability and resting potential; the existing membrane cell continues to grow in the same way. Its voltage does not depend on its size, so it remains constant, and the voltage defined in this way adjusts the concentrations accordingly. Moreover, it explains why, during evolution, cells first formed: a couple of lipids came together to form an imperfect membrane with holes, establishing cellular electricity. As Fig. 1.8 depicts, the concentrations may adapt to the living conditions (whether living in seawater), but the general operating principles remain the same. The seawater environment enables the use of thinner membranes and lower membrane voltages; however, the same electrical field is used in all cases.

Given that neurons share the external (global) concentrations (defined by the vast amount of ions in the bulk), they provide a firmly fixed offset value to the

always-the-same electrical potential. This way, the operations of the individual neurons do not interfere. Furthermore, the internal (local) concentrations can adjust themselves even following a very rough charge perturbation while issuing an AP; moreover, when the living organism is growing.

1.2.3 Goldman-Hodgkin-Katz potential

It has already been stated, based on experimental evidence, that "the membrane permeability to the ions has nothing to do with the potential generation and the ions' adsorption on the membrane surface generates the membrane potential"; for a review, see [5]. The idea itself is nonsense: in a balanced state, no ion transport happens, so even without permeability, the balanced state persists; the resting potential has nothing to do with either ions' mobility or permeability or with ion absorption [9]. Furthermore, there is no idea in GHK about whether the 'setpoint' (why that specific concentration or potential difference) is present and why the same potential is reset after rough perturbations such as issuing an AP or replicating a cell. The causality is reversed: the potential is a static concept and is set electrically, and the two gradients form the experienced concentrations from the available solvent molecules. For the time course of gradient formation, mobility and permeability play a role, but not in determining concentrations or the resting potential.

In our clear physical picture, the thermodynamic forces on one side and on the other side of the membrane are summed. They counterbalance each other; furthermore, jointly the effect of the neuronal condenser, see Fig. 1.8. As we emphasized, the concentration gradients are ion-specific. Furthermore, as discussed in connection with Eq.(1.2), the Nernst equation comprises a per-ion indefinite constant (a potential difference). To calculate a linear combination of terms comprising an arbitrary constant is nonsense, and so is adding absolute concentrations on the different sides of the membrane, or changing the base of the logarithm used in a calculation to match the experimental value. It is not more than number magic. The potential is described by coupled equations as discussed in connection with Eq. (1.42).

The Ca^{2+} ions do not fit into the GHK picture. One of the reasons why GHK cannot be good is that $[Ca^{2+}]$ is omitted. Biologically, it is hard to believe that Ca^{2+} does not participate in the game of life (especially since biology sees the need for Ca^{2+} pumps). Physically, a single concentration on one side of the membrane cannot maintain balance; as the different ion-exchange processes shown in Table 1.1 and Fig. 1.8 demonstrate. When adding a new ion to the solution, the sum concentration increases, and so the electrical force increases, forcing the previous elements to find new concentrations on both sides. The appearance of a new chemical element indirectly changes the concentrations of the others (a good example is the role of the negligible amount of Ca^{2+}).

1.3 The Action Potential

As discussed, a smaller number of ion channels is distributed over the surface of the membrane, and the overwhelming majority of ion channels is concentrated in the AIS.

1.3.1 The physical process

In the resting state, we have a condenser that has some low-conductance resistors (the resting ion channels) and a very low intensity (nearly constant) distributed current flows, under the effect of a slightly varying (nearly constant) membrane voltage. Due to the membrane potential, a current through the always-open channels flows on the dendritic surface and the resting channels' conductivity represents a drain with sufficient transmission. The resting current practically does not reach the AIS: the ion channels along the current's path practically "shunt" the current. This is a static state that classical neuroscience assumes: some static current in and some static (leakage) current out; no significant gradient. *In this state*, an almost correct model is a condenser with a *parallelly* switched resistor; an integrator-type RC circuit, see Table 1.2 (although when approaching the threshold voltage, the AIS plays some role. The smaller gradient changes, such as subthreshold excitations, produce "mini-AP waves" [38], providing direct experimental proof that in this state the parallel RC circuit is not correct). Some perturbations must be counterbalanced, but their amount does not exceed a predefined threshold.

In the transient (perturbed) state, the process variable (the membrane's potential) exceeds the threshold. That event acts as a fast trigger signal. The amount of charged particles (and so: the membrane's voltage) suddenly increases, the created gradient drives a current. When Na^+ ions rush into the intracellular layer, they roughly increase the overall concentration and the potential in that thin layer. All nearby ions feel a driving force. The targeted membrane potential is set electrically, and the driving gradients may behave in unexpectedly during the transient period. The actual voltage gradient may temporarily reverse the direction of the chemical gradients.

Our results align with the observation (see caption of 11.22 in [24]), that *the significant processes occur in a thin layer of the electrolyte proximal to the membrane surface*. The amount of unbalanced ions is in the range of 10^7 , and so is the amount of rush-in ions. In addition, those ions on the high-concentration side rush into the low-concentration side and cause a significant change in the membrane potential (and concentration). Their absolute amount is small compared to the total number of ions in the cell, but it is significant compared to the number of unbalanced ions in that layer. However, the layer itself can also be modeled as having just a few ions under their mutual repulsion on the surface or in a few atomic layers on top of each other, depending on the concentration.

Suppose that at the beginning of an AP a large amount of Na^+ ions are transferred from the extracellular to the intracellular side. In that case, the

K^+/Na^+ concentrations change from 145/15 to 45/115 and the corresponding thermodynamic voltage contribution changes from +61 [mV] to -25 [mV] (i.e., altogether a 86 [mV] sudden increase in membrane potential). For the Na^+ ions, the resultant potential changes from +4 [mV] to -83 [mV]. That means when the AP begins, the "Na-K pump" stops (if the resulting potential provides the driving force for the exchange pump). The only way for the neuron to remove the excess Na^+ ions is to generate a current toward the AIS (where the other end of the ion channels remained at the extracellular potential), until the Na^+ -specific driving force disappears. The K^+ -specific driving force, changes from -90 [mV] to -176 [mV], i.e., the K^+ intake gets more intensive, misleading researchers into believing that it causes the observed hyperpolarization. However, as Fig. 3 in [38] demonstrates, it occurs instantly, not with a delay; furthermore, the "leakage current" and the stimulus current are negligible. The low extracellular K^+ concentration plus the low number of channels in the membrane's wall do not enable a significant increase in the intracellular K^+ . (Given that complex changes occur, including changes in the electrical potential that also change the concentrations, different waves start; the statement is not strictly valid.)

As the current flows, the thermodynamic force decreases, and at some point the resultant force changes its sign; so does the current direction. This is seen as the "condenser current" (and mis-identified as an intense K^+ current). The ions move slowly, and due to the enormous electrostatic repulsion, their "electrostatic fluid" must be continuous. A special "damped wave" is formed (with all secondary mechanical, optical, etc. effects) and the condenser current reverses. Electricity interprets the phenomenon as "capacitive current" in the equivalent circuit, and thermodynamics interprets it as changed chemical concentration (or the negative amplitude of the damped elastic oscillation). Our discussion adds that electrical repulsion generates a pressure wave, or shock wave, within the neuron's closed volume.

The neuronal AP generation can be entirely described by the 3-D line in Fig. 1.11. The three dashed diagram lines are drawn in three perpendicular planes; see the figure's caption and the discussion below for the details.

1.3.2 The oscillator model

Despite the early warning that '*it was not possible to separate the change into resistance and capacity components*' [30], a commonly accepted truism was that neurons, in some sense, behave as electrical oscillators. HH introduced the idea explicitly that the electrically equivalent circuit of a neuron is an RC oscillator. We must also add the invention from about three decades later: "Neurons ensure the directional propagation of signals throughout the nervous system. The functional asymmetry of neurons is supported by cellular compartmentation: the cell body and dendrites (somatodendritic compartment) receive synaptic inputs, and the axon propagates the action potentials that trigger synaptic release toward target cells. *Between the cell body and the axon sits a unique compartment called the axon initial segment.* The AIS was first described 50 years ago [i.e., nearly two decades after HH published their study], and its molecu-






Figure 1.11: A summary of producing neuronal AP as a 3-D figure. The thick, solid 3-D line shows how the color-coded voltage gradient drives the membrane potential over time. The three dashed diagram lines are the projections of the spatial curve to the boundary planes of the cube. The physiology delivers them as 2-D plots; the figure explains how those parameters are interrelated. The red line shows the voltage gradient produced by the rush-in of the Na^+ ions, see also the middle inset in Fig. 1.12. The blue diagram line shows the AP, see also the bottom inset in Fig. 1.12. The interdependence of the gradient and the voltage is called a phase plot; see, for example [48].

Table 1.2: RC circuit types

The RC Integrator	The RC differentiator
$V_{out}^{Integrator} = \frac{1}{RC} \int_0^t V_{in} dt$	$V_{out}^{Differentiator} = RC \frac{dV_{in}}{dt}$
Low Pass Filter	High Pass Filter
Resting state	Transient state
	
(Mostly) resting state	(Mostly) transient state
Ion channels in the membrane	Ion channels in the AIS

lar composition and organization have been progressively elucidated during the following decades. . . . Recent years have also brought crucial insights into the functions of the AIS: how *ion channels at its surface generate and shape the action potential.*” [35] We provide the physics and mathematics of how AIS shapes the action potential (or more precisely, we show what an important role it plays in forming AP).

Inventing AIS changed the viewpoint of neuroscience [35], a half century later, after setting up the commonly accepted model by HH. ”The AIS is located at the proximal axon and is the site of action potential initiation. This reflects the high density of ion channels found at the AIS. ... The summation of synaptic inputs gives rise to action potentials at the AIS, a 20–60 μm long domain located at the proximal axon/soma interface that has a high density of voltage-gated ion channels.” As discussed in [36], see also their Figure 1, the structure of the AIS is known to the most minor details. As the illuminating investigations in 2008 [33] revealed, the AIS has very dense ion channels. That is, from an electrical point of view, those parallelized channels can be abstracted as a *discrete conductance* (or resistance) between the membrane and the axon. The membrane itself can be abstracted as a *distributed condenser* with no resistance. This model is in contrast with the viewpoint of biophysics, that the membrane plus AIS is considered a distributed element, where the capacitor and condenser cannot be separated. The current model is the result of projecting the physical processes in the resting state to the transient state. Notice the important point: ”Neurons are also anatomically polarized, as they can be subdivided into a somatodendritic input domain and an axonal output domain” [32]; providing direct evidence that (unlike in HH’s model) *the input and output currents (and voltage time derivatives) are independent.*

In our model, the AIS gets part of the membrane, and this leads to crucial changes. (BTW, the name is slightly misleading: the AIS is part of the neuronal

oscillator, and it forwards a traveling potential wave to the axon instead of belonging to it.) 'Although by definition a neuron must have an axon to assemble an AIS, the relationship between AIS assembly and axon specification in vivo has not been determined yet' [32]. Anyhow, a neuron can be abstracted (in the disciplinary view of electricity) as comprising a resistor-like and a capacitor-like component. However, in the resting and the transient states, they are combined in different ways.

In the resting state, we can model neurons as a *parallel RC* circuit (see the "integrator" in Table 1.2), where "random" currents flow in and out. Practically, the output voltage is constant (the resting potential): the ion channels and pumps are distributed over the membrane's surface, and due to the low speed of currents, at low local voltage gradients, the AIS is not involved. Only the synaptic inputs cause a measurable gradient on the AIS. In this native state, there is no gradient; in this sense, it is similar to the case of clamped operation, where the gradient is (apparently) suppressed by the feedback. HH did not see any structural elements on the membrane, so logically, they modeled it as a distributed resistor and capacitor, which really has resemblance with a *parallel RC oscillator*. However, they made a wrong choice of the circuit type, and their choice (likely due to inertia) was repeated in good textbooks such as ([23] Figure 3.1 or [17] Figure 1.1), and it is a commonly accepted fallacy even today [49].

In the transient state, the high-transmission ion channels in the AIS (high conductance R) replace the low-transmission ion channels (low conductance R) in the membrane's wall, and the rush-in current flows out entirely on the AIS (for the model, in this state, we omit the low-transmission ion drain). Those two elements form a *serial RC* circuit (see the "differentiator" in Table 1.2) that acts as a damped oscillator and produces a current pulse, known as AP. Neuroscience mistakenly claims it is a parallel RC circuit; that statement is valid only in the resting state. However, the number and intensity of the 'resting' ion channels in the membrane's wall are insignificant for producing AP, so we use the approximation that only the 'transient ion channels' in the AIS are active when generating an AP.

In the electrical view, the process can be modeled as follows: a sudden voltage gradient (see Figure 1.12 middle inset) appears on the membrane (as a discrete capacitor), and a current flows out (see Figure 1.12 bottom inset) through the serially connected ion channel array (as a discrete resistor). The neuron forms a simple *serially* (*not parallelly*, as assumed by Hodgkin and Huxley [26] and mistakenly claimed by neurophysiology) connected RC oscillator. For the physical and mathematical description, see section 1.3.3, furthermore, section 4 in [39]; for its algorithmic specifics [40], for further details [?]. Notice that the difference between the rush-in and the resultant gradients emphasizes the role of the finite resources: without the AIS, no turn-back of the resultant gradient would occur.

The fundamental difference between the parallel and serial RC circuits is that *the parallel circuit cannot produce output voltage with opposite sign*. As discussed, the capacitive current, which by definition changes its direction and so generates an opposite voltage on the resistor represented by the AIS, perfectly




Figure 1.12: The physical processes describing the membrane's operation. The rush-in Na^+ ions instantly increase the membrane's charge, and the membrane's capacity discharges (producing an exponentially decaying voltage derivative). The ions are created at different positions on the membrane, so they take different times to reach the AIS, where the current produces a peak in the voltage derivative. The resulting voltage derivative, the sum of the two derivatives (the AIS current is outward), drives the oscillator. Its integration produces the membrane potential. When the membrane potential crosses the threshold, it switches the synaptic currents on or off.

describes the so-called "hyperpolarization". It is not the effect of a K^+ current: the resting ion channels do not have sufficient conductance. Not knowing about the AIS leads to assuming that the resting ion channels work also as transient channels (in other words, assuming a parallel RC circuit instead of the serial one, furthermore, that the output current flows through the membrane instead of the axon). Some K^+ current certainly exists; for the magnitude of currents during AP, see [38].

The shape of the output waveform depends on the ratio of the pulse width to the RC time constant. When RC is much larger than the pulse width, the output waveform resembles the input signal, even with a square wave input. (In the case of the neuronal oscillator, the shape of the front side of the spike is similar to the one derived for the rush-in current, while the back side is very prolonged.)

1.3.3 Mathematics of the ActionPotential

Although the implementation of a neuronal circuit works with ionic currents and has a charge transmission mechanism drastically different from the one based on free electrons used in metals, the operation can align (to some measure) with the instant currents of physical electronics (as we suggest, the effect of the slow current and finite size can be reasonably imitated with current generators generating a special current shape). The input currents in a biological circuit are a large rush-in current through the membrane in an extremely short time, and much smaller gated synaptic currents arriving at different times through the synapses. Those currents generate voltage gradients, and those gradients direct the operation of the RC oscillator (Notice that due to the multi-physical effects, the parameters R and C may change in the function of time and the actual voltage). As it is well known from the theory of electrical circuits, the output voltage measured on the output resistor is as follows:

$$V_{out}^{Differentiator} = RC \frac{dV_{in}}{dt} \quad (1.46)$$

where the input voltage is as follows:

$$\frac{d}{dt} V_{in} = \sum \frac{d}{dt} V_{IN}^{Component} - \frac{d}{dt} V_{OUT}^{AIS} \quad (1.47)$$

that is, the (temporally gated) sum of the input gradient that the currents generate, plus the gradient of the output current through the AIS [36, 35]. The latter term can be described as follows (see the discussion around also Eq.(1.43):

$$\frac{d}{dt} V_{OUT}^{AIS} = \frac{1}{C} \frac{V_{internal} - V_{external}}{R_{AIS}} \quad (1.48)$$

The input currents are slow (we typically imitate them using a current generator with a special form). In the simplest case, the resulting voltage derivative comprises only the rush-in contribution and the AIS contribution described by

Equation (1.48). The gating implements a dynamically changing temporal window and dynamically changing synaptic weights. The appearance of the first arriving synaptic gradient starts the “Computing” stage. The rush-in gradient starts the “Delivering” stage [40]. The charge collected in that temporal window is as follows:

$$Q(t) = \int_{t_{0,i}}^{t_{thr}} dt \sum_{\substack{i \\ t_{0,i} \leq t \leq t_{thr}}} I_{syn,i}(t) \quad (1.49)$$

The total charge is integrated in a mathematically entirely unusual way: this is *NOT* a simple “integrate and fire”: the collected charge defines the upper bound of the integration time. Through adjusting the integration time window, the neuron selects which one(s) out of its upstream neurons can contribute to the result; the individual contributions are the result of a bargain between the sender and the receiver. The upstream neuron decides when the time window begins, but the neuron decides when a contributing current terminates. *The beginning of the time window is set by the arrival of a spike from one of the upstream neurons, and it is closed by the neuron when the charge integration results in a voltage exceeding the threshold.* The speculations [47] about the spatial length of the spike are correct, but its “payload length” is defined by the receiving neuron. The computation (a weighted summation) is performed on the fly, excluding the obsolete operands (the idea of Analog In-Memory Computing (AIMC) [50] almost precisely reproduces the charge summation except for timing). The only operation that a neuron can perform is that unique integration. Its result is the reciprocal of the weighted sum, and it is represented by the time when a spike is sent out (*when* that charge on the membrane’s fixed capacity leads to reaching the threshold). Notice that the time is defined on the neuron’s local time scale and is interpreted similarly by the downstream neurons: the data transmission time matters.

Chapter 2

Thermodynamics for neurons

Bibliography

- [1] E. R. Kandel, J. H. Schwartz, T. M. Jessell, S. A. Siegelbaum, A. J. Hudspeth, Principles of Neural Science, 5th Edition, The McGraw-Hill Medical, New York Chicago etc., 2013.
- [2] M. F. Schneider, Living systems approached from physical principles, Progress in Biophysics and Molecular Biology 162 (2021) 2–25, on the Physics of Excitable Media. Waves in Soft and Living Matter, their Transmission at the Synapse and their Cooperation in the Brain. doi:<https://doi.org/10.1016/j.pbiomolbio.2020.10.001>.
URL <https://www.sciencedirect.com/science/article/pii/S0079610720301000>
- [3] B. Podobnik, M. Jusup, Z. Tiganj, W.-X. Wangi, J. M. Buld, H. E. Stanley, Biological conservation law as an emerging functionality in dynamical neuronal networks, Applied Physical Sciences 45 (2017) 11826–11831. doi:[10.1073/pnas.1705704114](https://doi.org/10.1073/pnas.1705704114).
- [4] J. Rinzel, Discussion: Electrical excitability of cells, theory and experiment: Review of the Hodgkin-Huxley foundation and an update, Bulletin of Mathematical Biology 52 (1) (1990) 5–23.
URL <https://www.sciencedirect.com/science/article/pii/S0092824005800035>
- [5] H. Tamagawa, M. Sasaki, W. Lin, B. Delalande, Is the membrane permeability the primary property for the membrane potential generation?, Mod Concept Material Sci. 6 (2024).
- [6] D. E. Pence, Potential Controversies: Causation and the Hodgkin and Huxley Equations, Philosophy of Science 84 (5) (2017) 1177–1188. doi:[10.1086/694040](https://doi.org/10.1086/694040).
- [7] H. Tamagawa, S. Morita, Membrane potential generated by ion adsorption, Membranes 4 (2) (2014) 257–274. doi:[10.3390/membranes4020257](https://doi.org/10.3390/membranes4020257).
URL <https://www.mdpi.com/2077-0375/4/2/257>
- [8] I. I. Ryzhkov, D. V. Lebedev, V. S. Solodovnichenko, A. V. Minakov, M. M. Simunin, On the origin of membrane potential in membranes with

- polarizable nanopores, *Journal of Membrane Science* 549 (2018) 616–630. doi:<https://doi.org/10.1016/j.memsci.2017.11.073>.
URL <https://www.sciencedirect.com/science/article/pii/S0376738817327060>
- [9] Hirohisa Tamagawa and Titus Mulembo and Vera Maura Fernandes de Lima and Wolfgang Hanke, Analyses of HH and GHK equations with another perspective: Can ion adsorption also govern trans-membrane potential?, *Progress in Biophysics and Molecular Biology* 167 (2021) 3–11. doi:<https://doi.org/10.1016/j.pbiomolbio.2021.10.004>.
URL <https://www.sciencedirect.com/science/article/pii/S0079610721001279>
- [10] H. Tamagawa, T. Nakahata, R. Sugimori, B. Delalande, M. T, The Membrane Potential Has a Primary Key Equation, *Acta Biotheoretica* 71 (15) (2023). doi:[10.1007/s10441-023-09467-5](https://doi.org/10.1007/s10441-023-09467-5).
- [11] J. Feher, The Origin of the Resting Membrane Potential, second edition Edition, Academic Press, Boston, 2017. doi:<https://doi.org/10.1016/B978-0-12-800883-6.00023-9>.
URL <https://www.sciencedirect.com/science/article/pii/B9780128008836000239>
- [12] E. Schrödinger, Is life based on the laws of physics?, Cambridge University Press, Canto, 1992, pp. 76–85.
- [13] J. Végh, Can 'non-ordinary laws of physics' describe living matter?, arXiv (2025). doi:<http://dx.doi.org/10.2139/ssrn.5217729>.
- [14] A. Kahana, D. Lancet, Self-reproducing catalytic micelles as nanoscopic protocell precursors, *Nature Reviews Chemistry* 5 (2021) 870–878. doi:doi.org/10.1038/s41570021003297.
- [15] A. Kahana, L. Segev, D. Lancet, Attractor dynamics drives self-reproduction in protobiological catalytic networks, *Cell Reports Physical Science* 4 (2023). doi:<https://doi.org/10.1016/j.xcrp.2023.101384>.
- [16] B. C. Abbott, A. V. Hill, J. V. Howarth, The positive and negative heat production associated with a nerve impulse., *Proc. R. Soc. London. B.* 148 (1958) 149–187.
- [17] C. Koch, *Biophysics of Computation*, Oxford University Press, New York, Oxford, 1999.
- [18] J. Végh, The 'non-ordinary laws' of physics describing life, arXiv, 1 (2025).
- [19] T. Heimburg, Die Physik der Nerven, *Physik Journal* 8 (3) (2009) 33–39.
- [20] J. Mueller, W. Tyler, A quantitative overview of biophysical forces impinging on neural function, *Phys Biol.* 11 (5) (2014). doi:[10.1088/1478-3975/11/5/051001](https://doi.org/10.1088/1478-3975/11/5/051001).

- [21] A. Baumgart, J. R. Clarke, G. C. Cranfield, R. Zerlotti, F. T. Buoninsegni, Membrane binding of hydrophobic ions: Dipole potential revisited, *Biophysical Journal* 124 (2025). doi:10.1016/j.bpj.2024.11.557.
- [22] Oshima, Hiroyuki and Ohki, Shinpei, Donnan potential and surface potential of a charged membrane, *Biophysical Journal* 47 (1985) 673–678.
- [23] D. Johnston, S. M.-S. Wu, *Foundations of Cellular Neurophysiology*, Massachusetts Institute of Technology, Cambridge, Massachusetts and London, England, 1995.
- [24] B. Alberts, A. Johnson, J. Lewis, et al., *Molecular biology of the cell* (2002). URL <https://www.ncbi.nlm.nih.gov/books/NBK26910/>
- [25] Gokturk, Pinar Aydogan and Sujanani, Rahul and Qian, Jin and Wang, Ye and Katz, Lynn E. and Freeman, Benny D. and Crumlin, Ethan J, The Donnan potential revealed, *Nature Communications* 13 (2022). doi:10.1038/s41467-022-33592-3.
- [26] A. L. Hodgkin, A. F. Huxley, A quantitative description of membrane current and its application to conduction and excitation in nerve, *J. Physiol.* 117 (1952) 500–544.
- [27] N. Hyun, K. Hyun, K. Lee, B. Kaang, Temperature dependence of action potential parameters in aplysia neurons, *Neurosignals* 20 (2012) 252–64. doi:10.1159/000334960.
- [28] M. C. Kiernan, K. Cikurel, H. Bostock, Effects of temperature on the excitability properties of human motor axons, *Brain* 124 (4) (2001) 816–825. arXiv:<https://academic.oup.com/brain/article-pdf/124/4/816/1014662/1240816.pdf>, doi:10.1093/brain/124.4.816. URL <https://doi.org/10.1093/brain/124.4.816>
- [29] M. Stemmler, C. Koch, How voltage-dependent conductances can adapt to maximize the information encoded by neuronal firing rate, *Nat Neurosci* 2 (1999) 521–527.
- [30] K. S. Cole, H. J. Curtis, Electric impedance of the squid giant axon during activity, *The Journal of General Physiology* (1939). doi:<http://doi.org/10.1085/jgp.22.5.649>.
- [31] A. Mason, A. Nicoll, K. Stratford, Synaptic transmission between individual pyramidal neurons of the rat visual cortex in vitro, *The Journal of Neuroscience* 11 (1991) 79–84.
- [32] M. Rasband, The axon initial segment and the maintenance of neuronal polarity, *Nat Rev Neurosci* 11 (2010) 552–562. doi:10.1038/nrn2852.

- [33] M. H. P. Kole, S. U. Ilchner, B. M. Kampa, S. R. Williams, P. C. Ruben, G. J. Stuart, Action potential generation requires a high sodium channel density in the axon initial segment, *Nature Neuroscience* 11 (2008) 178–186. doi:10.1038/nn2040.
URL <https://www.nature.com/articles/nn2040>
- [34] M. Kole, G. Stuart, Signal processing in the axon initial segment, *Neuron* 73 (2) (2012) 235–247. doi:<https://doi.org/10.1016/j.neuron.2012.01.007>.
URL <https://www.sciencedirect.com/science/article/pii/S0896627312000505>
- [35] C. Leterrier, The axon initial segment: An updated viewpoint, *Journal of Neuroscience* 38 (9) (2018) 2135–2145. doi:10.1523/JNEUROSCI.1922-17.2018.
- [36] C. Y.-M. Huang, M. N. Rasband, Axon initial segments: structure, function, and disease, *Annals of the New York Academy of Sciences* 1420 (2018). doi:10.1111/nyas.13718.
- [37] W. B. Levy, V. G. Calvert, Communication consumes 35 times more energy than computation in the human cortex, but both costs are needed to predict synapse number, *Proceedings of the National Academy of Sciences* 118 (18) (2021) e2008173118. doi:10.1073/pnas.2008173118.
- [38] Y. Wang, R. Wang, X. Xu, Neural energy supply-consumption properties based on hodgkin-huxley model., *Neural Plast.* (2017) 6207141doi:<https://doi.org/10.1155/2017/6207141>.
URL <https://pmc.ncbi.nlm.nih.gov/articles/PMC5337805/>
- [39] J. Végh, On implementing technomorph biology for inefficient computing, *Applied Sciences* 15 (11) (2025). doi:10.3390/app15115805.
URL <https://www.mdpi.com/2076-3417/15/11/5805>
- [40] J. Végh, Algorithm for describing neuronal electric operation, *Algorithms* 1 (2025). doi:10.3390/a19010006.
- [41] A. Anton-Fernandez, G. Leon-Espinosa, J. DeFelipe, A. Munoz, Pyramidal cell axon initial segment in Alzheimer’s disease, *Scientific Reports* 12 (2022). doi:10.1038/s41598-022-12700-9.
- [42] P. Borghammer, N. Okkels, D. Weintraub, Parkinson’s disease and dementia with lewy bodies: One and the same., *J Parkinsons Dis.* 14 (2024) 383–397. doi:10.3233/JPD-240002.
- [43] M. Jabbari, M. Karamati, The effects of temperature on the dynamics of the biological neural network, *J Biol Phys.* 48 (2022) 111–126. doi:10.1007/s10867-021-09598-1.

- [44] D. A. McCormick, Chapter 12 - membrane potential and action potential, in: J. H. Byrne, R. Heidelberger, M. N. Waxham (Eds.), *From Molecules to Networks* (Third Edition), third edition Edition, Academic Press, Boston, 2014, pp. 351–376. doi:<https://doi.org/10.1016/B978-0-12-397179-1.00012-9>.
- [45] D. S. Bassett, P. Zurn, J. I. Gold, On the nature and use of models in network neuroscience, *Nature Reviews Neuroscience* 19 (2018) 566–578. doi:[10.1038/s41583-018-0038-8](https://doi.org/10.1038/s41583-018-0038-8).
- [46] S. M. Thompson, L. M. Masukawa, D. A. Prince, Temperature Dependence of Intrinsic Membrane Properties and Synaptic Potentials in Hippocampal CA1 Neurons In Vitro', *The Journal of Neuroscience* 5 (3) (1985) 817–824.
- [47] T. Heimburg, The mechanical properties of nerves, the size of the action potential, and consequences for the brain, *Chemistry and Physics of Lipids* 267 (2025) 105461. doi:<https://doi.org/10.1016/j.chemphyslip.2024.105461>.
URL <https://www.sciencedirect.com/science/article/pii/S0009308424000860>
- [48] B. Bean, The action potential in mammalian central neurons, *Nature Reviews Neuroscience* 8 (2007). doi:[10.1038/nrn2148](https://doi.org/10.1038/nrn2148).
- [49] W. Gerstner, W. M. Kistler, R. Naud, L. Paninski, *Neuronal Dynamics: From single neurons to networks and models of cognition and beyond*, Cambridge University Press, Cambridge, UK, 2014.
- [50] A. Antolini, A. Lico, F. Zavalloni, E. F. Scarselli, A. Gnudi, M. L. Torres, R. Canegallo, M. Pasotti, A readout scheme for pcm-based analog in-memory computing with drift compensation through reference conductance tracking, *IEEE Open Journal of the Solid-State Circuits Society* 4 (2024) 69–82.
URL <https://api.semanticscholar.org/CorpusID:271476898>