

Lab Week 1 Deliverable

VSCode, Markdown, and Git Part 1

Part 2. (Re)Familiarizing Ourselves with Git


```
(base) Joses-MacBook-Pro-3:UCSD josesantanasosa$ git clone https://github.com/jvsantanasosa/CSE110.git
Cloning into 'CSE110'...
remote: Enumerating objects: 3, done.
remote: Counting objects: 100% (3/3), done.
remote: Total 3 (delta 0), reused 0 (delta 0), pack-reused 0
Unpacking objects: 100% (3/3), done.
(base) Joses-MacBook-Pro-3:UCSD josesantanasosa$ ls
CSE110
(base) Joses-MacBook-Pro-3:UCSD josesantanasosa$ cd CSE110/
(base) Joses-MacBook-Pro-3:CSE110 josesantanasosa$ ls
README.md
(base) Joses-MacBook-Pro-3:CSE110 josesantanasosa$ git branch add-read-me
(base) Joses-MacBook-Pro-3:CSE110 josesantanasosa$ git branch -a
  add-read-me
* main
  remotes/origin/HEAD -> origin/main
  remotes/origin/main
(base) Joses-MacBook-Pro-3:CSE110 josesantanasosa$ git checkout add-read-me
Switched to branch 'add-read-me'
(base) Joses-MacBook-Pro-3:CSE110 josesantanasosa$ ls
README.md
(base) Joses-MacBook-Pro-3:CSE110 josesantanasosa$ vim README.md
(base) Joses-MacBook-Pro-3:CSE110 josesantanasosa$ git add README.md
(base) Joses-MacBook-Pro-3:CSE110 josesantanasosa$ git commit -m "Update readme file"
[add-read-me 01a814e] Update readme file
Committer: Jose Santana Sosa <josesantanasosa@Joses-MacBook-Pro-3.local>
Your name and email address were configured automatically based
on your username and hostname. Please check that they are accurate.
You can suppress this message by setting them explicitly. Run the
following command and follow the instructions in your editor to edit
your configuration file:

    git config --global --edit

After doing this, you may fix the identity used for this commit with:

    git commit --amend --reset-author

1 file changed, 2 insertions(+), 1 deletion(-)
```



The screenshot shows a vim editor window with a title bar containing three colored window control buttons (red, yellow, green) and the text 'vim'. The editor content shows the first two lines of a file: '# CSE110' and '# José's User Page' followed by a cursor. A tilde '~' is visible on the third line.

```
(base) Joses-MacBook-Pro-3:CSE110 josesantanasosa$ git push https://github.com/jvsantanasosa/CSE110.git add-read-me
Username for 'https://github.com': jvsantanasosa
Password for 'https://jvsantanasosa@github.com':
Enumerating objects: 5, done.
Counting objects: 100% (5/5), done.
Writing objects: 100% (3/3), 297 bytes | 297.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0)
remote:
remote: Create a pull request for 'add-read-me' on GitHub by visiting:
remote:   https://github.com/jvsantanasosa/CSE110/pull/new/add-read-me
remote:
To https://github.com/jvsantanasosa/CSE110.git
 * [new branch]      add-read-me -> add-read-me
```

