

Lista 3

ra: 175886

João Vitor Saes Casagrande

2026-08-17

```
library(DBI)
```

Warning: package 'DBI' was built under R version 4.5.3

```
library(RSQLite)
```

Warning: package 'RSQLite' was built under R version 4.5.3

```
#Conexao com SQLö
```

```
con <-dbConnect(SQLite(), "C:\\Users\\jvsca\\Desktop\\Unicamp\\Banco de Dados\\lista 3\\me31
```

```
DBI::dbListTables(con)
```

```
[1] "EMPLOYEE" "PRESERVE"
```

1. Exiba os valores de STATE e FEE da tabela PRESERVE mas sem duplicados.

```
select distinct state, fee from preserve
```

Table 1: 4 records

STATE	FEE
AZ	3
MT	0
AZ	0
MA	0

STATE	FEE
-------	-----

2. Exiba todos os valores de DNO na tabela EMPLOYEE. Não exiba valores duplicados.

```
select distinct dno from employee
```

Table 2: 3 records

DNO
20
10
40

3. Execute as QUERYS a seguir. Examine as tabelas resultantes e faça as observações relevantes. `SELECT DNO, SALARY FROM EMPLOYEE` `SELECT DISTINCT DNO, SALARY FROM EMPLOYEE` `SELECT DISTINCT DNO, SALARY FROM EMPLOYEE ORDER BY DNO, SALARY`

Resposta: `SELECT DNO, SALARY FROM EMPLOYEE`, traz uma linha por funcionário. Se dois funcionários do mesmo departamento ganham o mesmo salário, essa combinação (DNO, SALARY) aparece mais de uma vez. `SELECT DISTINCT DNO, SALARY FROM EMPLOYEE`, com `DISTINCT`, só elimina uma linha quando o par inteiro DNO+SALARY é igual a outro, não quando só o DNO se repete, o `DISTINCT` em múltiplas colunas trata a combinação delas como a unidade de comparação, não cada coluna isoladamente. Por isso o mesmo DNO aparece várias vezes quando os salários diferem. `SELECT DISTINCT DNO, SALARY FROM EMPLOYEE ORDER BY DNO, SALARY`, retorna o mesmo conjunto da seunda, porém agora em ordem, com o mesmo número de linhas.

```
SELECT DISTINCT DNO, SALARY FROM EMPLOYEE
```

```
SELECT DISTINCT DNO, SALARY FROM EMPLOYEE ORDER BY DNO, SALARY
```

```
SELECT DNO, SALARY FROM EMPLOYEE
```

Table 3: 6 records

DNO	SALARY
20	2000
10	2000
20	3000

DNO	SALARY
40	500
10	400
20	9000

```
SELECT DISTINCT DNO, SALARY FROM EMPLOYEE
```

Table 4: 6 records

DNO	SALARY
20	2000
10	2000
20	3000
40	500
10	400
20	9000

```
SELECT DISTINCT DNO, SALARY FROM EMPLOYEE ORDER BY DNO, SALARY
```

Table 5: 6 records

DNO	SALARY
10	400
10	2000
20	2000
20	3000
20	9000
40	500

4. Exiba todas as informações sobre qualquer reserva natural em Montana que seja menor que 1.000 acres.

```
SELECT * FROM PRESERVE
WHERE STATE = 'MT' AND ACRES < 1000
```

Table 6: 2 records

PNO	PNAME	STATE	ACRES	FEE
3	DANCING PRAIRIE	MT	680	0
40	SOUTH FORK MADISON	MT	121	0

5. Exiba todas as informações sobre qualquer reserva natural cujo valor de ACRES esteja entre 1200 e 15000, inclusive.

```
SELECT * FROM PRESERVE
WHERE ACRES BETWEEN 1200 AND 15000
```

Table 7: 2 records

PNO	PNAME	STATE	ACRES	FEE
2	PINE BUTTE SWAMP	MT	15000	0
6	PAPAGONIA-SONOITA CREEK	AZ	1200	3

6. Exiba todas as informações sobre qualquer reserva natural localizada em Montana que não possua taxa de entrada e seja maior que 10.000 acres.

```
SELECT * FROM PRESERVE
WHERE STATE = 'MT' AND FEE = 0 AND ACRES > 10000
```

Table 8: 1 records

PNO	PNAME	STATE	ACRES	FEE
2	PINE BUTTE SWAMP	MT	15000	0

7. Exiba todas as informações sobre as reservas naturais localizadas em Montana ou Massachusetts.

```
SELECT * FROM PRESERVE
WHERE STATE = 'MT' OR STATE = 'MA'
```

Table 9: Displaying records 1 - 10

PNO	PNAME	STATE	ACRES	FEE
3	DANCING PRAIRIE	MT	680	0
40	SOUTH FORK MADISON	MT	121	0
14	MCELWAIN-OLSEN	MA	66	0
13	TATKON	MA	40	0
9	DAVID H. SMITH	MA	830	0
11	MIACOMET MOORS	MA	4	0
12	MOUNT PLANTAIN	MA	730	0
1	COMERTOWN PRAIRIE	MT	1130	0
2	PINE BUTTE SWAMP	MT	15000	0
10	HOFT FARM	MA	90	0

8. Exiba todas as informações sobre qualquer reserva natural localizada em Montana ou qualquer reserva que seja menor que 1.000 acres.

```
SELECT * FROM PRESERVE
WHERE STATE = 'MT' OR ACRES < 1000
```

Table 10: Displaying records 1 - 10

PNO	PNAME	STATE	ACRES	FEE
5	HASSAYAMPA RIVER	AZ	660	3
3	DANCING PRAIRIE	MT	680	0
40	SOUTH FORK MADISON	MT	121	0
14	MCELWAIN-OLSEN	MA	66	0
13	TATKON	MA	40	0
9	DAVID H. SMITH	MA	830	0
11	MIACOMET MOORS	MA	4	0
12	MOUNT PLANTAIN	MA	730	0
1	COMERTOWN PRAIRIE	MT	1130	0
2	PINE BUTTE SWAMP	MT	15000	0

9. Exiba o número e o nome de qualquer reserva natural que possua taxa de entrada que não seja igual a zero.

```
SELECT PNO, PNAME FROM PRESERVE
WHERE FEE != 0
```

Table 11: 3 records

PNO	PNAME
5	HASSAYAMPA RIVER
80	RAMSEY CANYON
6	PAPAGONIA-SONOITA CREEK

10. Exiba o número e o nome das reservas naturais que não possuem taxa de entrada de US\$ 3,00 e não possuem taxa de US\$ 10,00.

```
SELECT PNO, PNAME FROM PRESERVE
WHERE FEE != 3.00 AND FEE != 10.00
```

Table 12: Displaying records 1 - 10

PNO	PNAME
3	DANCING PRAIRIE
7	MULESHOE RANCH
40	SOUTH FORK MADISON
14	MCELWAIN-OLSEN
13	TATKON
9	DAVID H. SMITH
11	MIACOMET MOORS
12	MOUNT PLANTAIN
1	COMERTOWN PRAIRIE
2	PINE BUTTE SWAMP

11. Exiba todas as informações sobre qualquer reserva natural localizada no Arizona que não possua taxa de entrada, ou qualquer reserva que seja menor que 100 acres (independentemente de seus valores de STATE e FEE).

```
SELECT * FROM PRESERVE
WHERE (STATE = 'AZ' AND FEE = 0) OR ACRES < 100
```

Table 13: 5 records

PNO	PNAME	STATE	ACRES	FEE
7	MULESHOE RANCH	AZ	49120	0
14	MCELWAIN-OLSEN	MA	66	0
13	TATKON	MA	40	0

PNO	PNAME	STATE	ACRES	FEE
11	MIACOMET MOORS	MA	4	0
10	HOFT FARM	MA	90	0

12.Exiba todas as informações sobre qualquer reserva natural que seja menor que 1.000 acres e tenha taxa de entrada de zero dólares ou esteja localizada no Arizona.

```
SELECT * FROM PRESERVE
WHERE (ACRES < 1000 AND FEE = 0) OR STATE = 'AZ'
```

Table 14: Displaying records 1 - 10

PNO	PNAME	STATE	ACRES	FEE
5	HASSAYAMPA RIVER	AZ	660	3
3	DANCING PRAIRIE	MT	680	0
7	MULESHOE RANCH	AZ	49120	0
40	SOUTH FORK MADISON	MT	121	0
14	MCELWAIN-OLSEN	MA	66	0
13	TATKON	MA	40	0
9	DAVID H. SMITH	MA	830	0
11	MIACOMET MOORS	MA	4	0
12	MOUNT PLANTAIN	MA	730	0
80	RAMSEY CANYON	AZ	380	3

13. Selecione todas as informações sobre qualquer reserva natural com taxa de entrada que não seja maior que zero, ou qualquer outra reserva, independentemente de sua taxa, que esteja localizada em Montana e seja maior que 1.000 acres.

```
SELECT * FROM PRESERVE
WHERE FEE <= 0 OR (STATE = 'MT' AND ACRES > 1000)
```

Table 15: Displaying records 1 - 10

PNO	PNAME	STATE	ACRES	FEE
3	DANCING PRAIRIE	MT	680	0
7	MULESHOE RANCH	AZ	49120	0
40	SOUTH FORK MADISON	MT	121	0
14	MCELWAIN-OLSEN	MA	66	0
13	TATKON	MA	40	0

PNO	PNAME	STATE	ACRES	FEE
9	DAVID H. SMITH	MA	830	0
11	MIACOMET MOORS	MA	4	0
12	MOUNT PLANTAIN	MA	730	0
1	COMERTOWN PRAIRIE	MT	1130	0
2	PINE BUTTE SWAMP	MT	15000	0

14. Exiba todas as informações sobre todas as reservas naturais, exceto aquelas reservas de Montana sem taxa de entrada.

```
SELECT * FROM PRESERVE
WHERE NOT (STATE = 'MT' AND FEE = 0)
```

Table 16: Displaying records 1 - 10

PNO	PNAME	STATE	ACRES	FEE
5	HASSAYAMPA RIVER	AZ	660	3
7	MULESHOE RANCH	AZ	49120	0
14	MCELWAIN-OLSEN	MA	66	0
13	TATKON	MA	40	0
9	DAVID H. SMITH	MA	830	0
11	MIACOMET MOORS	MA	4	0
12	MOUNT PLANTAIN	MA	730	0
80	RAMSEY CANYON	AZ	380	3
10	HOFT FARM	MA	90	0
6	PAPAGONIA-SONOITA CREEK	AZ	1200	3

15. As seguintes cláusulas WHERE são logicamente equivalentes? WHERE STATE = 'MA' AND (ACRES > 1000 OR FEE = 0.0) WHERE (STATE = 'MA' AND ACRES > 1000) OR (STATE = 'MA' AND FEE = 0.0)

Resposta: Sim, são equivalentes. É a lei distributiva do AND sobre o OR, P AND (Q OR R) (P AND Q) OR (P AND R). Vale para as 8 combinações possíveis de P, Q, R

```
SELECT * FROM PRESERVE
WHERE STATE = 'MA' AND (ACRES > 1000 OR FEE = 0.0)
```


Table 17: 6 records

PNO	PNAME	STATE	ACRES	FEE
14	MCELWAIN-OLSEN	MA	66	0
13	TATKON	MA	40	0
9	DAVID H. SMITH	MA	830	0
11	MIACOMET MOORS	MA	4	0
12	MOUNT PLANTAIN	MA	730	0
10	HOFT FARM	MA	90	0

```
SELECT * from preserve
WHERE (STATE = 'MA' AND ACRES > 1000) OR (STATE = 'MA' AND FEE = 0.0)
```

Table 18: 6 records

PNO	PNAME	STATE	ACRES	FEE
14	MCELWAIN-OLSEN	MA	66	0
13	TATKON	MA	40	0
9	DAVID H. SMITH	MA	830	0
11	MIACOMET MOORS	MA	4	0
12	MOUNT PLANTAIN	MA	730	0
10	HOFT FARM	MA	90	0

16. As seguintes cláusulas WHERE são logicamente equivalentes? WHERE STATE = 'MA' OR (ACRES > 1000 AND FEE = 0.0) WHERE (STATE = 'MA' OR ACRES > 1000) AND (STATE = 'MA' OR FEE = 0.0)

Resposta: Sim, são equivalentes. É a distributiva “inversa”, do OR sobre o AND: $P \text{ OR } (Q \text{ AND } R) \equiv (P \text{ OR } Q) \text{ AND } (P \text{ OR } R)$.

```
SELECT * FROM PRESERVE
WHERE STATE = 'MA' OR (ACRES > 1000 AND FEE = 0.0)
```

Table 19: 9 records

PNO	PNAME	STATE	ACRES	FEE
7	MULESHOE RANCH	AZ	49120	0
14	MCELWAIN-OLSEN	MA	66	0
13	TATKON	MA	40	0
9	DAVID H. SMITH	MA	830	0

PNO	PNAME	STATE	ACRES	FEE
11	MIACOMET MOORS	MA	4	0
12	MOUNT PLANTAIN	MA	730	0
1	COMERTOWN PRAIRIE	MT	1130	0
2	PINE BUTTE SWAMP	MT	15000	0
10	HOFT FARM	MA	90	0

```
SELECT * FROM PRESERVE
WHERE (STATE = 'MA' OR ACRES > 1000) AND (STATE = 'MA' OR FEE = 0.0)
```

Table 20: 9 records

PNO	PNAME	STATE	ACRES	FEE
7	MULESHOE RANCH	AZ	49120	0
14	MCELWAIN-OLSEN	MA	66	0
13	TATKON	MA	40	0
9	DAVID H. SMITH	MA	830	0
11	MIACOMET MOORS	MA	4	0
12	MOUNT PLANTAIN	MA	730	0
1	COMERTOWN PRAIRIE	MT	1130	0
2	PINE BUTTE SWAMP	MT	15000	0
10	HOFT FARM	MA	90	0

17. As seguintes cláusulas WHERE são logicamente equivalentes? WHERE NOT (ACRES < 50 AND STATE = 'MA') WHERE NOT ACRES < 50 AND NOT STATE = 'MA' WHERE ACRES >= 50 OR STATE <> 'MA'

Resposta: Não, a primeira e a terceira são equivalentes porém, a segunda é diferente. NOT (B AND C) a primeira é, por De Morgan, igual a NOT B OR NOT C, que é exatamente ACRES >= 50 OR STATE <> 'MA' na terceira. Já a segunda, NOT B AND NOT C, troca o OR por AND — é o erro clássico ao aplicar De Morgan sem inverter o conectivo. Exemplo que separa as duas. uma reserva de 30 acres no Arizona (B verdadeiro, C falso). A primeira e a terceira incluem (NOT(V AND F) = V), já a segunda exclui (NOT V AND NOT F = F AND V = F).

```
SELECT * FROM PRESERVE
WHERE NOT (ACRES < 50 AND STATE = 'MA')
```

Table 21: Displaying records 1 - 10

PNO	PNAME	STATE	ACRES	FEE
5	HASSAYAMPA RIVER	AZ	660	3
3	DANCING PRAIRIE	MT	680	0
7	MULESHOE RANCH	AZ	49120	0
40	SOUTH FORK MADISON	MT	121	0
14	MCELWAIN-OLSEN	MA	66	0
9	DAVID H. SMITH	MA	830	0
12	MOUNT PLANTAIN	MA	730	0
1	COMERTOWN PRAIRIE	MT	1130	0
2	PINE BUTTE SWAMP	MT	15000	0
80	RAMSEY CANYON	AZ	380	3

```
SELECT * FROM PRESERVE
WHERE NOT ACRES < 50 AND NOT STATE = 'MA'
```

Table 22: 8 records

PNO	PNAME	STATE	ACRES	FEE
5	HASSAYAMPA RIVER	AZ	660	3
3	DANCING PRAIRIE	MT	680	0
7	MULESHOE RANCH	AZ	49120	0
40	SOUTH FORK MADISON	MT	121	0
1	COMERTOWN PRAIRIE	MT	1130	0
2	PINE BUTTE SWAMP	MT	15000	0
80	RAMSEY CANYON	AZ	380	3
6	PAPAGONIA-SONOITA CREEK	AZ	1200	3

```
SELECT * FROM PRESERVE
WHERE ACRES >= 50 OR STATE <> 'MA'
```

Table 23: Displaying records 1 - 10

PNO	PNAME	STATE	ACRES	FEE
5	HASSAYAMPA RIVER	AZ	660	3
3	DANCING PRAIRIE	MT	680	0
7	MULESHOE RANCH	AZ	49120	0
40	SOUTH FORK MADISON	MT	121	0

PNO	PNAME	STATE	ACRES	FEE
14	MCELWAIN-OLSEN	MA	66	0
9	DAVID H. SMITH	MA	830	0
12	MOUNT PLANTAIN	MA	730	0
1	COMERTOWN PRAIRIE	MT	1130	0
2	PINE BUTTE SWAMP	MT	15000	0
80	RAMSEY CANYON	AZ	380	3

18. As seguintes cláusulas WHERE são logicamente equivalentes? WHERE NOT (ACRES < 50 OR STATE = 'MA') WHERE NOT ACRES < 50 OR NOT STATE = 'MA' WHERE NOT ACRES < 50 AND NOT STATE = 'MA'

Resposta: Não, a primeira e a terceira são equivalentes, porém a segunda é diferente. NOT (B OR C) na primeira é, por De Morgan, igual a NOT B AND NOT C na terceira. A segunda, NOT B OR NOT C, é igual o erro anterior, foi trocado o AND por OR. Com a mesma reserva de 30 acres no Arizona, a primeira e a terceira excluem (NOT(V OR F) = F), a segunda inclui (NOT V OR NOT F = F OR V = V).

```
SELECT * FROM PRESERVE
WHERE NOT (ACRES < 50 OR STATE = 'MA')
```

Table 24: 8 records

PNO	PNAME	STATE	ACRES	FEE
5	HASSAYAMPA RIVER	AZ	660	3
3	DANCING PRAIRIE	MT	680	0
7	MULESHOE RANCH	AZ	49120	0
40	SOUTH FORK MADISON	MT	121	0
1	COMERTOWN PRAIRIE	MT	1130	0
2	PINE BUTTE SWAMP	MT	15000	0
80	RAMSEY CANYON	AZ	380	3
6	PAPAGONIA-SONOITA CREEK	AZ	1200	3

```
SELECT * FROM PRESERVE
WHERE NOT ACRES < 50 OR NOT STATE = 'MA'
```

Table 25: Displaying records 1 - 10

PNO	PNAME	STATE	ACRES	FEE
5	HASSAYAMPA RIVER	AZ	660	3
3	DANCING PRAIRIE	MT	680	0
7	MULESHOE RANCH	AZ	49120	0
40	SOUTH FORK MADISON	MT	121	0
14	MCELWAIN-OLSEN	MA	66	0
9	DAVID H. SMITH	MA	830	0
12	MOUNT PLANTAIN	MA	730	0
1	COMERTOWN PRAIRIE	MT	1130	0
2	PINE BUTTE SWAMP	MT	15000	0
80	RAMSEY CANYON	AZ	380	3

```
SELECT * FROM PRESERVE
WHERE NOT ACRES < 50 AND NOT STATE = 'MA'
```

Table 26: 8 records

PNO	PNAME	STATE	ACRES	FEE
5	HASSAYAMPA RIVER	AZ	660	3
3	DANCING PRAIRIE	MT	680	0
7	MULESHOE RANCH	AZ	49120	0
40	SOUTH FORK MADISON	MT	121	0
1	COMERTOWN PRAIRIE	MT	1130	0
2	PINE BUTTE SWAMP	MT	15000	0
80	RAMSEY CANYON	AZ	380	3
6	PAPAGONIA-SONOITA CREEK	AZ	1200	3

```
Sys.setenv(TZ = "America/Sao_Paulo")
Sys.time()
```

```
[1] "2026-08-31 22:30:29 -03"
```