

(Task 1 of 7) In this tutorial, we will review previously learned content.

0

(Task 2 of 7) Imagine that you and your colleagues are given a large codebase. One of your colleagues would like to make a change to the following lines in a program.

```
(defvar x (mvec 52 70 61))  
(defvar y (mvec 52 70 61))
```

Which (if any) of the following edits might break the code? (You can assume the variable `tmp` is never used elsewhere in the program.)



```
(defvar x (mvec 52 70 61))  
(defvar y x)
```



```
(defvar tmp (mvec 52 70 61))  
(defvar x tmp)  
(defvar y tmp)
```



```
(defvar x (mvec 52 70 61))  
(defvar y (mvec (vec-ref x 0) (vec-ref x 1) (vec-ref x 2)))
```

You gave the correct answer 🎉🎉🎉

(Task 3 of 7) Imagine that you and your colleagues are given a large codebase. One of your colleagues would like to make a change to the following lines in a program.

```
(defvar x (mvec 10 48 95))  
(defvar y (f (mvec 10 48 95)))
```

Which (if any) of the following edits might break the code? (You can assume the variable `tmp` is never used elsewhere in the program.)



```
(defvar x (mvec 10 48 95))  
(defvar y (f x))
```



```
(defvar tmp (mvec 10 48 95))  
(defvar x tmp)  
(defvar y (f tmp))
```



```
(defvar x (mvec 10 48 95))  
(defvar y (f (mvec (vec-ref x 0) (vec-ref x 1) (vec-ref x 2))))
```

You gave the correct answer 🎉🎉🎉

(Task 4 of 7) Imagine that you and your colleagues are given a large codebase. One of your colleagues would like to make a change to the following lines in a program.

```
(defvar x n)
(defvar y (f n))
```

Which (if any) of the following edits might break the code? (You can assume the variable `tmp` is never used elsewhere in the program.)

- ☐ (defvar x n)
(defvar y (f x))
- ☐ (defvar tmp n)
(defvar x tmp)
(defvar y (f tmp))
- ☒ (defvar y (f x))
(defvar x n)

You gave the correct answer 🎉🎉🎉

(Task 5 of 7) Imagine that you and your colleagues are given a large codebase. One of your colleagues would like to make a change to the following lines in a program.

```
(defvar x (mvec 19 73 28))
(defvar y (mvec (mvec 19 73 28) (mvec 19 73 28)))
```

Which (if any) of the following edits might break the code? (You can assume the variable `tmp` is never used elsewhere in the program.)

- ☒ (defvar x (mvec 19 73 28))
(defvar y (mvec x x))
- ☒ (defvar x (mvec 19 73 28))
(defvar y (mvec x (mvec 19 73 28)))
- ☒ (defvar tmp (mvec 19 73 28))
(defvar x tmp)
(defvar y (mvec tmp tmp))
- ☐ (defvar x (mvec 19 73 28))
(defvar y (mvec (mvec (vec-ref x 0) (vec-ref x 1) (vec-ref x 2)) (m

You gave the correct answer 🎉🎉🎉

12

(Task 6 of 7) Imagine that you and your colleagues are given a large codebase. One of your colleagues would like to make a change to the following lines in a program.

13

```
(defvar x n)
(defvar y n)
```

Which (if any) of the following edits might break the code? (You can assume the variable `tmp` is never used elsewhere in the program.)

☐

```
(defvar x n)
(defvar y x)
```

14

☐

```
(defvar tmp n)
(defvar y tmp)
(defvar x tmp)
```

You gave the correct answer 🎉🎉🎉

15

(Task 7 of 7) Imagine that you and your colleagues are given a large codebase. One of your colleagues would like to make a change to the following lines in a program.

16

```
(defvar x n)
(defvar y (mvec n 89 12))
```

Which (if any) of the following edits might break the code? (You can assume the variable `tmp` is never used elsewhere in the program.)

☐

```
(defvar x n)
(defvar y (mvec x 89 12))
```

17

☐

```
(defvar tmp n)
(defvar x tmp)
(defvar y (mvec tmp 89 12))
```

You gave the correct answer 🎉🎉🎉

18

You have finished this tutorial 🎉🎉🎉

Please [print](#) the finished tutorial to a PDF file so you can review the content in the future. **Your**

instructor (if any) might require you to submit the PDF.

Start time: 1781417342190