

```
MINGW64:/c/Users/k1e7l
k1e7l@BOOK-V2TI50AE9C MINGW64 ~
$ git config --global core.autocrlf true

k1e7l@BOOK-V2TI50AE9C MINGW64 ~
$ git config --global core.safecrlf false

k1e7l@BOOK-V2TI50AE9C MINGW64 ~
$ git config --global user.name jw13k

k1e7l@BOOK-V2TI50AE9C MINGW64 ~
$ git config --global user.email smilejw13@dongyang.ac.kr

k1e7l@BOOK-V2TI50AE9C MINGW64 ~
$ git config --global init.defaultBranch main

k1e7l@BOOK-V2TI50AE9C MINGW64 ~
$ git config --global core.editor notepad

k1e7l@BOOK-V2TI50AE9C MINGW64 ~
$ $ git config --get core.editor
bash: $: command not found

k1e7l@BOOK-V2TI50AE9C MINGW64 ~
$ git config --get core.editor
notepad

k1e7l@BOOK-V2TI50AE9C MINGW64 ~
$ git config --global core.editor 'code --wait'

k1e7l@BOOK-V2TI50AE9C MINGW64 ~
$

k1e7l@BOOK-V2TI50AE9C MINGW64 ~
$ git config --global init.defaultBranch main

k1e7l@BOOK-V2TI50AE9C MINGW64 ~
$
```

```
MINGW64:/c/Users/k1e7l/basic
$

k1e7l@BOOK-V2TI50AE9C MINGW64 ~
$ git config --global init.defaultBranch main

k1e7l@BOOK-V2TI50AE9C MINGW64 ~
$ git init basic
Initialized empty Git repository in C:/Users/k1e7l/basic/.git/

k1e7l@BOOK-V2TI50AE9C MINGW64 ~
$ cd basic

k1e7l@BOOK-V2TI50AE9C MINGW64 ~/basic (main)
$ ls -al
total 20
drwxr-xr-x 1 k1e7l 197609 0 12월 10 22:52 ./
drwxr-xr-x 1 k1e7l 197609 0 12월 10 22:52 ../
drwxr-xr-x 1 k1e7l 197609 0 12월 10 22:52 .git/

k1e7l@BOOK-V2TI50AE9C MINGW64 ~/basic (main)
$

k1e7l@BOOK-V2TI50AE9C MINGW64 ~/basic (main)
$

k1e7l@BOOK-V2TI50AE9C MINGW64 ~/basic (main)
$

k1e7l@BOOK-V2TI50AE9C MINGW64 ~/basic (main)
$
```