

Next Best Action Policy Thresholds and Response Strategies

(2025 Q4 Update)

Table of Contents

- [Introduction](#)
- [Policy Overview](#)
- [Clinical Action Strategies](#)
- [Thresholds and Triggering Events](#)
- [Risk Stratification Models](#)
- [Device Vendor Bulletins & Firmware Notes](#)
- [Error Codes and Troubleshooting](#)
- [Ingestion Troubleshooting Procedures](#)
- [Clinician Outreach and Scripts](#)
- [Clinical Note Generator QA](#)

Introduction

This document delineates the updated policies, thresholds, and response strategies for the Next Best Action (NBA) models as of Q4 2025. Covering critical decision thresholds such as fasting glucose levels, elevated risk scores, and other clinical triggers, this guide provides comprehensive procedures and actionable steps for clinicians and system administrators. It is intended to ensure consistent and evidence-based responses, optimize

patient outcomes, and facilitate integration within clinical workflows.

The document also includes updates on device firmware, vendor bulletins, error handling protocols, and detailed instructions for troubleshooting data ingestion issues encountered within the system. Furthermore, guidance on effective clinician outreach and documentation standards for clinical note generation is provided to support high-quality patient care and audit compliance.

Policy Overview

The core objective of the Next Best Action (NBA) policy is to recommend timely interventions based on real-time patient data and risk assessment models. Effective from October 2025, the policy utilizes defined thresholds to trigger specific clinician actions, aiming to address abnormal values and rising risk indicators promptly.

Key elements include:

- **Threshold-Based Triggers:** e.g., fasting glucose > 140 mg/dL
- **Risk Score Elevation:** such as elevated risk scores from predictive models
- **Device Alerts:** generated through vendor firmware statuses

This policy emphasizes proactive engagement, remote monitoring adjustments, and medication reviews aligned with clinical guidelines. It also fosters consistent documentation and communication strategies.

Clinical Action Strategies

Supported Interventions

- **Nurse Check-in:** for immediate patient contact and assessment
- **Medication Review:** to adjust or reinforce medication plans
- **Remote Monitoring Adjustment:** enabling more frequent data collection or alerts
- **Patient Education:** targeted messaging to improve compliance

Sample Response Workflow

When a patient’s fasting glucose exceeds 140 mg/dL:

1. System triggers an NBA alert for clinician review.
2. Clinician assesses recent data and patient history.
3. If confirmed significant hyperglycemia, initiate nurse check-in within 24 hours.
4. Depending on findings, consider medication review or remote monitoring escalation.
5. Document interventions and patient communications per standard protocols.

Thresholds and Triggering Events

Key Laboratory and Physiological Thresholds

Parameter	Threshold	Triggering Action
Fasting Glucose	> 140 mg/dL	Schedule Nurse Check-in
Postprandial Glucose	> 200 mg/dL	Alert clinician for review
Blood Pressure (Median SBP)	> 150 mmHg over 90 mmHg	Adjust therapy; remote monitoring suggested
Risk Score Elevation	Top 20% of risk scores in population cohort	Intensify follow-up; schedule telehealth

Additional triggers include elevated lipid levels, abnormal ECG findings, and device anomaly reports.

Risk Stratification Models

Model Cards and Feature Importance

Risk models utilize multi-factor inputs to generate scores indicative of patient health status. The following summarizes the key models used and their feature importance:

Model: Cardiometabolic Risk Score (CMS) 2025

Feature	Importance %
Fasting Blood Glucose	25%
Age	15%
Systolic Blood Pressure	20%
LDL Cholesterol	12%
HDL Cholesterol	10%
Smoking Status	8%
Family History	10%

The models undergo continuous validation and recalibration, with feature importance updates provided quarterly.

Device Vendor Bulletins & Firmware Notes

Firmware updates and vendor bulletins are critical for maintaining device reliability and ensuring accurate data collection. Below are recent updates relevant for Q4 2025.

DEVCO-GM v3.9

- **Release Date:** September 15, 2025
- **Enhancements:** Improved Bluetooth connectivity stability, reduced data latency for glucose measurements
- **Known Issues:** Intermittent report delays on certain Android devices. Recommended firmware reinstallation if issues persist.

DEVCO-BP v2.7

- **Release Date:** September 20, 2025
- **Enhancements:** Updated pressure sensor calibration, improved accuracy for cuff readings
- **Known Issues:** Firmware conflicts with third-party apps, requiring specific device compatibility checks.

Error Codes and Troubleshooting

Bluetooth Communication Errors

Error Code	Symptoms	Root Cause	Resolution Steps
BT-GM-3901	Device fails to sync data for glucose	Bluetooth pairing failure or interference	• Verify Bluetooth is enabled on device and patient's phone • Reset device and re-pair • Ensure no other devices are causing interference • Update device firmware if outdated

BT-BP-2705	Blood pressure readings do not transmit	Sensor calibration error or connectivity issue	• Perform device calibration check • Ensure proper placement of cuff • Reboot device and retry transmission • Consult vendor support if persistent
------------	---	--	--

Data Ingestion Troubleshooting Procedures

Step-by-Step Workflow

1. **Identify Data Gaps or Delays:** Check system logs for missing or delayed data uploads.
2. **Verify Device Connectivity:** Confirm device is paired and actively transmitting data.
3. **Check Firmware Status:** Ensure devices are on current firmware versions (v3.9, v2.7).
4. **Review Data Format Compliance:** Ensure data packets adhere to expected schema standards.
5. **Analyze System Alerts:** Investigate system notifications or error logs related to ingestion failures.
6. **Coordinate with Device Support:** For persistent issues, escalate to vendor technical support with logs and device IDs.

Preventive Actions

- Schedule regular firmware updates
- Implement routine device calibration checks
- Establish robust Bluetooth interference minimization protocols

Clinician Outreach and Script Management

Standard Outreach Scripts

For Elevated Glucose Alert:

"Hello [Patient Name], this is [Clinician Name]. We noticed that

For Risk Score Elevated:

"Hi [Patient Name], your recent health assessment indicates an

Documentation and Follow-up

- Record all outreach attempts
- Document patient responses and planned interventions
- Schedule follow-up tasks in clinical workflow systems

Clinical Note Generator QA Guidance

To ensure high-quality, compliant documentation, clinicians should adhere to the following guidelines:

- Use standardized templates for data and intervention entries
- Clearly record the parameters triggering the NBA alert (e.g., fasting glucose 145 mg/dL)
- Include date and time stamps for all documented actions
- Describe steps taken during patient contact, including assessment and recommendations
- Verify that notes are consistent with patient records and system alerts

QA checks should be performed weekly, focusing on accuracy, completeness, and compliance with documentation standards.