BUILDER, STEP 17

Same undo, 2 folders. Only one could prove it.

Our test: Claude Code undoes a wrong change, with and without git.

OUR TEST

Three asks, each in a new session.

→ **A wrong change:** rank by percent, not by pallets. Route NL-BE dropped out of the top 3.

→ **A good change after it:** an option --top N.

→ **The undo:** "The percent ranking was a mistake. Undo it."

The step 11 script and made-up export. Once in a plain folder, once in a git repository.

THE RESULT

Both were right. Only git could prove it.

	PLAIN FOLDER	GIT
Top 3 after the undo	Right	Right
--top kept	Yes	Yes
The README	18 lines different	Unchanged
See what changed	No old version	git log, git diff

Plain folder: "I rebuilt it by hand, which means it may not match your original exactly."

GIT IN FOUR LINES

Every commit is a saved version.

```
$ git log --oneline
e471b48 Revert "Rank pallet changes...
f9566d8 Add --top N option to chan...
a39580d Rank pallet changes by perc...
0adb845 Add changes.py: top 3 week-...
```

git revert took out a39580d with a new commit. The --top commit after it stayed.

The wrong commit is still in the history. Nothing is lost.

WHAT WE SAW

It needs a yes before it commits.

- → It did not commit on its own.
- → In accept edits mode, it still needed a yes before git commit.
- → The commit had our name, plus a line: Co-Authored-By: Claude Opus 5.5.
- → In plan mode, it warned "It will conflict" before it changed anything.

THE TRAP

Revert, not reset.

- → `git revert` adds a commit and keeps the history.
- → `git reset --hard` throws away work you did not commit.
- → In our run, Claude chose revert. A public bug report says Claude Code ran reset --hard and lost work.

Ask for the undo "with git revert". Commit before a big change.

MY OWN SETUP

One of my repositories, in numbers.

Commits since 29 March	**1,900+**
Merged pull requests	**1,900+**
Reverts	**4**

Every change is a commit. 4 of them took an earlier change back.

FREE FILES

Get the git cheat sheet. Free.

→ Save, see and undo, in 10 commands

→ What to ask Claude Code, word for word

→ A .gitignore that keeps your keys out

→ The step 11 script and export, to test on

On my profile, under Featured: AI Starter Kit, step 17.
Save this post.

Tomorrow: from an artifact link to a real website.