

Accessibility Conformance Report (ACR) — Draft

Report information

Name of product	Modernized VAERS Reporting Application (proposed) — evaluated build: working prototype at https://vaers-demo.frasierdigital.com
Report date	[render date]
Product description	Mobile-friendly, desktop-compatible web application for public and healthcare-provider VAERS report submission: branching submission form, plain-language public path, intelligent completion assistance, satisfaction surveys, low-code administrative interface, medical-record upload (Phase 1)
Vendor	Frasier Digital, LLC · joseph@frasierdigital.com · (850) 356-2382
Evaluation methods used	Automated WCAG 2.1 A/AA testing (axe-core) across 12 application states — 0 violations; manual keyboard-only operation of all flows; focus-management review (modals focus-trapped, skip navigation); screen-reader spot checks; reduced-motion preference honored; color-contrast verification of all tokens including state variants; 44px minimum touch targets
Applicable standards	WCAG 2.1 Level A and AA; Revised Section 508 (36 CFR Part 1194); HHS ICT accessibility requirements

Summary of conformance

Standard / level	Conformance level	Remarks
WCAG 2.1 Level A	Supports	All Level A success criteria pass automated + manual evaluation across every prototype state (landing, both form paths, branching states, assistance panel, narrative prefill, surveys, admin, evaluator guide)
WCAG 2.1 Level AA	Supports	0 violations in automated audits; contrast, reflow, text spacing, orientation, and focus-visible verified manually
Section 508 functional performance criteria	Supports	Full keyboard operability without vision or fine-motor precision; no audio-only or timing-dependent content; assistance features optional with complete non-AI path
Section 508 support documentation (602)	Supports	User documentation delivered in accessible formats (Task 1.12/3.8); ACR maintained through delivery

Success criteria detail (condensed for quote; full criterion-by-criterion table in rendered ACR)

Criteria group	Status	Evidence / remarks
Text alternatives; info & relationships; semantic structure (1.1.1, 1.3.x)	Supports	Semantic HTML + ARIA landmarks; form fields programmatically labeled; branching changes announced via live regions ("N questions removed")

Criteria group	Status	Evidence / remarks
Distinguishable content: contrast, resize, reflow, non-text contrast (1.4.x)	Supports	Token system verified $\geq 4.5:1$ text / $\geq 3:1$ UI components incl. success/error states; 400% zoom reflow without loss; no horizontal scroll
Keyboard accessible; no traps; visible focus (2.1.x, 2.4.7)	Supports	Every flow completable keyboard-only; modals (surveys) focus-trapped with escape; visible focus states on all interactive elements
Enough time; seizures; motion (2.2.x, 2.3.x)	Supports	No time limits on completion (save/resume provided); no flashing; all animation gated on prefers-reduced-motion
Navigable: titles, order, headings, skip, multiple ways (2.4.x)	Supports	Logical focus order across branching steps; descriptive headings; consistent navigation
Input assistance: labels, error identification/suggestion/prevention (3.3.x)	Supports	Inline validation with text error identification and correction suggestions; review step before submission (error prevention for legal/data commitments)
Readable & predictable (3.1.x, 3.2.x)	Supports	Plain-language public path (1.6.1); language of page set; no context changes on focus/input
Compatible: parsing, name/role/value, status messages (4.1.x)	Supports	Valid markup; custom components expose name/role/value; status messages via role=status (completion meter, applied-answers receipt)
AI-assistance features specifically	Supports	Assistant panel fully keyboard/screen-reader operable; AI-suggested values visibly and programmatically tagged until user-verified; complete non-AI path always available

Notes and commitments

1. Conformance carries to production via CI enforcement: automated accessibility gates block merge on any violation; manual assistive-technology testing each release.
2. All contract deliverables (documents, guides, reports) will conform to HHS ICT accessibility standards.
3. ACR/VPAT updated and delivered with Beta and again at Final Release, with a remediation plan for any nonconformity then identified (PRS#14 thresholds).
4. Legal disclaimer: **[FLAG: — standard VPAT disclaimer text to include at render.]**